

Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



nimcet Previous Year Questions (PYQs)

nimcet 2025 PYQ

Qus : 1 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A sum of money was divided into 2 parts in the ratio 2:5. First part was invested for 2 years at the annual interest rate of 20% compounded annually. At what rate of simple interest per annum the second part must be invested for 2 years, so that the interest earned in both cases is the same?

1

10.2%

2

9.6%

3

8.8%

4

Cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12032\)](https://www.test.aspirestudy.in/library/qus/12032)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 2 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A group of 630 children is arranged in rows for a group photograph. Each row contains three fewer

children than the row in front of it. What number of rows is not possible?

- ☒ 1 4
- ☐ 2 5
- ☐ 3 6
- ☐ 4 3


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12033\)](https://www.test.aspirestudy.in/library/qus/12033)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 3 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

How many triangles are there in the figure given below?



- ☒ 1 21
- ☐ 2 32
- ☐ 3 13
- ☐ 4 24

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12034\)](https://www.test.aspirestudy.in/library/qus/12034)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2025)

Qus : 4 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A number which, when increased by 15% becomes 161. What is the original number?

- 1 140
- 2 130
- 3 145
- 4 135

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12035\)](https://www.test.aspirestudy.in/library/qus/12035)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 5 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Suppose that C represents the set of all countries, R represents the set of all countries that have at least one river flowing through it, M represents the set of all countries that have at least one mountain in it, and D represents the set of all countries that have at least one desert in it. It is given that:

$$R \cup M \cup D = C$$

Which one of the following gives the set of all countries that have either a mountain or a river, but do not have a desert in it? The notation D^c represents the complement of the set D with respect to the universal set C .

- 1 $(R \cup M) \cap D^c$
- 2 $(R \cup M) - ((R \cap M) \cap D^c)$
- 3 $(R \cup M) - (R \cap M)$
- 4 $(R \cap M) \cap D^c$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12036\)](https://www.test.aspirestudy.in/library/qus/12036)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 6 **nimcet PYQ 2025** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the equivalent decimal value of the unsigned binary number 10101.10101?

1

125.25

2

51.125

3

25.375

4

21.65625

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12037\)](https://www.test.aspirestudy.in/library/qus/12037)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 7 **nimcet PYQ 2025** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the Boolean expression $X = \overline{(A + B) \cdot C}$ over two Boolean variables A and B . Which one of the following Boolean expressions is equivalent to the given Boolean expression X ?

1

$\overline{A} + \overline{B} \cdot \overline{C}$

2

$\overline{A \cdot B} + \overline{B \cdot C}$

3

$\overline{A} \cdot \overline{B} + C$

4

$\overline{A \cdot B} + \overline{B \cdot C}$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 8 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which of the following is the CORRECT truth table for the XOR Gate with two binary inputs A and B?

1

A	B	A XOR B
0	0	1
0	1	0
1	0	0
1	1	1

2

A	B	A XOR B
0	0	0
0	1	1
1	0	1
1	1	0

3

A	B	A XOR B
0	0	0
0	1	0
1	0	1
1	1	1

4

A	B	A XOR B
0	0	1
0	1	1
1	0	1
1	1	0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12039\)](https://www.test.aspirestudy.in/library/qus/12039)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 9 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Given an unsigned 32-bit integer x , which of the following C/C++ expressions correctly toggles m bits starting from position p (with the least significant bit at position 0)?

Assume: x is the input integer; p is the starting position of the bit range (0-based, LSB at position 0); m is the number of bits to toggle; and No overflow or invalid input conditions occur.

Which of the following correctly toggles m bits of x starting from position p ?

1

$$x \& \sim (((1 \ll m) - 1) \ll p)$$

2

$$x \wedge ((1 \ll m) \ll p)$$

3

$$x \wedge (((1 \ll m) - 1) \ll p)$$

4

$$x \mid ((1 \ll m) \ll p)$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12040\)](https://www.test.aspirestudy.in/library/qus/12040)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025>)

Qus : 10 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Debugger is a program that

1

does not allow step by step execution of a segment of program

2

links object code to produce an executable

3

allows to set breakpoints, execute a segment of program and display contents of Register

4

compiles source code to object code

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12041\)](https://www.test.aspirestudy.in/library/qus/12041)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025>)

Qus : 11 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the Boolean function in a CPU control unit:

$$Y = (A + B \cdot \bar{C}) \cdot (\bar{A} \cdot B + C)$$

1

$$A \cdot C + \bar{A} \cdot B + B \cdot \bar{C}$$

2

$$A \cdot C + B \cdot \bar{C}$$

3

$$A \cdot C + \bar{A} \cdot B \cdot \bar{C}$$

4

$$A \cdot B + C$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12042\)](https://www.test.aspirestudy.in/library/qus/12042)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 12 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Dynamic RAM (DRAM) stores each bit of data in a separate capacitor. Due to leakage, the stored charge tends to dissipate over time and needs to be refreshed periodically. Consider the following statements:

P: DRAM requires refreshing because it uses capacitors to store bits.

Q: SRAM does not require refreshing because it uses flip-flops instead of capacitors.

R: DRAM is faster than SRAM because it needs less frequent access.

S: DRAM is more suitable for main memory than SRAM due to its density.

1

P, Q, and S are true; R is false.

2

Only P and Q are true; R is false, and S is irrelevant.

3

All statements P, Q, R, and S are true.

4

P and S are true; Q and R are false.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12043\)](https://www.test.aspirestudy.in/library/qus/12043)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 13 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In 8-bit two's complement arithmetic, compute the result of the following addition: **A = 10011001**, **B = 11010111**. What is the resulting 8-bit binary value?

1

111100100

2

01110000

3

Result is invalid

4

01110001

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12044\)](https://www.test.aspirestudy.in/library/qus/12044)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 14 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In the design of a control unit of a processor, two common approaches are used: hardware control and microprogrammed control. Consider the following statements:

1. Hardware control units are generally faster but more difficult to modify than microprogrammed control units.
2. In a horizontal microprogrammed control unit, each control signal has a separate bit in the control word.
3. Vertical microprogramming leads to longer control words but provides greater parallelism.
4. Microprogrammed control units are typically easier to implement and modify than hardware control units.

1

2, 3 and 4 only

2

1, 3 and 4 only

3

1, 2, 3 and 4

4

1, 2 and 4 only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12045\)](https://www.test.aspirestudy.in/library/qus/12045)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 15 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider a system with a CPU having 6 registers and 32-bit instructions. The maximum possible size of the main memory is 512 KB ($1K = 2^{10}$). Each instruction takes two registers and one memory

of the main memory is 64 Kbytes (2¹⁶ bytes). Each instruction takes two registers and one memory

address as operands. Which one of the following correctly gives the maximum possible distinct instructions that can be there in the instruction set of the CPU?

- 1 1024
- 2 256
- 3 128
- 4 64

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12046\)](https://www.test.aspirestudy.in/library/qus/12046)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 16 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Match all items in Group 1 with correct options from those given in Group 2.

GROUP 1	GROUP 2
P. Intermediate representation	1. Activation records
Q. Top-down parsing	2. Code generation
R. Runtime environments	3. Leftmost derivation
S. Register allocation	4. Graph colouring

- 1 P-4, Q-2, R-3, S-1
- 2 P-2, Q-3, R-1, S-4
- 3 P-1, Q-2, R-3, S-4
- 4 P-2, Q-3, R-4, S-1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12047\)](https://www.test.aspirestudy.in/library/qus/12047)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 17 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which of the following secondary storage devices has the fastest access time: Optical Drive, Magnetic Tape Drive, Hard Disk Drive (HDD), Solid State Drive (SDD)?

1 Solid State Drive (SDD)

2 Optical Drive

3 Magnetic Tape Drive

4 Hard Disk Drive (HDD)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12048\)](https://www.test.aspirestudy.in/library/qus/12048)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 18 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider a 9-bit representation. Which of the following correctly gives the smallest number that can be represented in:

(i) 1's complement,

(ii) 2's complement

1 (i) -256, (ii) -255

2 (i) -255, (ii)-255

3 (i) -255, (ii) -256

4 (i) -256, (ii) -256

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12049\)](https://www.test.aspirestudy.in/library/qus/12049)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 19 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which of the following statements about ASCII and Unicode is correct?

1

Unicode is backward compatible with ASCII and includes all ASCII characters in its encoding.

2

ASCII uses 16 bits per character, while Unicode uses only 7 bits.

3

Unicode and ASCII are completely different and share no common characters.

4

ASCII can represent more characters than Unicode because it uses fewer bits per character.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12050\)](https://www.test.aspirestudy.in/library/qus/12050)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 20 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In an instruction execution pipeline, the earliest that the instruction TLB and data TLB can be accessed are

1

Fetch stage and memory stage respectively

2

Memory stage and memory stage respectively

3

Memory stage and execute stage respectively

4

Fetch stage and fetch stage respectively

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12051\)](https://www.test.aspirestudy.in/library/qus/12051)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 21 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Given the Boolean expression $(A \oplus B) \wedge (B \rightarrow C)$, which of the following rows in the truth table would have an output of 1 (True)?

1

A = 0, B = 0, C = 0

2

A = 0, B = 1, C = 0

3

A = 1, B = 1, C = 1

4

A = 1, B = 0, C = 1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12052\)](https://www.test.aspirestudy.in/library/qus/12052)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 22 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider a system running under two types of workloads:

(a) CPU-intensive jobs,

(b) I/O-intensive jobs. Which of the following statements about the relative performance of Interrupt-driven I/O and Programmed I/O is correct?

1

Programmed I/O performs better for CPU-intensive jobs, while interrupt-driven I/O performs better for I/O-intensive jobs.

2

Programmed I/O performs better in both CPU-intensive and I/O-intensive workloads because it gives the CPU full control.

3

Interrupt-driven I/O performs better in both CPU-intensive and I/O-intensive workloads because it always reduces CPU involvement.

4

Interrupt-driven I/O performs better for CPU-intensive jobs by freeing the CPU, while programmed I/O performs better for I/O-intensive jobs due to tighter control.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12053\)](https://www.test.aspirestudy.in/library/qus/12053)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 23 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In computer architecture, which of the following correctly matches the fundamental unit used in the CPU, cache, and main memory respectively?

1

CPU → Block, Cache → Page, Memory → Word

2

CPU → Block, Cache → Word, Memory → Page

3

CPU → Page, Cache → Word, Memory → Block

4

CPU → Word, Cache → Block, Memory → Page

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12054\)](https://www.test.aspirestudy.in/library/qus/12054)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 24 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the hexadecimal representation of the decimal number 265?

1

0x100001001

2

0x109

3

0x411

4

0x190

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12055\)](https://www.test.aspirestudy.in/library/qus/12055)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 25 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Identify the **incorrect** sentence based on the usage of the verb:

1

It's been raining since morning.

2

They are understanding the problem.

3

It has clear ideas.

4

Their understanding of the problem was incorrect

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12056\)](https://www.test.aspirestudy.in/library/qus/12056)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 26 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

"The new iPhone seems to cost everyone not just an arm and a leg, but also a kidney." What does "to cost an arm and a leg" mean?

1

To be afraid of surgery

2

To be very short-lived

3

To be very expensive

4

To be very cheap

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12057\)](https://www.test.aspirestudy.in/library/qus/12057)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 27 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Study the following sentence: The statue of Christ the Redeemer is located on Rio de Janeiro, the largest city of Brazil. (Which of the following parts of the sentence is grammatically incorrect)

1

the largest city of Brazil

2

on Rio de Janeiro

3

The statue of Christ the Redeemer

4

is located

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12058\)](https://www.test.aspirestudy.in/library/qus/12058)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 28 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The man and the dog_____ (flee) through the forest. (fill in the blank with the most appropriate form)

1

fleeing

2

has fled

3

were fleeing

4

flees

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12059\)](https://www.test.aspirestudy.in/library/qus/12059)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 29 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

One of the employees _____ planning to transfer to another department.

1

were

2

has

3

are

4

is

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12060\)](https://www.test.aspirestudy.in/library/qus/12060)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 30 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which of the following sentences uses the correct form of the verb "to lay"?

1

She is laying down for a nap.

2

She lays on the bed every night.

3

She has lain the keys on the counter.

4

She laid the book on the table.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12061\)](https://www.test.aspirestudy.in/library/qus/12061)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 31 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the synonym of "belligerent"?

1

Equanimity

2

Bellyful

3

Peaceful

4

Hostile

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12062\)](https://www.test.aspirestudy.in/library/qus/12062)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 32 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

After running around the city all day delivering invitations for the wedding, I desperately needed to hit the sack. (Identify the meaning of the underlined phrase):

1

To pack one's bags

2

To watch television

3

To go to bed

4

To exercise for fitness

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12063\)](https://www.test.aspirestudy.in/library/qus/12063)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 33 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which of the following statements correctly explains the use of articles in the following sentence:
After earning an MBA, Srinivas was able to approach a mathematical problem from both a business

and analytical perspective.

1

"An MBA" uses the indefinite article an because it begins with a vowel sound, and "a mathematical problem" uses a because "mathematical" begins with a consonant sound.

2

"An MBA" uses a because MBA is an acronym, and "a mathematical problem" should use the since it is referring to a unique or previously mentioned problem.

3

Both articles are used incorrectly because "an MBA" should use a and "a mathematical problem" should use the.

4

"An MBA" should use a instead, because it refers to a specific degree, and "a mathematical problem" should use the to refer to a specific problem.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12064\)](https://www.test.aspirestudy.in/library/qus/12064)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 34 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Even though in official statements, the Presidential office has warned against violating the 25th protocol, the government's inaction against the Market group shows the government's tacit approval of the movement.(Choose the antonym of the underlined word):

1

Unvoiced

2

Unequivocal

3

Undeclared

4

Implicit

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12065\)](https://www.test.aspirestudy.in/library/qus/12065)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 35 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The length of the projection of $\vec{a} = 2\hat{i} + 3\hat{j} + \hat{k}$ on $\vec{b} = -2\hat{i} + \hat{j} + 2\hat{k}$, is equal to:

1

1/3

2

2/3

3

-2/3

4

-1/3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11945\)](https://www.test.aspirestudy.in/library/qus/11945)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 36 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $8^{x-1} = (1/4)^x$, then the value of $\frac{1}{\log_{x+1} 4 - \log_{x+1} 5} + \frac{1}{\log_{1-x} 4 - \log_{1-x} 5}$ is

1

1

2

5/4

3

4/5

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11946\)](https://www.test.aspirestudy.in/library/qus/11946)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 37 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the matrix

$$B = \begin{pmatrix} -1 & -1 & 2 \\ 0 & -1 & -1 \\ 0 & 0 & -1 \end{pmatrix}$$

. The sum of all the entries of the matrix B^{19} is

1 -163

2 -171

3 -192

4 -174

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11947\)](https://www.test.aspirestudy.in/library/qus/11947)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 38 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The curve $y = \frac{x}{1+x \tan x}$ attains maxima

1 for some $x \in [-2\pi, \pi]$

2 at $x = -\cos x$

3 at $x = \cos x$ and for some $x \in [-2\pi, \pi]$

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11948\)](https://www.test.aspirestudy.in/library/qus/11948)**nimcet Previous Year PYQ**[\(https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year\)](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year)**nimcet NIMCET 2025 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)**Qus : 39 nimcet PYQ 2025** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The scores of students in a national level examination are normally distributed with a mean of 500 and a standard deviation of 100. If the value of the cumulative distribution of the standard normal random variable at 0.5 is 0.691, then the probability that a randomly selected student scored between 450 and 500 is

1

0.091

2

0.591

3

0.391

4

0.191

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11949\)](https://www.test.aspirestudy.in/library/qus/11949)**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)**nimcet NIMCET 2025 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)**Qus : 40 nimcet PYQ 2025** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Number of permutations of the letters of the word BANGLORE such that the string ANGLE appears together in all permutations, is

1

120

2

24

3

720

4

1228

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11950\)](https://www.test.aspirestudy.in/library/qus/11950)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 41 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let A and B be two square matrices of same order satisfying $A^2 + 5A + 5I = 0$ and $B^2 + 3B + I = 0$ respectively. Where I is the identity matrix. Then the inverse of the matrix $C = BA + 2B + 2A + 4I$ is

1 BA-3B+A-3I

2 AB+A+3B+3I

3 BA+3B +A+3I

4 AB-A+3B-3I

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11951\)](https://www.test.aspirestudy.in/library/qus/11951)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 42 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The captains of five cricket teams, including India and Australia, are lined up randomly next to one other for a group photo. What is the probability that the captains of India and Australia will stand next to each other?

1 $\frac{1}{4}$

2 $\frac{1}{5}$

3 $\frac{2}{5}$

4 $\frac{1}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11952\)](https://www.test.aspirestudy.in/library/qus/11952)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 43 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The value of $\frac{d}{dx} \int_{\sin x^2}^{2 \sin x} e^{t^2} dt$ at $x = \pi$

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11953\)](https://www.test.aspirestudy.in/library/qus/11953)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 44 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

There are two coins, say blue and red. For blue coin, probability of getting head is 0.99 and for red coin, it is 0.01. One coin is chosen randomly and is tossed. The probability of getting head is

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11954\)](https://www.test.aspirestudy.in/library/qus/11954)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 45 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The number of all even integers between 99 and 999 which are not multiple of 3 and 5 is

- 1 240
- 2 250
- 3 245
- 4 235

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11955>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 46 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $A = \{1, 2, 3, \dots, 20\}$. Let $R \subseteq A \times A$ such that $R = \{(x, y) : y = 2x - 7\}$. Then the number of elements in R , is equal to

- 1 10
- 2 13
- 3 7
- 4 17

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11956>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 47 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $\vec{a}$, $\vec{b}$ and $\vec{c}$ are three vectors such that $\vec{a} \times \vec{b} = \vec{c}$, $\vec{a} \cdot \vec{c} = 2$ and $\vec{b} \cdot \vec{c} = 1$. If $|\vec{b}| = 1$, then the value of $|\vec{a}|$ is

1 2

2 1

3 3

4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11957\)](https://www.test.aspirestudy.in/library/qus/11957)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 48 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If x, y and z are three cube roots of 27, then the determinant of the matrix $\begin{bmatrix} x & y & z \\ y & z & x \\ z & x & y \end{bmatrix}$ is

1 1

2 0

3 $(x-y)(x-z)(y-z)$

4 -1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11958\)](https://www.test.aspirestudy.in/library/qus/11958)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 49 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $A = \{5^n - 4n - 1 : n \in N\}$ and $B = \{16(n - 1) : n \in N\}$ be sets. Then

1 Neither $A \subset B$ and $B \subset A$

2 $A \cap B$ is a finite set

3

$A \subset B$

4

$B \subset A$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11959\)](https://www.test.aspirestudy.in/library/qus/11959)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 50 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $\vec{a}$, $\vec{b}$ and $\vec{c}$ be unit vectors such that the angle between them is $\cos^{-1}\left\{\frac{1}{4}\right\}$. If $\vec{b} = 2\vec{c} + \lambda\vec{a}$, where $\lambda > 0$ and $|\vec{b}| = 4$, then λ is equal to

1

$1/4$

2

$1/3$

3

4

4

3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11960\)](https://www.test.aspirestudy.in/library/qus/11960)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 51 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A tower subtends angles α , 2α and 3α respectively at points A, B and C which are lying on a horizontal line through the foot of the tower. Then $\frac{AB}{BC}$ is equal to

1

$2+\cos 3\alpha$

2

$1+2\cos 2\alpha$

3

$2+3\cos 3\alpha$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11961\)](https://www.test.aspirestudy.in/library/qus/11961)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 52 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $\vec{a}$ and $\vec{b}$ are two vectors such that $|\vec{a}|=3$, $|\vec{b}|=4$ and $|\vec{a} + \vec{b}|=1$, then the value of $|\vec{a} - \vec{b}|$ is

1

2

2

7

3

1

4

6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11962\)](https://www.test.aspirestudy.in/library/qus/11962)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 53 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $\vec{a} = \hat{i} + \hat{j} + \hat{k}$, $\vec{b} = 2\hat{i} - \hat{j} + 3\hat{k}$ and $\vec{c} = \hat{i} - 2\hat{j} + \hat{k}$, then a vector of magnitude $\sqrt{22}$ which is parallel to $2\vec{a} - \vec{b} + 3\vec{c}$ is

1

$$(\hat{i} - 4\hat{j} - 2\hat{k})\sqrt{\frac{22}{21}}$$

2

$$(3\hat{i} - 3\hat{j} - 2\hat{k})$$

3

$$(\hat{i} - 4\hat{j} + 2\hat{k})\sqrt{\frac{22}{21}}$$

4

$$(3\hat{i} - 3\hat{j} + 2\hat{k})$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11963>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 54 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the sample space $\Omega = \{(x, y) : x, y \in \{1, 2, 3, 4\}\}$ where each outcome is equally likely. Let $A = \{x \geq 2\}$ and $B = \{y > x\}$ be two events. Then which of the following is NOT true?

1

$$P(A \cap B) = 1/4$$

2

$$P(B) = 3/4$$

3

$$P(B) = 3/8$$

4

A and B are not independent

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11964>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 55 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let the line $\frac{x}{4} + \frac{y}{2} = 1$ meets the x-axis and y-axis at A and B, respectively. M is the midpoint of side AB, and M' is the image of the point M across the line $x + y = 1$. Let the point P lie on the line $x + y = 1$ such that the $\triangle ABP$ is an isosceles triangle with $AP = BP$. Then the distance between M' and P

is

- 1 $\frac{\sqrt{7}}{3}$
- 2 $\frac{\sqrt{5}}{3}$
- 3 $\frac{2\sqrt{7}}{3}$
- 4 $\frac{2\sqrt{5}}{3}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11965>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 56 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which one of the following is **NOT** a correct statement?

- 1 The value of standard deviation changes by a change of scale
- 2 The standard deviation is greater than or equal to the mean deviation (about mean)
- 3 The sum of squares of deviations is minimum when taken from the mean
- 4 The variance is expressed in the same units as the units of observation

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11966>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 57 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

An equilateral triangle is inscribed in the parabola $y^2 = x$. One vertex of the triangle is at the vertex of the parabola. The centroid of triangle is

- 1 (1,0)

2

$(\sqrt{2}, 0)$

3

$(\sqrt{3}, 0)$

4

$(2, 0)$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11967\)](https://www.test.aspirestudy.in/library/qus/11967)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 58 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The angles of depression of the top and bottom of an 8m tall building from the top of a multi storied building are 30° and 45° , respectively. What is the height of the multistoried building and the distance between the two buildings?

1

$2(3 + \sqrt{3})m, 2(3 + \sqrt{3})m$

2

$2(3 - \sqrt{3})m, 4(3 + \sqrt{3})m$

3

$4(2 + \sqrt{2})m, 4(2 + \sqrt{2})m$

4

$4(3 + \sqrt{3})m, 4(3 + \sqrt{3})m$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11968\)](https://www.test.aspirestudy.in/library/qus/11968)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 59 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The number of accidents per week in a town follows Poisson distribution with mean 3 (In Exam Given 2, which is incorrect). If the probability that there are three accidents in two weeks time is ke^{-6} , then the value of k is

1

9

2

27

3

36

4

18

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11969\)](https://www.test.aspirestudy.in/library/qus/11969)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 60 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $B = \sin^2 y + \cos^4 y$, then for all real y

1

$$\frac{13}{16} \leq B \leq 1$$

2

$$1 \leq B \leq 2$$

3

$$\frac{3}{4} \leq B \leq 1$$

4

$$\frac{3}{4} \leq B \leq \frac{13}{16}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11970\)](https://www.test.aspirestudy.in/library/qus/11970)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 61 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let F_1, F_2 be foci of hyperbola $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$, $a > 0$, $b > 0$, and let O be the origin. Let M be an arbitrary point on curve C and above X -axis and H be a point on MF_1 such that $MF_1 \perp F_1F_2$

arbitrary point on curve C and above x -axis and H be a point on MF_1 such that $MF_2 \perp F_1F_2$, $MF_1 \perp OH$, $|OH| = \lambda|OF_2|$ with $\lambda \in (2/5, 3/5)$, then the range of the eccentricity e is

1 $\sqrt{7/3}, 2$

2 $\sqrt{2}, \sqrt{3}$

3 $1, \sqrt{7/3}$

4 $\sqrt{3}, 2$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11971\)](https://www.test.aspirestudy.in/library/qus/11971)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 62 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A circle with its center in the first quadrant touches both the coordinate axes and the line $x-y-2=0$. Then the area of the circle is

1 $\frac{\pi}{2}$

2 4π

3 π

4 2π

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11972\)](https://www.test.aspirestudy.in/library/qus/11972)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 63 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If α and β are the two roots of the quadratic equation $x^2 + ax + b = 0$, ($ab \neq 0$) then the quadratic roots whose roots $\frac{1}{\alpha^3 + \alpha}$ and $\frac{1}{\beta^3 + \beta}$ is

1

$$b(b^2 + 1 + a^2 + 2b)x^2 - (a^3 + a - 3ab)x + 1 = 0$$

2

$$b(b^2 + 1 + a^2 - 2b)x^2 - (a^3 + a - 3ab)x + 1 = 0$$

3

$$b(b^2 + 1 + a^2 + 2b)x^2 + (a^3 - a - 3ab)x + 1 = 0$$

4

$$b(b^2 + 1 + a^2 - 2b)x^2 + (a^3 + a - 3ab)x + 1 = 0$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11973\)](https://www.test.aspirestudy.in/library/qus/11973)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 64 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The maximum value of $\sin x + \sin(x + 1)$ is $k \cos \frac{1}{2}$. Then the value of k is

1

1

2

2

3

3

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11974\)](https://www.test.aspirestudy.in/library/qus/11974)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 65 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $\mathbb{R} \rightarrow \mathbb{R}$ be any function defined as $f(x) = \begin{cases} x^\alpha \sin \frac{1}{x^\beta} & , x \neq 0 \\ 0 & , x = 0 \end{cases}$, $\alpha, \beta \in \mathbb{R}$. Which of the following is true? ($\mathbb{R}$ denotes the set of all real numbers)

- 1 $f(x)$ is continuous at $x = 0$ for all $\alpha > 0$ and $\beta \in \mathbb{R}$
- 2 $f(x)$ is continuous at $x = 0$, for all α and $\beta \in \mathbb{R}$
- 3 $f(x)$ is continuous at $x = 10$ for only $\alpha > 0$ and $\beta > 0$
- 4 $f(x)$ is differentiable at $x = 0$ for all $\alpha > 0$ and $\beta > 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11975\)](https://www.test.aspirestudy.in/library/qus/11975)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 66 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The number of 3-digit integers that are multiple of 6 which can be formed by using the digits 1,2,3,4,5,6 without repetition is

- 1 22
- 2 20
- 3 26
- 4 24

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11976\)](https://www.test.aspirestudy.in/library/qus/11976)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 67 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The circle $x^2 + y^2 + \alpha x + \beta y + \gamma = 0$ is the image of the circle

$x^2 + y^2 - 6x - 10y + 30 = 0$ across the line $3x + y = 2$. The value of $[\alpha + \beta + \gamma]$ is (where $[.]$ represents the floor function.)

- 1 20
- 2 22
- 3 23
- 4 21

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11977\)](https://www.test.aspirestudy.in/library/qus/11977)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 68 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $\vec{a} = 2\hat{i} - 3\hat{j} + 4\hat{k}$, $\vec{b} = \hat{i} + 2\hat{j} - \hat{k}$ and $\vec{c} = 3\hat{i} + \hat{j} + \lambda\hat{k}$ be the co-terminal edges of a parallelopiped whose volume is 5 units. Then the value of λ is

- 1 3
- 2 2
- 3 1
- 4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11978\)](https://www.test.aspirestudy.in/library/qus/11978)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 69 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The area enclosed between the curve $y = \sin x$, $y = \cos x$, $0 \leq x \leq \frac{\pi}{2}$ is

- 1 $(\sqrt{2} + 1)$

2

$2(\sqrt{2} - 1)$

3

$(\sqrt{2} - 1)$

4

$2(\sqrt{2} + 1)$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11979\)](https://www.test.aspirestudy.in/library/qus/11979)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 70 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Given the equation $x + y = 1$, $x^2 + y^2 = 2$, $x^5 + y^5 = A$. Let N be the number of solution pairs (x,y) to this system of equations. Then AN is equal to

1

$\frac{7}{2}$

2

3

3

$\frac{19}{2}$

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11980\)](https://www.test.aspirestudy.in/library/qus/11980)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 71 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Number of three digit numbers that can be formed using 0, 1, 2, 3 and 5 where these digits are allowed to repeat any number of times, is equal to

- 1 115
- 2 100
- 3 125
- 4 140

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11981\)](https://www.test.aspirestudy.in/library/qus/11981)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 72 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let $g : \mathbb{R} \rightarrow \mathbb{R}$ and $h : \mathbb{R} \rightarrow \mathbb{R}$, be two functions such that $h(x) = \text{sgn}(g(x))$. Then select which of the following is **not** true? ($\mathbb{R}$ denotes the set of all real numbers, sgn stands for signum function)

- 1 The domain of $h(x)$ is the same as the domain of $g(x)$.
- 2 The domain of continuity of $h(x)$ equal the domain of continuity of $g(x) - \{x \in \mathbb{R}, g(x) = 0\}$
- 3 The domain of $h(x)$ is different from the domain of $g(x)$ at the same point.
- 4 $h(x)$ is discontinuous at $g(x) = 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11982\)](https://www.test.aspirestudy.in/library/qus/11982)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 73 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

An airplane, when 4000m high from the ground, passes vertically above another airplane at an instant when the angles of elevation of the two airplanes from the same point on the ground are 60° and 30° , respectively. Find the vertical distance between the two airplanes.

1

6000/7m

2

1200m

3

8000/7m

4

8000/3m

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11983\)](https://www.test.aspirestudy.in/library/qus/11983)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 74 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Suppose $t_1, t_2, \dots, t_5$ are in AP such that $\sum_{l=0}^{18} t_{3l+1} = 1197$ and $t_7 + 3t_{22} = 174$. If $\sum_{l=1}^9 t_l^2 = 947b$, then the value of b is

1

1

2

2

3

3

4

5

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11984\)](https://www.test.aspirestudy.in/library/qus/11984)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 75 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let E and F be two events such that $P(E) > 0$ and $P(F) > 0$. Which one of the following is **NOT**

equivalent to the condition that $P(E) = P(E|F)$?

1

E and F are independent

2

$$\frac{2P(E^c)P(F^c)}{P(E \cap F^c)} \neq P(E)$$

3

$$\frac{P(F)}{P(E)} = P(F|E)$$

4

E^c and F are independent

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11985\)](https://www.test.aspirestudy.in/library/qus/11985)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 76 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the general solution of the equation $\tan \theta + \cot \theta = 2$?

1

$$\theta = n\pi + \frac{\pi}{4}$$

2

$$\theta = \frac{n\pi}{2} + \frac{\pi}{8}$$

3

$$\theta = \frac{n\pi}{2} + \frac{\pi}{6}$$

4

$$\theta = \frac{n\pi}{2} + \frac{\pi}{4}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11986\)](https://www.test.aspirestudy.in/library/qus/11986)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 77 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If $\cos^2(10^\circ) \cos(20^\circ) \cos(40^\circ) \cos(50^\circ) \cos(70^\circ) = \alpha + \frac{\sqrt{3}}{16} \cos(10^\circ)$, then $3\alpha^{-1}$ is equal to

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11987\)](https://www.test.aspirestudy.in/library/qus/11987)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 78 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The slope of the normal line to the curve $x = t^2 + 3t - 8$ and $y = 2t^2 - 2t - 5$ at the point (2,-1) is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11988\)](https://www.test.aspirestudy.in/library/qus/11988)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 79 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A tower subtends an angle of 30° at a point on the same level as the foot of the tower. At a second point h meters above the first, the depression of the foot of the tower is 60° . What is the horizontal

distance of the tower from the point?

1 $2h \tan 60^\circ$

2 $2h \cot 60^\circ$

3 $h \tan 60^\circ$

4 $h \tan 60^\circ$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11990\)](https://www.test.aspirestudy.in/library/qus/11990)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 80 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

There are 40 female and 20 male students in a class. If the average heights of female and male students are 5.15 feet and 5.66 feet, respectively, then the average height (in feet) of all the students in the class equals

1 5.405

2 5.490

3 5.175

4 5.320

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11991\)](https://www.test.aspirestudy.in/library/qus/11991)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 81 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Let x be a positive real number such that $x^{(8 \log_5 x - 24)} = 5^{-4}$. Then the product of all possible values of x is =

- 1 5
- 2 125
- 3 165
- 4 25

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11992>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 82 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The obtuse angle between lines $2y = x + 1$ and $y = 3x + 2$ is

- 1 $\frac{4\pi}{5}$
- 2 $\frac{2\pi}{3}$
- 3 $\frac{5\pi}{6}$
- 4 $\frac{3\pi}{4}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/11993>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 83 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the value of $\lim_{x \rightarrow \infty} -(x+1) \left(e^{\frac{1}{x+1}} - 1 \right)$?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11994\)](https://www.test.aspirestudy.in/library/qus/11994)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 84 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The value of $\int_0^{\frac{\pi}{2}} \frac{(1+2 \cos x)}{(2+\cos x)^2} dx$ lies in the interval

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11995\)](https://www.test.aspirestudy.in/library/qus/11995)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 85 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Read definition and all four choices carefully, and find the answer that provides the best example of the given definition. Answer the question solely on the basis of the definition given.

Definition: An informal gathering occurs when a group of people get together in a casual, relaxed manner.

Which situation below is the best example of an informal gathering?

1

After finding about his promotion, Jeremy and a few coworkers decide to go out for a quick drink after work

2

Whenever she eats at the Italian restaurant, Kamalika seems to run into Peter

3

The book club meets on the first Thursday evening of every month

4

Mary sends out 25 invitations for the bridal shower she is giving for her sister

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11996\)](https://www.test.aspirestudy.in/library/qus/11996)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 86 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In a certain code language, the word "REASON" is encoded as TDDQSK. Using the same rule, how is the word PRAYER coded?

1

SSAYDU

2

RTBXCT

3

RQDWIO

4

RQDZCU

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11997\)](https://www.test.aspirestudy.in/library/qus/11997)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 87 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Four people (P,Q,R & S) are standing in a queue. Q is ahead of P. R is between P and S. If S is at the end of the queue, who is at the front of the queue?

- 1 P
- 2 S
- 3 Q
- 4 R

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11998\)](https://www.test.aspirestudy.in/library/qus/11998)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 88 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Statements:

I. The meteorological department predicts deficient rainfall during monsoon season.

II. The GDP growth estimates have been revised downwards by the government.

Choose the correct option:

- 1 Both the statements I and II are independent causes
- 2 Both the statements I and II are effects of some common cause
- 3 Both the statements I and II are effects of independent causes
- 4 Statement I is the cause and Statement II is the effect

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/11999\)](https://www.test.aspirestudy.in/library/qus/11999)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 89 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A monkey climbs 30 feet at the beginning of each hour and rests for a while when he slips back 20 feet before he again starts climbing in the beginning of the next hour. If he begins his ascent at 8.00 am., at what time will he first touch a flag at 120 feet from the ground?

1

8 P.M.

2

9 P.M.

3

6 P.M.

4

5 P.M.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12000\)](https://www.test.aspirestudy.in/library/qus/12000)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 90 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In a remote research outpost, five scientists (Dr. Anand, Dr. Beena, Dr. Chirag, Dr. Dinesh, and Dr. Elango) are studying a rare phenomenon. They communicate through a secure, text-based system. Over the course of an hour, the following exchanges occur:

1. Dr. Anand sends a message to Dr. Beena and Dr. Chirag.
2. Dr. Beena replies only to Dr. Anand.
3. Dr. Anand sends a reminder message to who did not reply.
4. Dr. Chirag sends a message to Dr. Dinesh and Dr. Elango.
5. While replying to Dr. Chirag, Dr. Dinesh accidentally sends a "Reply All"
6. Dr. Elango, having received Dr. Chirag's message, sends a message to Dr. Beena.

At the end of this hour, who has received the most messages directly from other scientists within the group? (Consider only messages sent within the described hour and only between the five scientists mentioned).

1

Dr. Chirag

2

Dr. Anand

3

Dr. Dinesh

4

Dr. Beena

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12001\)](https://www.test.aspirestudy.in/library/qus/12001)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025>)

Qus : 91 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

The percentage change in area of a rectangle by decreasing its length and increasing its breadth by 5% is

1 0.25% decrease

2 0.25% increase

3 no change

4 2.5% increase

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12002\)](https://www.test.aspirestudy.in/library/qus/12002)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025>)

Qus : 92 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In a certain code language, 'SUN' is written as 'RWK' and 'MOON' is written as 'LQLR'. Following the same pattern, how will 'STAR' be written?

1 RVXV

2 RUDY

3 RUXV

4 SVXU

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12003\)](https://www.test.aspirestudy.in/library/qus/12003)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025>)

Qus : 93 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If a number is increased by 30% and then decreased by 20%, what is the net change?

- ☒ 1 8% Increase
- ☐ 2 6% decrease
- ☐ 3 6% increase
- ☐ 4 4% increase

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12004\)](https://www.test.aspirestudy.in/library/qus/12004)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 94 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A two digit number is such that the product of its digits is 12. If 36 is added to the number, the digits interchange their places. What is the number?

- ☒ 1 26
- ☐ 2 38
- ☐ 3 25
- ☐ 4 24

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12005\)](https://www.test.aspirestudy.in/library/qus/12005)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 95 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

At an IIM entrepreneurship summit, two young founders - Karan and Deepak - introduced their startup. In their quirky opening, they said: "The product of our ages is 240. And just like in our startup strategy, twice Deepak's age is 4 years more than Karan's age." How old was Deepak two years

ago?

1

6 Years

2

8 Years

3

15 Years

4

10 Years

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12006\)](https://www.test.aspirestudy.in/library/qus/12006)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 96 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Average Cost (AC) is defined as the sum of Average Fixed Cost (AFC) and Average Variable Cost (AVC), and dumping is defined as selling a product at a price less than AC but more than AVC. A company in India, suddenly, found that the demand for its product "ZOOM" has fallen to 60% of the output produced in that financial year. As a result, the company must sell 40% of the produced output in a foreign market. If it decides to "dump" 40% of its output in a neighbouring country (by reducing the price by 20%), what would be the objective of its 'dumping strategy', among the following? (The company has set a profit margin of 10% of AC while fixing the price of its product for sale in India).

- (a) To minimize losses,
- (b) to maximize profits,
- (c) to contribute to the recovery of fixed costs,
- (d) to contribute to the recovery of variable costs

1

(b) and (c)

2

(a) and (b)

3

(a) and (c)

4

(b) and (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12007\)](https://www.test.aspirestudy.in/library/qus/12007)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 97 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What is the next number in each of the following 3 sequences?

8 17 33 67 133 ? (1)

7 23 67 203 607 ? (2)

6 27 105 423 1689 ? (3)

1

213,1534,7635

2

254, 968,3689

3

238,1846,6389

4

267, 1823, 6759

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12008\)](https://www.test.aspirestudy.in/library/qus/12008)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 98 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which number replaces the question mark?

3, 6, 18, 72, ?, 432

1

360

2

288

3

216

4

144

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12009\)](https://www.test.aspirestudy.in/library/qus/12009)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 99 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A remote island has a unique social structure. Individuals are either 'Truth-tellers' (who always speak the truth) or 'Tricksters' (who always lie). You encounter three inhabitants: X, Y, and Z.

X says: "Y is a Trickster."

Y says: "Exactly one of us is a Truth-teller."

What can you definitively conclude about Z?

1 The information is insufficient to determine Z's identity

2 Z could be either a Truth-teller or a Trickster

3 Z is a Truth-teller

4 Z is a Trickster

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12010\)](https://www.test.aspirestudy.in/library/qus/12010)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 100 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Ten years ago, Ram was twice as old as Shyam. Ten years from now, the ratio of their ages will be 3:2. What is Ram's present age?

1 60

2 40

3 70

4 50

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12011\)](https://www.test.aspirestudy.in/library/qus/12011)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 101 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the following statements followed by two conclusions.

Statements:

1. Some men are great.
2. Some men are wise

Conclusions:

1. Men are either great or wise.
2. Some men are neither great nor wise.

1

Only conclusion 1 is valid

2

Only conclusion 2 is valid

3

Both the conclusions are valid

4

Neither of the conclusions is valid.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12012\)](https://www.test.aspirestudy.in/library/qus/12012)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 102 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Complete the next series:

2 8 12
8 40 45
40 240 246
....

1

160, 960, 967

2

48, 288, 295

3

200, 1000, 1005

4

240, 1680, 1687

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12013\)](https://www.test.aspirestudy.in/library/qus/12013)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

year)

nimcet NIMCET 2025 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025))

Qus : 103 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider the following arguments

"In order to be a teacher one must graduate from college. All poets are poor. Some Mathematicians are poets. No college graduate is poor". Which one of the following is not a valid conclusion regarding the above argument?

Note: In NIMCET 2025 Original Exam given line was missing.

"Which one of the following is not a valid conclusion regarding the above argument?"

1

Some teachers are not Mathematicians.

2

Some Mathematicians are not teachers.

3

Poets are not teachers.

4

Teachers are not poor.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12014\)](https://www.test.aspirestudy.in/library/qus/12014)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2025 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2025))

Qus : 104 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A, B, C, D, E, F and G are travelling in three different vehicles: Swift, Creta, and Nexon. There are at least two passengers in each vehicle. Among them, only two are male. There are two engineers, two doctors and three teachers.

1. C is a lady doctor and she does not travel with A and F, who are sisters.
2. B, a male engineer, travels with only G, a teacher, in a Swift.
3. D is a male doctor.
4. Two persons belonging to the same profession do not travel in the same vehicle.
5. A is not an engineer and travels in a Creta.
6. The pair of sisters A and F travels in the same vehicle

What is the profession of F?

1

Teacher

2

Data Inadequate

3

Engineer

4

Doctor

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12015\)](https://www.test.aspirestudy.in/library/qus/12015)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 105 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

In a box, there are 8 red, 7 blue and 6 green balls. One ball is picked up randomly. What is the probability that it is neither red nor green?

1

 $\frac{7}{19}$

2

 $\frac{1}{3}$

3

 $\frac{8}{21}$

4

 $\frac{3}{4}$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12016\)](https://www.test.aspirestudy.in/library/qus/12016)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 106 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Five friends A,B,C,D and E are sitting in a row. The following conditions hold:

A is sitting next to B.

C is sitting at one of the ends.

D is sitting between A and E.

E is sitting to the right of D.

Who is sitting at the second position?

1

D

2

A

3

E

4

C

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12017\)](https://www.test.aspirestudy.in/library/qus/12017)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 107 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Statements:

I. All cakes are ice cream

II. No ice cream is chocolate

Conclusions:

I. Some cakes are chocolate

II. No cake is chocolateChoose the correct option:

1

Both conclusion I and conclusion II follows

2

Only conclusion I follow

3

Only conclusion II follows

4

Neither conclusion I nor conclusion II follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12018\)](https://www.test.aspirestudy.in/library/qus/12018)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 108 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If 1 man or 2 women can finish a job in 20 days, how may days will 3 men and women take to finish the same job?

- 1 5
- 2 4
- 3 6
- 4 40/7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12019\)](https://www.test.aspirestudy.in/library/qus/12019)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 109 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If 1st January 2022 was a Saturday, what day of the week will 1st January 2023 be?

- 1 Tuesday
- 2 Wednesday
- 3 Monday
- 4 Sunday

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12020\)](https://www.test.aspirestudy.in/library/qus/12020)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 110 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

What comes next in the sequence?

2, 6, 12, 20, 30,

- 1 56

2

50

3

36

4

42

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12021\)](https://www.test.aspirestudy.in/library/qus/12021)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 111 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Statements:

All apples are fruits.

All fruits are tasty.

Conclusions:

I. All apples are tasty.

II. Some tasty things are apples.

1

Neither follows

2

Only I follows

3

Both follow

4

Only II follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12022\)](https://www.test.aspirestudy.in/library/qus/12022)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 112 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which word in the following is the "odd man" out?

1

Promoting

2

Pampering

3

Nurturing

4

Incubating

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12023\)](https://www.test.aspirestudy.in/library/qus/12023)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 113 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

If John's mother's father's granddaughter is Maria, what is Maria's relation to John?

1

Aunt

2

Niece

3

Cousin

4

Sister

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12024\)](https://www.test.aspirestudy.in/library/qus/12024)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 114 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A person walks 8 km north, turns right, walks 4 km, turns right again and walks 6 km. Finally, he turns left and walks 3 km. How far is he from the starting point?

1

8.92 km

2

6.45 km

3

5.89 km

4

7.28 km

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12025\)](https://www.test.aspirestudy.in/library/qus/12025)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 115 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Mohan introduced Sarita as the mother of his sister's brother. How is Sarita related to Mohan?

1

Mother

2

Niece

3

Sister

4

Aunt

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12026\)](https://www.test.aspirestudy.in/library/qus/12026)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 116 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Which number replaces the question mark?

4, 9, 16, 25, ?, 49

1

32

2

30

3

36

4

40

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12027\)](https://www.test.aspirestudy.in/library/qus/12027)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 117 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Consider a sequence formed by concatenating the positive integers in increasing order:
12345678910111213 ... Which among the following is the closest to the 2028th digit in this infinite sequence?

- ☒ 1 7
- ☐ 2 1
- ☐ 3 4
- ☐ 4 2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12028\)](https://www.test.aspirestudy.in/library/qus/12028)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 118 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Statement : All engineers are good at math.

Conclusion 1: Some people good at math are engineers.

Conclusion 2: All people good at math are engineers.

- ☒ 1 Both Conclusions follow
- ☐ 2 Only Conclusion 1 follows
- ☐ 3 Only Conclusion 2 follows
- ☐ 4 Neither follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12029\)](https://www.test.aspirestudy.in/library/qus/12029)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 119 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

Two ships are sailing in the sea on the two sides of a lighthouse. The angle of elevation of the top of the lighthouse is observed from the ships are 30° degree and 45° respectively. If the lighthouse is 100 m high, the distance between the two ships is

1 273 m

2 173 m

3 200 m

4 300 m

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12030\)](https://www.test.aspirestudy.in/library/qus/12030)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

Qus : 120 nimcet PYQ 2025 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2025>)

A research team is studying the effects of three different fertilizers (X, Y, and Z) on the growth of a specific plant species. They have four experimental plots with different fertilizer combinations:

- Plot 1: Fertilizer X only
- Plot 2: Fertilizer Y only
- Plot 3: Fertilizer X and Fertilizer Z only
- Plot 4: Fertilizer Y and Fertilizer Z only

After a period of observation, they note the following:

- Plants in plots with Fertilizer X showed significantly increased height compared to a control group (no fertilizer).
- Plants in plots with Fertilizer Y showed a slightly increased leaf area compared to the control group.
- Plants in Plot 3 (X and Z) showed no significant difference in height compared to the control group.
- Plants in Plot 4 (Y and Z) showed significantly increased height compared to the control group.

Based on these observations, which of the following conclusions is best supported?

- 1 Fertilizer Z inhibits the height growth promoted by Fertilizer X.
- 2 Fertilizer Z has no effect on the growth of this plant species.
- 3 Fertilizer Z enhances the leaf area increase caused by Fertilizer Y.
- 4 Fertilizer X is the only fertilizer that significantly increases the height of this plant species.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/12031\)](https://www.test.aspirestudy.in/library/qus/12031)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2025 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2025>)

nimcet

Online Test Series,
Information About Examination,
Syllabus, Notification
and More.

Click Here to
View More (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

Ask Your Question or Put Your Review.

[Add Comment](#)

Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,
Kanpur - 208024, INDIA

Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

Join Us on



(<https://www.facebook.com/aspirestudykanpur/>)

(<https://twitter.com/aspirestudykanpur>)

(https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g)

General Links



Terms of Use (https://www.test.aspirestudy.in/docs/view/terms_of_use)



Privacy Policy (https://www.test.aspirestudy.in/docs/view/privacy_policy)



Cookies Policy (https://www.test.aspirestudy.in/docs/view/cookies_policy)