

1 INTRODUCTION

1.1 Organization Profile

The Department of Chemistry at Madras Christian College (Autonomous) stands as a premier academic unit, profoundly dedicated to ensuring excellence in chemical education, scholarly inquiry, and advanced research. Established with a visionary mandate to foster scientific curiosity and rigorous analytical thinking, the department provides comprehensive training tailored across various specialized branches of chemistry, including Organic, Inorganic, and Physical Chemistry. The department prides itself on a rich legacy of emphasizing practical, hands-on learning, maintaining state-of-the-art physical laboratory facilities designed to cultivate the technical competencies of its students.

However, in response to modern educational paradigms and the increasing need for scalable, accessible learning methodologies, the department has recognized the critical importance of integrating sophisticated digital workflows into its traditional academic framework. The goal is not to replace the physical laboratory, but to augment physical learning with digital solutions that enhance student engagement, streamline complex administrative duties, and drastically increase the volume of practical exposure a student can experience. By embracing a digital transformation strategy, the department aims to dissolve traditional boundaries, transforming experimental practice from a localized, time-constrained activity into a continuous, data-driven academic journey.

1.2 Project Overview

The Virtual Chemistry Laboratory Management System (VCLMS) represents a paradigm shift in practical science education. It is an advanced, hybrid educational platform deliberately designed to bridge the gap between theoretical classroom learning and high-fidelity experimental execution. VCLMS meticulously integrates the robust administrative functionalities of a modern Learning Management System (LMS) with the real-time, interactive physics of a custom-built Virtual Laboratory

Simulation Engine.

Educational institutions historically encounter structural barriers that bottleneck effective practical learning. These include heavily restricted physical laboratory hours, the recurrent financial burden of purchasing volatile chemical reagents, and the inherent, non-trivial safety hazards associated with handling toxic or highly reactive substances. VCLMS confronts these systemic challenges by establishing a secure, persistent, and 24/7 accessible digital workspace. Here, rigorous, repeatable scientific inquiry is made available to students without the physical, temporal, or financial constraints that typically limit institutional capacities.

A central cornerstone of the VCLMS architecture is its technical evolution toward an entirely dynamic, data-driven environment. Moving away from the rigid, hardcoded simulations of the past, the project features a groundbreaking No-Code Experiment Builder. This allows chemistry faculty — regardless of software engineering expertise — to dynamically construct, configure, and modify complex multi-stage experimental procedures natively through the administrative UI. Faculty are enabled to define specific chemical endpoints, assign precise stoichiometric parameters, and configure validation sequences entirely without writing code.

The simulation engine, powered by p5.js, directly parses these configurations from the robust PostgreSQL backend. Chemical states are computed mathematically, rendering indicator-agnostic color morphology and realistic physical behaviors — such as the overfilling and realistic draining of volumetric apparatus. To maximize pedagogical rigor, the assessment phase strictly avoids automated hand-holding prompts; instead, students are required to initiate manual tracking of their sequential milestones. This demands genuine visual focus and technical competence, with granular procedural telemetry captured by the system to determine the final analytical proficiency of the student.

Ultimately, this unified approach ensures that theoretical knowledge is substantially reinforced through risk-free, highly analytical practical applications, fostering a comprehensive mastery of chemical principles within a sustainable, scalable digital ecosystem.

1.3 Existing System

The existing infrastructural and administrative frameworks in many traditional chemistry departments remain heavily reliant on manual, analog paradigms. Management of student performance, daily lab attendance, and serialized academic results frequently relies on paper-based record-keeping or fragmented spreadsheet data. Instructors are burdened with the daily maintenance of physical registers, a tedious process inherently vulnerable to clerical errors, accidental data loss, and severe delays in reporting. This decentralized method forces student records into non-searchable, physical formats, thereby obscuring critical trends in long-term academic progress and preventing faculty from executing timely educational interventions. Furthermore, communicating finalized results or academic updates often depends on physical notice boards, creating disjointed feedback loops.

Beyond administrative inefficiencies, traditional practical science education is fundamentally constrained by physical infrastructure. Due to the significant, recurrent costs of consumable reagents and stringent occupational safety requirements attached to handling concentrated acids or glassware, academic institutions must severely curtail student laboratory access strictly to supervised hours. This physical scarcity implicitly prevents continuous, self-paced student practice. Consequently, practical sessions are frequently compromised; experiments are forced into large- group dynamics where some students are relegated to the role of passive observers rather than active participants. Such a restrictive environment hinders the individual acquisition of nuanced technical skills like precise burette manipulation or accurate endpoint observation.

In terms of existing digital alternatives, legacy virtual laboratories frequently suffer from monolithic, hardcoded designs. They operate as static animations rather than reactive physical simulations, pre-programmed for very specific, unalterable scenarios. Faculty cannot easily generate custom laboratory variations for targeted assessments without triggering massive software redevelopment overheads. Furthermore, these older platforms critically lack an intelligent, continuous evaluative layer; they fail to track the granular procedural mistakes made by a student during an experiment, relying instead on evaluating only the final inputted numerical answer [1].

1.4 Proposed System

To directly counteract the pedagogical and administrative deficiencies of traditional models, VCLMS introduces a cohesive, hybrid digital framework. By centralizing the entirety of fundamental academic activities into a single, secure Django-based portal [1], the proposed system entirely eliminates the inefficiencies of manual record-keeping while granting students unrestricted, asynchronous access to crucial laboratory practice.

The defining hallmark of the proposed system is its deployment of a computationally intensive, 100% No-Code Experiment Platform. This highly innovative module transfers total authoring control from software developers directly to the academic faculty. Through a series of intuitive database-backed configurations, dynamic property dropdowns, and robust chemical selection modals, educators are enabled to dynamically build intricate procedures, such as Double Indicator Titrations, entirely from the user interface.

When the configured labs are executed by a student, the p5.js simulation engine [2] dynamically retrieves the JSON-structured parameters and injects them into the real-time simulation canvas. Sophisticated mathematical calculations are executed to simulate precise, indicator-agnostic color morphing and continuous volumetric physics. Crucially, the proposed system enforces a rigorous assessment rubric. A manual, student-initiated observation pipeline is utilized to actively track sequential milestones based on the exact cataloged chemical names in the database. The environment permits realistic technical errors — such as fluid overflow, improper apparatus alignment, and inaccurate titration rates — logging these infractions within a continuous Marking Manager engine.

Upon completion, mathematical verifications of the student's inputs are executed against the hidden, dynamically generated endpoints. Complex point penalties are applied, and an authenticated, secure PDF Appraisal Report is ultimately generated and synchronized into the PostgreSQL database [3].

1.5 System Configuration

1.5.1 Hardware Configuration

The VCLMS system requires a robust computational environment, particularly on the client side, to seamlessly process dynamic geometric rendering, real-time physics tracking, and simultaneous server communications without latency.

- i. Processor: Intel Core i5 or higher — recommended for handling p5.js canvas rendering [2] and Django server requests [1] concurrently.
- ii. RAM: Minimum 8 GB — essential for ensuring smooth performance for the interactive laboratory simulation at a sustained 60 FPS.
- iii. Storage: A minimum of 500 MB of available disk space is required for local application files, dependency management, and the PostgreSQL database housing.
- iv. Network: An active internet connection is required for accessing cloud-hosted instructional materials and synchronizing experimental telemetry with the Render.com server.

1.5.2 Software Configuration

The technical stack of the VCLMS project leverages Python's computational power alongside modern web technologies to deliver a seamless, zero-installation user experience.

- i. Operating System: Windows 10/11, Linux, or macOS.
- ii. Front-End: HTML5, CSS3, JavaScript (ES6+ core logic execution), p5.js (The primary 2D Physics and Canvas-rendering Simulation engine), and Bootstrap 4 for responsive dashboard architectures [5].
- iii. Back-End: Python 3.9+ (Core programming logic) [4].
- iv. Web Framework: Django 4.2 (Robust MVT architecture for the Management System).
- v. Database: SQLite (Default for development) or PostgreSQL (Recommended for production environments).
- vi. Development Tools: Visual Studio Code (IDE), Git (Version Control).

1.6 Objectives of the Project

The primary goal of VCLMS is to modernize traditional science education through comprehensive digital transformation. The specific objectives are:

i. Virtualize High-Fidelity Practical Learning: To engineer an interactive Virtual Chemistry Laboratory where complex Volumetric Analysis experiments, including titrations of various types, are performed by students with real-time fluid physics feedback and authentic apparatus simulation.

ii. Pioneer Code-Free Experiment Design: To remove all technical barriers for educators by implementing a comprehensive No-Code Experiment Builder, allowing chemistry faculty to autonomously build, parameterize, and deploy complex experimental simulations dynamically via the UI over a PostgreSQL database schema — without writing any source code.

iii. Integrate Centralized Academic Management: To construct a robust Learning Management System (LMS) overlay that handles student enrollment, hierarchical Role-Based Access Control, curriculum scheduling, and unified academic record tracking.

iv. Implement Granular Procedural Evaluation: To advance beyond standard input-based grading by designing an intelligent Marking Manager logic engine that continuously captures procedural telemetry, evaluates precise operational techniques, and applies a rigid, automated penalty system enforcing professional laboratory discipline.

v. Streamline Analytics and Reporting: To automate the real-time tracking of aggregated academic performance and procedural histories, culminating in the automated generation of authenticated PDF Lab Appraisal Certificates for institutional review.

2 BACKGROUND STUDY

2.1 Integrating Virtual Environments in Learning Management Systems

The integration of specialized virtual laboratory environments within broader Learning Management Systems (LMS) marks a profound, systemic advancement in the delivery of science education [2]. Historically, an LMS was strictly utilized as a static digital repository for document distribution, generalized announcements, and rudimentary grade tracking. However, the modern pedagogical requirement for "active" and "experiential" learning has necessitated the transformation of these platforms into dynamic hubs for highly interactive content.

By strategically hosting high-fidelity laboratory simulations natively within a managed LMS framework, a highly structured, continuous learning path can be established by academic institutions. The historically fragmented gap between theoretical reading (e.g., watching a lecture on titration) and practical application (e.g., physically executing a titration protocol) is effectively bridged by this architecture. Granular experimental telemetry, daily student progress, and complex academic records are continuously synchronized through a centralized digital ecosystem. Faculty are, thus, provided with a comprehensive, holistic, and uninterrupted view of a student's technical development, which is vastly superior to the disjointed academic tracking inherent in traditional, offline educational methods. Furthermore, as this workflow is executed within a unified Django portal, secure Role-Based Access Control (RBAC) is ensured, meaning the transition from the theoretical study dashboard to the secure experimental simulation is protected and definitively tracked by user identity.

2.2 Pedagogical Benefits and Cognitive Load in Virtual Labs

The foundational mechanics of Virtual Laboratory Simulations (VLS) are deeply grounded in the established theory of "experiential learning," which posits that genuine, profound understanding is achieved specifically through an iterative cycle of action, observation, and critical reflection [3]. A significant barrier to experiential learning in physical chemistry laboratories is the concept of "extraneous cognitive load" [4]. In a traditional lab, students are heavily burdened with physical safety anxieties — fear of dropping fragile glassware, the catastrophic risk of spilling concentrated acids, or the pressure of wasting expensive chemical reagents. The "intrinsic" cognitive load required to learn complex chemical principles, such as calculating molarity or observing stoichiometric transitions, is severely disrupted by this extraneous cognitive overhead.

In a fully virtualized lab, psychological and procedural freedom is granted to students, allowing them to make mistakes and repeatedly explore "what-if" scenarios entirely free from physical risks. Safety-related cognitive load is deliberately minimized by this safety net, and the student's entire mental focus is redirected towards the underlying logic of the experimental procedure. To ensure pedagogical challenge is not diluted by this virtual environment, previously implemented automatic on-screen assessment prompts were explicitly removed in VCLMS. Instead of an endpoint being automatically detected and announced by the software, a "student-initiated manual assessment" workflow is forced upon the student. It is ensured by this design that the transition to a virtual space enhances, rather than diminishes, academic rigor and observational accountability.

2.3 The Role of Real-Time Interactivity and Feedback

Interactivity is considered the defining characteristic of a successful virtual laboratory, transforming passive observation into active scientific inquiry [5]. A "State-Driven" approach is utilized by sophisticated simulation engines, in which immediate visual and logical changes in the virtual workspace are triggered by every student interaction, such as adjusting a burette tap or swirling a flask. This real-time feedback loop is deemed essential for teaching students the discipline of the

laboratory, as the consequences of their actions — such as a localized color change during titration — can be immediately observed. In VCLMS, this interactivity is further enhanced by an intelligent marking layer that monitors student performance at a granular level, ensuring that the simulation acts not just as a visual tool, but as a digital tutor that guides the student toward professional laboratory standards.

2.4 Technical Standards for Modern Web-Based Simulations

The technical development of virtual laboratories has shifted toward standardized web technologies like HTML5 and JavaScript libraries such as p5.js, which allow for high-performance rendering without external plugins [6]. Responsive, hardware- accelerated canvases that simulate physical properties (such as the meniscus level of a liquid or gradual color transitions) can be created by developers using precise mathematical interpolation. Smooth animations are rendered, and complex event listeners for drag-and-drop interactions are handled by VCLMS utilizing a canvas- based approach, ensuring that the simulation feels fluid and intuitive to the user. Accessibility across a wide range of devices is guaranteed by this reliance on modern web standards, providing a scalable solution for institutions aiming to deliver high- quality practical science education to a global student base.

2.5 Evolution of Authoring Tools in Educational Simulations (The No-Code Paradigm)

A profound limitation of first-generation educational software was its absolute rigidity; experiments were comprehensively hardcoded into the application's source code. If a titration endpoint needed to be altered, a new chemical indicator introduced, or penalty parameters modified for an assessment, academic institutions were fundamentally reliant on commissioning dedicated software developers [7]. An unsustainable bottleneck was created by this dependency, vastly reducing the long-term viability and adaptability of the software as standard chemistry curriculums evolved.

To circumvent this monumental flaw, the integration of a No-Code Experiment Configuration Platform was pioneered in VCLMS. Software authoring is essentially democratized by this paradigm, passing dynamic architectural control directly into the hands of academic educators and Department Heads. Utilizing advanced administrative dashboards, faculty are empowered to construct entirely new, complex multi-stage experimental protocols natively through the browser.

This authoring is achieved using an intricate material-sync architecture, which relies on dynamic property dropdowns, complex chemical selection modals, and precise sequencing logic. The finalized inputs from the educator are rapidly serialized into extensive, highly structured JSON payloads and securely pushed to the centralized PostgreSQL database. Because the underlying p5.js simulation engine is uniquely built to parse dynamic metadata rather than relying on hardcoded scripts, these teacher-configured parameters can be physically manifested on the canvas instantly. The dependency on continuous software engineering interventions is not only severed by this breakthrough, but it is definitively ensured that the platform functions as an infinitely scalable, permanently adaptable hub for scientific inquiry.

3 SYSTEM DESIGN

3.1 System Architecture

The overarching architecture of the Virtual Chemistry Laboratory Management System (VCLMS) is predicated on a decoupled, hybrid Client-Server model. The backend is structured using Django's Model-View-Template (MVT) design pattern, which cleanly separates data representation (PostgreSQL database models), business logic (Python views), and user interfaces (HTML/CSS templates). This architectural separation ensures that administrative operations, such as handling curriculum data and tracking user session states, are executed securely on the server side without exposing sensitive computation logic to the end user.

In contrast, the simulation engine operates on the client-side using a "Fat Client" architecture. The heavy computational burden of rendering two-dimensional physical interactions at 60 frames-per-second is offloaded to the user's browser via the p5.js engine. Data exchange between the Django backend and the p5.js frontend is facilitated asynchronously via highly structured JSON payloads. This ensures that database queries are minimized during active experimentation, thereby eliminating network latency during high-stakes procedural assessments. The entire application is deployed on Render.com, utilizing Gunicorn as the WSGI HTTP Server and WhiteNoise to optimize the delivery of localized static assets securely.

3.2 System Topology and Deployment Design

For a system tasked with facilitating highly concurrent, high-stakes formal examinations across a large academic institution, a traditional or localized deployment architecture is entirely insufficient. To meet the massive operational demands of the student body, the VCLMS utilizes a cloud-native, strictly monolithic topology hosted dynamically on the Render.com platform, ensuring maximum uptime and horizontal scalability during peak curriculum execution phases.

3.2.1 Web Server Gateway Interface (WSGI)

The application relies heavily on Gunicorn (Green Unicorn) functioning as a highly performant Python WSGI HTTP server specifically optimized for UNIX-based frameworks. Gunicorn is strategically utilized within the deployment environment to fork multiple parallel worker processes dynamically, fundamentally ensuring that numerous simultaneous student API requests are handled with absolute concurrent precision. Whether hundred of students are finalizing an experiment or requesting complex PDF authentications simultaneously, this architecture ensures these heavy network calls execute asynchronously without blocking the main event thread, thereby completely immunizing the Django application from catastrophic server throttling or request timeouts.

3.2.2 Static Asset Delivery Optimization

Unlike typical static promotional websites, the virtual simulation engine requires the instantaneous, uncorrupted delivery of extremely heavy audio-visual assets—including complex SVG apparatus sprites, CSS stylesheets, and core physics engine scripts—to properly initialize the 60 frames-per-second virtual environment without visual tearing. To facilitate this, WhiteNoise middleware is deeply integrated directly into the Django pipeline, allowing the application itself to serve static files securely with extreme cache-control headers and aggressive Brotli compression. This architectural decision explicitly obviates the profound financial overhead of routing traffic through an external Content Delivery Network (CDN) while still irrevocably guaranteeing sub-second canvas instantiation even on severely constrained student network connections.

3.2.3 Database Connectivity Protocol

Continuous, uncorrupted communication between the Python logic environment and the remote PostgreSQL database cluster is strictly maintained over fully encrypted protocols utilizing the advanced Psycopg2 database adapter. This

specific integration adapter is explicitly optimized for heavily multithreaded environments and pooling connections aggressively, representing a mandatory structural requirement for effectively processing the continuous, massive mathematical arrays of virtual lab submissions that are dispatched from the client-side canvas simultaneously by the entire student cohort.

3.3 Client-Server Processing Paradigm

The most critical and consequential architectural decision undertaken during the system development centered on the strategic distribution of computational resources. Procedurally simulating gravity, calculating fluid volume intersection ratios, and logging sequential user telemetry in real-time requires immense processor capability that would instantly overwhelm a traditional centralized server architecture if scaled.

3.3.1 Fat Client Execution Strategy

To solve the computational bottleneck, a highly optimized "Fat Client" rendering strategy is strictly enforced across the application's physics engine. The massive computational burden required to continuously run mathematically intensive collision geometry arrays is proactively and intentionally denied to the central host server. Instead, the JavaScript DOM library actively leverages the graphical processing hardware and memory situated locally within the student's own web browser to execute local physics computations independently. By intelligently offloading these heavy kinematic routines to the edge node (the student device), the centralized server is preserved exclusively for secure data persistence and crucial authentication routing, a decision that theoretically raises the platform's concurrency limit unconditionally while ensuring unparalleled simulation smoothness.

3.4 Data Flow and Synchronization

Absolute cryptographic and mathematical synchronicity must be maintained flawlessly between the disparate client-side graphics engine operating in the browser and the rigid backend relational database to prevent data corruption during high-stakes practical examinations.

3.4.1 Dynamic Blueprint Serialization

When authorized chemistry faculty architect a novel experiment variation via the No-Code configuration user interface, highly disparate variables—ranging from target acidity constraints and specific gravities to highly customized milestone penalty rules—are mathematically synthesized by the backend. The Django Object-Relational Mapper (ORM) actively parses these countless configuration variables, validating them against the strict central catalog, and successfully serializes them into deeply nested JSONB binary file structures. This resulting lightweight data payload effectively serves as the absolute DNA profile of the simulation, stored immutably to act as the single source of truth for all future rendering operations.

3.4.2 Asynchronous Cross-Origin Interaction

Upon the successful clearance of the prerequisite theoretical curriculum gateways and quizzes, the authorized student formally initializes the laboratory portal. At this precise moment, the embedded p5.js engine triggers an asynchronous API fetch command, pulling the specific JSON simulation blueprint across the network. The blank canvas is immediately redrawn and dynamically populated per these exclusive configurations, fundamentally preventing the need for the unsustainable architectural practice of statically programming unique HTML pages for every individual experiment variation. Following the conclusion of the practical assessment, local physics telemetry is compressed securely into a secondary output JSON schema and requested back to the server over an encrypted pathway for final, unalterable mathematical appraisal.

3.5 Core Verification Algorithms

The overarching academic credibility of the virtual laboratory platform rests not merely on its high-fidelity graphical representation, but entirely on the mathematical algorithms operating completely invisibly underneath it to rigorously enforce standard laboratory disciplines.

3.5.1 The Telemetric Validation Loop

Running continuously and simultaneously with the graphical frame-rate is the highly sophisticated MarkingManager algorithmic proctor. This intelligent script specifically executes a background recursion array exactly every 16.6 milliseconds, actively extracting the instantaneous Cartesian (X, Y) coordinate locations and the internal volumetric fluid states of all rendered glass vessels. It systematically and relentlessly compares these real-time telemetric variables against the immutable MilestoneRule collision boundaries that were securely retrieved from the server. Procedural anomalies executed by the student—such as negligently initiating titrant flow without maintaining continuous mouse-event agitation on the conical flask—are instantly identified, mathematically penalized, and subsequently formatted into a highly objective behavioral log matrix for the faculty.

3.5.2 Mathematical Color Stoichiometry

In complete defiance of rudimentary simulation platforms that utilize cheap CSS color swapping techniques, this engine interpolates all visual chemical transitions stringently through pure mathematical equations. Based directly on the absolute variables reliably housed in the ChemicalCatalog—such as specific transitional pH ranges and baseline Hex variables—algorithms actively calculate the instantaneous ratio of titrant to analyte natively in the browser memory. They dynamically and fluidly calculate an intermediate Hex color shade based strictly on these precision volumetric intersection ratios, generating the exact, realistic gradual pigment shift necessary to simulate professional analytical chemistry realism.

3.6 Security and Concurrency Design

Given the extremely high academic and institutional stakes intrinsically involved in collegiate grading, hostile systemic manipulation, database overlap, or unauthorized token access must be aggressively engineered entirely out of the operational framework.

3.6.1 Transactional Integrity (ACID Compliance)

The chosen PostgreSQL database environment enforces absolute relational Atomicity, Consistency, Isolation, and Durability (ACID) compliance standards across the entire board. If a student's final comprehensive JSON result array is mathematically processed by the views and begins actively committing to the database layout but fails midway due to unexpected network instability or server interruption, the system is designed to automatically roll back the database transaction entirely to state zero. This imperative structural design actively guarantees that fragmented, fundamentally corrupted exam results are mathematically impossible to inadvertently generate or archive within the institution's permanent records.

3.6.2 Cryptographic Session Control

Platform identity mechanisms and access routing are hermetically isolated leveraging highly robust cryptographic hashing protocols. In strict departure from inherently vulnerable plaintext passwords, all administrative and student string inputs are aggressively subjected to thousands of iterative computational rounds using the PBKDF2 hashing algorithm combined dynamically with a unique salt string. Exclusively secure HttpOnly session tokens are systematically issued to the client browser to intercept and validate subsequent requests, completely negating any potential Cross-Site Scripting (XSS) malicious abilities attempting to hijack and utilize valid operational session architectures..

3.6.3 Deterministic Anti-Cheating Protocol

A critical mathematical layer was introduced into the system design specifically to combat student plagiarism. The system features an algorithmic randomizer tied to the ExperimentTargetConfig database. Upon initialization, volumetric endpoints are procedurally scrambled within a predefined faculty tolerance min/max grid. Therefore, it is guaranteed that no two concurrent sessions will ever possess the same mathematical answer to the calculation variables, permanently removing the viability of answer sharing.

3.7 Workflow Design

The systemic progression is structured strategically as a highly controlled, cross-functional workflow logic, effectively and securely segregating operational capabilities across three distinct administrative lanes to maintain absolute hierarchical authority throughout the system.

3.7.1 Administrative (HOD) Workflow

The absolute foundation of the academic cycle is initiated by the system administrator. Upon secure login, the Admin accesses the backend dashboard to govern master academic data (Users, Courses, Sessions), committing structural modifications directly to the PostgreSQL database. The paramount function of the Admin lane is the No-Code Experiment Builder. The HOD navigates to the graphical Experiment Studio, orchestrating custom apparatus loads. They utilize the Chemical Selection Modal to map target reactives and formally define rigorous endpoint penalty logic. Once the blueprint is comprehensively authored, it is serialized into the JSON protocol, published, and permanently saved to the PostgreSQL database awaiting student consumption.

3.7.2 Faculty (Staff) Workflow

The Faculty lane manages the day-to-day progression of the academic curriculum. Staff accounts authenticate to upload critical theoretical resources, such as preparatory study materials and video lectures, writing these URL pathways into the database relationships. Concurrently, the faculty manages pedagogical oversight via the Attendance and Grading matrices. Through these interfaces, staff continuously read the aggregated experimental submissions passed from the student tables, facilitating holistic review prior to session logout.

3.7.3 Student Execution Workflow

The Student vector represents the core trajectory of the platform. It initiates by securely routing the student to the Theory interface, where they must consume the faculty-uploaded study materials and videos. Upon satisfying this theoretical condition, the virtual laboratory engine is technically unlocked. The student proceeds to the Interactive Simulation phase, establishing the experiment setup by correctly dragging and aligning the designated apparatus (Burette and Conical Flask). The pathway then narrows into the Active Titration phase, where intense real-time observation is demanded to monitor stoichiometric color changes while maintaining continuous flask agitation (swirling).

A critical deterministic decision junction evaluates if the Endpoint was reached correctly. If procedural or volumetric faults occur, the engine immediately applies a penalty, writing the explicit deduction log to the Student Database. Conversely, if the endpoint is identified accurately, the student enters the Results & Math sub-routine. Here (Step 3), observed volumes are physically typed into forms to solve complex molar mass equations. This finalized mathematical array is compiled (Step 4) and sent securely to the server. Conclusively, the system automatically reads this unified data array to dynamically generate the final PDF Appraisal document for institutional archival prior to session termination. This comprehensive, tri-lateral operational dependency pipeline is graphically summarized in Figure 3.1.




Fig. 3.1 System Workflow Diagram

4 DATABASE DESIGN

The database design for the Virtual Chemistry Laboratory Management System (VCLMS) is structured to efficiently manage user authentication, hierarchical learning pathways, and highly dynamic experimental data. PostgreSQL serves as the primary relational database engine, chosen for its robust performance, ACID compliance, and crucially, its native support for complex JSON payloads (JSONField). This allows the unstructured, highly configurable parameters of the No-Code Builder to be securely stored and retrieved at scale.

To holistically, comprehensively, and accurately represent the immense technical scope of the finalized project, the core database architecture is logically partitioned into eighteen primary relational tables mathematically spanning five interconnected operational schemas. An explicit, comprehensive Entity-Relationship (E-R) diagram mapping these exact associations, foreign keys, and cascading delete protocols in visual format is systematically provided in the Appendices for advanced structural reference and institutional auditing purposes.

4.1 Identity and Access Management Schema

This highly sensitive schema manages centralized platform authentication and deterministic hierarchical access control, ensuring hostile manipulation of the academic environment remains physically impossible.

4.1.1 CustomUser Table

Unlike standard monolithic user tables, the CustomUser table acts as the authoritative abstract root layer for identity across the platform. It is inherently tied to Django's authentication backend and manages the encrypted PBKDF2 passwords and deterministic user_type variable. This single table dictates the immediate routing logic upon login, ensuring that administrative API endpoints are strictly partitioned from student-level access tokens.

Table 4.1. CustomUser Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
email	varchar(254)	Required, Unique
password	varchar(128)	Required, Encrypted
user_type	varchar(1)	Required (Choices: 1=HOD, 2=Staff, 3=Student)
gender	varchar(1)	Required (M/F)
year	varchar(1)	Default: '1'
stream	varchar(1)	Default: '1'
profile_pic	varchar(100)	Image mapping
address	text	Required
fcm_token	text	Empty Default (For Firebase notifications)
created_at	datetime	Auto Now Add
updated_at	datetime	Auto Now

4.1.2 Student Profile Table

This table operates as an extension of the CustomUser model via a rigorous One-to-One foreign key relationship. It binds the individual's authentication root strictly to an academic context (course). By separating this from the generic user table, heavy bulk queries regarding curriculum progress are optimized significantly without burdening the authentication layer.

Table 4.2. Student Profile Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
admin_id	int	OneToOneField (References CustomUser.id)
course_id	int	ForeignKey (References Course.id)

4.1.3 Staff Profile Table

Operating under a practically identical architectural logic to the Student profile structure, the Staff relational table aggressively manages the vital metadata explicitly specific to the authenticated faculty member. Importantly, it establishes the permanent relational linkage fundamentally bridging an ordinary user to their elevated, robust departmental administrative rights.

Table 4.3. Staff Profile Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
admin_id	int	OneToOneField (References CustomUser.id)
course_id	int	ForeignKey (References Course.id)

4.2 Academic Pathways and LMS Schema

This deeply relational schema mathematically dictates the structural organization of the academic curriculum and forcefully enforces rigorous study progression dependencies.

4.2.1 Course Table

Representing the absolute highest, most foundational level of academic data hierarchy within the entire operational system framework, this master table explicitly defines the overarching, institutional degree programs (such as B.Sc. in Chemistry or M.Sc. in Analytical Chemistry). All subsequent structural academic subdivisions—including explicit subject arrays, registered student bodies, and active semester sessions—are permanently and relationally pinned to this table via strict cascading foreign key structures, ensuring that if a curriculum is officially retired by the department, all corresponding orphaned assessment variables are comprehensively purged from the active database to prevent fragmentation.

Table 4.4. Course Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
name	varchar(120)	Required
created_at	datetime	Auto Now Add
updated_at	datetime	Auto Now

4.2.2 Subject Table

Subjects conceptually represent specific, highly focused instructional modules physically operating within the boundaries of an overarching designated Course array. This distinct relational table intricately maps specific academic subjects directly back to individual authorized faculty members via the structured staff_id association matrix. By continuously and securely querying this exact table protocol, the centralized Staff Dashboard algorithmically and flawlessly determines exactly which restricted subject dashboards, attendance modification arrays, and sensitive experiment authoring tools should be visually rendered and functionally unlocked exclusively for the currently logged-in educator session..

Table 4.5. Subject Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
name	varchar(120)	Required
staff_id	int	ForeignKey (References Staff.id)
course_id	int	ForeignKey (References Course.id)
created_at	datetime	Auto Now Add
updated_at	datetime	Auto Now

4.2.3 Lesson Module Table

Functioning explicitly as the dense theoretical anchor of the entire overarching Learning Management System ecosystem, this table flawlessly binds the foundational multimedia content pathways to specific subsequent theoretical quizzes and the ultimate practical laboratory experiments. The core system architecture relies universally on this master table to technically execute the stringent, highly sequential pedagogical gating logic. By forcing the system to query this table before any graphic UI is rendered to the user, the platform guarantees that every student must interact with the exact video lecture series mapped to the target experiment before they are ever permitted to access the high-stakes practical simulation mechanics.

Table 4.6. Lesson Module Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
subject_id	int	ForeignKey (References Subject.id)
title	varchar(200)	Required
description	text	Required
video_course_id	int	ForeignKey (References VideoCourse)
quiz_id	int	ForeignKey (References Quiz)
experiment_id	int	ForeignKey (References LabExperiment)
pass_percentage	float	Default: 60.0
created_at	datetime	Auto Now Add

4.2.4 Student Progress Table

Serving as the absolute gateway controller of the entire pedagogical platform's progression logic, this advanced table continuously tracks volatile boolean flags and precise numerical threshold variables across all active user sessions simultaneously. If the backend verification scripts mathematically detect that a student profile has successfully achieved the rigorously required latest_quiz_score outlined in the module definition, massive boolean transitions occur autonomously within this table's rows. This instantaneous data mutation permanently unlocks the heavily guarded virtual simulation canvas for that exact student, transforming their dashboard from a passive reading interface into an active, 60-FPS physics execution environment for full laboratory exploration.

Table 4.7. Student Progress Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
student_id	int	ForeignKey (References Student.id)
lesson_module_id	int	ForeignKey (References LessonModule.id)
video_watched	boolean	Default: False
quiz_passed	boolean	Default: False
latest_quiz_score	float	Default: 0.0
lab_completed	boolean	Default: False
lab_score	float	Default: 0.0
overall_grade	float	Default: 0.0
last_accessed	datetime	Auto Now

4.3 Quiz Assessment System Schema

This highly structured schema strictly evaluates foundational theoretical academic competency prior to initiating empirical laboratory exposure within the system.

4.3.1 Quiz Table

Acting primarily as the overarching parent container entity for any theoretical assessment formulated by the faculty, this table is mathematically and permanently bound to a highly specific Subject mapping. It systematically retains the absolute passing percentage constraints and the broader descriptive text elements that are required to natively initialize the test environment. Consequently, no granular testing operations can spawn without first successfully verifying the integrity and the existence of this master parent row in the relational array, guaranteeing zero disconnected or orphaned tests remain executable by the student body.

Table 4.8. Quiz Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
title	varchar(100)	Required
description	text	Required
subject_id	int	ForeignKey (References Subject.id)

4.3.2 Question & Option Tables

These two severely critical operational tables persistently store the actual, granular theoretical assessment logic utilized during the testing phase. Within the Option constraints, the `is_correct` boolean marker uniquely acts as the absolute, indisputable validation variable during the rapid, automated quiz grading calculation sequence. By structurally separating the exact question payload from its multiple-choice option arrays through stringent, strictly normalized foreign key mappings, the system frontend is empowered to proactively randomize the display order of the possible answers shown to the student, significantly enhancing anti-cheat resistance while fully preserving robust underlying mathematical tracking on the backend database execution layer.

Table 4.9. Question Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
quiz_id	int	ForeignKey (References Quiz.id)
text	text	Required

Table 4.10. Option Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
question_id	int	ForeignKey (References Question.id)
text	varchar(200)	Required
is_correct	boolean	Default: False

4.3.3 Quiz Result Table

This table definitively acts as the immutable, permanent evidentiary record archiving a student's demonstrated theoretical competency on completing the exam parameters. The final, mathematically aggregated percentage score algorithmically computed post-submission is securely embedded within this row permanently. Immediately upon the system verifying that the score recorded safely here mathematically equals or explicitly exceeds the rigorous baseline passing parameters previously defined in the overarching parent Quiz table, the background server logic immediately fires the permission triggers that functionally authorize the transition protocol to the Virtual Laboratory canvas interface.

Table 4.11. Quiz Result Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
student_id	int	ForeignKey (References Student.id)
quiz_id	int	ForeignKey (References Quiz.id)
score	int	Required
percentage	decimal(5,2)	Required
date_taken	datetime	Auto Now Add

4.4 No-Code Experiment Builder Schema

This heavily abstracted schema drives the UI-based generation of infinite laboratory variations.

4.4.1 Lab Experiment Table

Recognized as the primary architectural masterpiece of the backend framework, this specific central entity forcefully breaks away from deeply normalized, static structures. Rather than rigidly storing strictly structured data, it intensely utilizes incredibly densely populated JSONB data fields (specifically the expansive `initial_state_json` column) to safely handle and process highly variable apparatus arrangements and unknown physics configurations. The interactive `p5.js` engine selectively requests this single, comprehensive row exclusively at runtime, subsequently parsing it algorithmically utilizing client memory to dynamically generate and populate the complex, real-time physics scene without triggering massive, fragmented database joins.

Table 4.12. Lab Experiment Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
title	varchar(200)	Required
slug	varchar(50)	Unique Index
objective	text	Required
principle	text	Nullable
type	varchar(50)	Default: 'double_indicator'
initial_state_json	jsonb	Default: Empty List
created_at	datetime	Auto Now Add
updated_at	datetime	Auto Now

4.4.2 Experiment Milestone Table

This intricately configured table explicitly defines the critically important, sequential temporal checkpoints of an actively running simulation session, firmly bridging the visual physical mechanics occurring on screen with the invisible background grading logic matrix. By securely organizing the physical simulation requirements chronologically through rigorous relational tracking, this table inherently controls the heavily conditioned, multi-stage linear states of the simulation UI. Consequently, it forces and dictates that a student must absolutely successfully execute Milestone A perfectly before the system will ever visually render the interactive buttons or physics engines required to commence the evaluation logic nested inside Milestone B.

Table 4.13. Experiment Milestone Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
experiment_id	int	ForeignKey (References LabExperiment.id)
milestone_id	varchar(100)	Required (e.g., 'fill_burette')
description	varchar(200)	Required
instruction	text	Nullable
points	int	Default: 10
linked_reaction_id	int	ForeignKey (References ChemicalReaction)

4.4.3 Milestone Rule Table

This table indisputably functions as the absolute, centralized grading intelligence apparatus driving the entire telemetric system architecture. It effectively and mathematically establishes the complex structural operators (such as greater-than, equal-to, or complex boolean intersection checks) continuously applied by the hyper-active MarkingManager engine explicitly to validate the physical canvas states. By operating independently from the static visual objects, this robust logic table perpetually guarantees that every single student's unique physical maneuvering of the digital laboratory glassware represents a measurable, verifiable data point that is mathematically scored instantaneously against the institution's rigorous grading rubric defined here.

Table 4.14. Milestone Rule Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
milestone_id	int	ForeignKey (References ExperimentMilestone)
target_vessel	varchar(100)	Required
target_property	varchar(100)	Required (e.g., 'ph')
operator	varchar(10)	Choices (>=, <, ==, CONTAINS)
value	float	Required

4.5 Simulation Catalogs Schema

This universally mandated schema acts reliably as the immutable physical dictionary robustly controlling the visual mechanics and stoichiometry of the simulation.

4.5.1 Chemical Catalog Table

This highly centralized, rigidly standardized data repository exclusively dictates exactly how the p5.js engine visually simulates and physically restrains interactive physical reality. When a specific chemical titrant is actively passed or poured within the visualization matrix, the client physics engine urgently pulls the exact pH limits and density constraints logged here, simultaneously computing and interpolating continuous graphical gradient color shifts mathematically relying heavily on the exact, uncompromising predefined Hex colors. This vital design perfectly negates the terrifying risk of utilizing highly fallible, hardcoded algorithmic string logic when faculty are attempting to design unscripted novel reactions.

Table 4.15. Chemical Catalog Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
name	varchar(150)	Required, Unique
formula	varchar(100)	Required
molarity	float	Nullable
density	float	Default: 1.0 (g/mL)
default_color_hex	varchar(9)	Default: '#FFFFFF80'
is_indicator	boolean	Default: False
low_ph_color	varchar(9)	Default: '#FFFF00A0'
high_ph_color	varchar(9)	Default: '#FF00FA0'
transition_ph_range	varchar(20)	Default: '8.2-10.0'

4.5.2 Apparatus Catalog Table

This mandatory structural definition table strictly dictates and universally enforces all operational collision boundaries, spatial limitations, and absolute volumetric maximum constraints, thereby ensuring incredible and unyielding absolute graphical simulation accuracy simultaneously across all active user sessions. Through this database restraint, the digital bounding boxes explicitly mapped to pixel arrays actively prohibit illogical, impossible behavioral outcomes such as forcing a student to realize they cannot mathematically or physically pour exactly hundred milliliters of continuous fluid into a tiny fifty-milliliter-rated volumetric glass flask, preserving absolute physical realism computationally.

Table 4.16. Apparatus Catalog Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
name	varchar(100)	Required, Unique
type	varchar(50)	Required
max_capacity	float	Required (in mL)
svg_sprite_url	varchar(255)	Nullable
is_heatable	boolean	Default: False
can_measure_vol	boolean	Default: False
can_pour	boolean	Default: True

4.5.3 Chemical Reaction Table

This highly advanced combinatorial indexing mechanism mathematically and relationally links two extraordinarily specific ChemicalCatalog objects directly together. It is fundamentally responsible for rigidly dictating the subsequent secondary physical products generated instantly upon localized graphical canvas

physical collision occurring between the bounding boxes of the respective liquid elements. More critically, it securely contains its precise resulting, localized stoichiometric pH baseline changes, which forcefully orders the connected application layers to subsequently update the global canvas visuals iteratively.

Table 4.17. Chemical Reaction Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
chemical_a_id	int	ForeignKey (References ChemicalCatalog)
chemical_b_id	int	ForeignKey (References ChemicalCatalog)
product_id	int	ForeignKey (Nullable)
reaction_color_hex	varchar(9)	Default: '#FFFFFF80'
ph_change	float	Default: 0.0

4.5.4 Virtual Lab Submission Table

This table fundamentally constitutes the definitive, highly encrypted relational vault solely responsible for archiving the MarkingManager's incredibly expansive, continuous telemetry performance assessments. All the extraordinarily highly specific physics variables flawlessly derived from a student's volatile canvas visual interactions are comprehensively packaged tightly and securely into highly flexible, incredibly resilient Postgres JSONB data dictionaries. This radically progressive design totally avoids heavily restrictive, brittle normalized column typing constraints, allowing infinite assessment payloads to be passed precisely and seamlessly to the active Python ReportLab module for immediate, error-free authenticated PDF final document generation.

Table 4.18. Virtual Lab Submission Table

Column Name	Data Type	Constraints / Dependencies
id	int	Primary Key, Auto Increment
student_id	int	ForeignKey (References Student.id)
experiment_name	varchar(200)	Required
observations	jsonb	Default: Empty Dictionary
calculations	jsonb	Default: Empty Dictionary
total_score	int	Required
penalty_log	text	Required (Stores fault histories)
created_at	datetime	Auto Now Add

5 MODULE DESIGN

5.1 Authentication and Identity Management Module

The Authentication Module is constructed as the primary security gateway for the VCLMS, ensuring that all interactions within the platform are definitively attributed to specific, verified user profiles. A sophisticated Role-Based Access Control (RBAC) mechanism is implemented, which dynamically allocates access permissions based on the user's designation as a Head of Department (Admin), Faculty Staff, or Student. Django's secure PBKDF2 hashing algorithms are utilized by this module to store student credentials, rigorously protecting the integrity of academic records and experimental results from unauthorized access or manipulation.

Beyond robust login management, persistent, encrypted session states are maintained by the module. This architectural decision permits students to transition seamlessly between theoretical study materials and the high-stakes virtual laboratory environment without suffering session degradation or lost progress. By centralizing the identity layer, it is ensured by the system that every recorded attendance metric, quiz score, and lab appraisal report is accurately and permanently linked to the correct individual for strict institutional auditing.

5.2 Virtual Laboratory Module (The Simulation Core)

5.2.1 Real-Time Simulation Engine

The Simulation Engine represents the technical center of gravity for the project. The p5.js graphics library is utilized to predictably render a robust, physics-compliant, interactive laboratory workspace natively within the web browser. This sub-module manages a complex, coordinate-based HTML5 canvas where various glassware and apparatus are instantiated not as static images, but as intelligent programming objects endowed with unique chemical and volumetric properties.

The continuous rendering of meniscus levels, the realistic gravitational flow rate of liquids from the burette, and the dynamic color transitions of the titration mixture—derived from real-time pH stoichiometric calculations—are seamlessly handled by the engine. A strict 60-FPS continuous rendering loop is maintained by the engine, providing a fluid optical experience that impeccably mimics the physical reality of a chemistry lab. This allows students to develop the necessary visual precision required for accurately reading volumetric scales and identifying minute chemical endpoints.

5.2.2 Apparatus Setup and Handling Logic

The Setup and Handling sub-module is responsible for enforcing the rigid procedural standards demanded during the initial stages of professional laboratory work. Every student interaction with the digital apparatus catalog is strictly monitored, ensuring that equipment such as the burette and conical flask are properly selected, cleaned, and positioned on the defined physics boundaries before any chemical reagents are permitted to be introduced.

Specific collision logic-checks are implemented by this module—such as validating whether the student zeroed the burette reading or if the funnel was physically removed before beginning the titration process. Immediate telemetric penalties are applied for any technical oversights. By establishing a safe yet mathematically rigorous environment for apparatus manipulation, students are allowed to build critical "muscle memory" and procedural discipline without the catastrophic physical risks of reagent wastage or equipment breakage.

5.2.3 Titration Execution and Observation

The interactive heart of the simulation is managed by the Execution and Observation sub-module, where the student is forced to balance intensive visual observation with controlled digital manipulation. The delicate process of discharging HCl into the analyte mixture is simulated, requiring constant agitation to be maintained by the student through a dedicated keyboard "Swirl" mechanic while simultaneously monitoring the burette flow delta.

The complex two-stage endpoint of a double-indicator titration is specifically modeled by the system, triggering realistic, localized color shifts—from vibrant pink to colorless, and subsequently to red—based on the dynamically simulated volumetric thresholds. Students must deploy acute judgment to halt the fluid flow at the exact millisecond of color change and manually record their observations, accurately simulating the high-pressure decision-making realities inherent in actual volumetric analysis.

5.2.4 Marking Manager and Penalty Logic

The Marking Manager is integrated as the automated evaluative intelligence of the lab, continuously and silently comparing student actions against a standardized digital rubric of laboratory excellence. Granular behavioral telemetry—such as titration discharge speed and the regularity of flask agitation intervals—is processed by this sub-module to conclusively determine if the most efficient and pedagogically sound experimental path was followed.

A series of quantifiable point deductions for "procedural neglect," such as titrating too fast or adding chemical indicators in the wrong sequence, is algorithmically applied. This ensures that professional technique is rewarded, rather than merely evaluating the accuracy of the final result. Immediate, localized feedback regarding their proficiency is provided to the students by this real-time scoring system, transforming the simulation from a basic visualization tool into a deeply objective platform for practical skills assessment.

5.3 Academic Content and Learning Module

The theoretical foundation of the VCLMS is predominantly provided by the Academic Content Module, which organizes a highly curated library of instructional resources designed to prepare students for their practical laboratory workload. The seamless upload and logical categorization of subject-specific study materials are facilitated by this module, including PDF guides and professional video lectures that cover the foundational chemistry principles dictating volumetric analysis.

Instructional sessions and student engagement telemetry are managed by faculty using these interfaces, ensuring that foundational theoretical concepts are provably mastered before a student is permitted to attempt the laboratory simulation. By algorithmically integrating these theoretical prerequisites directly into the portal, a holistic educational cycle is ensured by the system wherein reading and watching are directly and forcefully reinforced by subsequent practical execution in the virtual lab.

5.4 Assessment and Mathematical Verification Module

The quantitative evaluation of student mastery is handled by the Assessment Module, focusing intensely on both theoretical knowledge—via automated, randomized quizzes—and absolute mathematical accuracy within experimental calculations. Following the conclusion of a titration attempt, the student is challenged by this module to manually input their recorded observations and solve complex molarity-based mass-equivalence formulas to derive the final sample weights.

The true baseline values from the temporarily hidden simulation state are securely retrieved by the system's backend math engine and cross-compared against the student's submitted calculations. A highly strict 0.05-gram tolerance window is utilized to define passing algorithms. This rigorous background verification process ensures that not only were the laboratory actions performed correctly, but the mathematical proficiency required to cleanly translate physical observations into scientifically valid experimental findings is possessed by the student.

5.5 No-Code Experiment Builder Module

Functioning as a paramount, high-end authoring architecture within the broader pedagogical framework, antiquated hardcoded text inputs are completely replaced by this module with a highly robust and comprehensive suite of dynamic graphical user interface configurations. Rather than requiring developers to program individual simulation parameters manually for every laboratory variation, the sequential construction of an entire operational simulation is intrinsically permitted

to any chemistry educator, entirely regardless of their foundational coding ability. By abstracting the complex mathematical scripting behind intuitive web elements, this module intrinsically democratizes the authoring process, enabling departments to rapidly scale and iterate their curriculum offerings without enduring the severe friction typically associated with continual software development cycles.

5.5.1 The Scene and Apparatus Builder

The foundational physical layout of the digital laboratory bench is meticulously defined within this specific sub-component. Utilizing highly intuitive web-based drag-and-drop mechanics, authorized faculty dynamically select the necessarily required scientific glass vessels from the expansive centralized database array. Following item selection, the system automatically assigns heavily localized rendering Cartesian coordinates and physical bounding-box scaling properties to establish the visual and functional baseline of the given experiment. This highly visual methodology ensures that educators can confidently construct accurate, geometrically compliant laboratory scenarios that behave realistically within the limits of the browser environment without ever analyzing raw dimensional code.

5.5.2. The Milestone and Logic Matrix

Perhaps the most analytically sophisticated element of the authoring suite, the comprehensive assessment rubric is constructed and managed directly within this logic matrix. Here, educators are empowered to define strictly sequential logic checkpoints—such as forcing the simulation to verify that the "Burette volume must reach X milliliters"—and subsequently assign weighted numerical penalty points if the student actively breaches the defined conditional threshold. By utilizing simple dropdown mechanisms to dictate relational operators, this module effectively and securely writes profoundly intricate rule-based programming logic entirely through standard web browser forms, eliminating the terrifying risk of human syntax errors crashing the evaluation scripts.

5.5.3 Material Sync and Payload Serialization

The final critical stage of the experiment authoring process is facilitated by the implementation of the Chemical Selection Modal, ensuring that specific reactivities selected by the teacher are precisely and mathematically matched directly to the authoritative backend database catalog. These selections are then systematically processed through a highly optimized "Material Sync" software pipeline, purposefully binding highly dynamic structural properties—like liquid specific gravity, acid molarity, explicit indicator pH thresholds, and graphic color hex codes—into a singular, unified data structure. When the blueprint is officially published by the faculty member, this remarkably complex web of relational data is algorithmically serialized into an immense JSON binary protocol payload. This structured data fundamentally functions as the absolute, immutable mathematical blueprint that the p5.js engine natively requests and continuously executes on the client-side browser, ensuring infinite and safe experimental scalability without ever requiring direct software source code modification

5.6 Catalog Management Module

A vital prerequisite for the No-Code builder is the Catalog Management Module. A robust backend inventory containing the exhaustive chemical and physical properties of reagents and laboratory apparatus is maintained by this module.

Instead of relying on free-text inputs, which frequently cause spelling discrepancies and string matching failures in grading logic, faculty populate the ChemicalCatalog and ApparatusCatalog models. Molecular formulas, exact Hex color values for indicator transitions, specific gravities, and vessel volume capacities are standardized into strict database rows. When experiments are later authored, selections are linked via Foreign Keys to these reliable catalogs. The absolute integrity of the simulation's mathematics and visual morphology is guaranteed by this centralized inventory module.

5.7 Automated Reporting and Analytics Module

The culmination of the academic workflow is executed by the Automated Analytics Module. The synthesis of disparate data streams—telemetric fault logs, mathematical calculation scores, and time-spent tracking—is handled to generate cohesive performance insights.

The most notable output of this module is the dynamic generation of the Authenticated PDF Lab Appraisal Report. Utilizing the Django ReportLab library, a highly formatted, printable document is generated on the server immediately following simulation completion. Comprehensive charts detailing penalty derivations, verified molarity calculations, and an administrative timestamp are embedded within the PDF. Additionally, bulk attendance arrays and grade distributions are abstracted by the module onto the Head of Department's administrative dashboard, streamlining institutional oversight processes.

5.8 Procedural Randomization and Anti-Plagiarism Module

A profound and recognized limitation of traditional digital learning environments is the strictly static nature of assessment variables, a flaw which inevitably and predictably leads to widespread student answer sharing. To forcefully combat this severe academic vulnerability, an advanced Procedural Randomization and Anti-Plagiarism Module is heavily integrated directly into the core virtual laboratory execution pipeline. Rather than recklessly hardcoding a singular, predictable correct volumetric endpoint for any given titration experiment, a highly sophisticated algorithmic tolerance grid is secretly initialized by this specific module at the absolute beginning of every unique student session.

By strategically leveraging dynamic mathematical bounds pre-authored by the faculty within the No-Code interface, the underlying system automatically and safely pseudo-randomizes the target stoichiometric endpoint precisely within an acceptable, realistic analytical chemistry threshold. Consequently, it is an absolute computational certainty that no two concurrent students will systematically perceive the exact same physical constraints or derive the exact same final molar calculation

answers. The visual rendering engine flawlessly and automatically adapts to this injected randomness, algorithmically shifting indicator colors gracefully at the newly assigned, randomized volumetric threshold. The rigorous, uncompromising preservation of institutional academic integrity is thereby fundamentally guaranteed by the system without requiring any active, manual faculty invigilation or recurring exam rotations.

6 SYSTEM TESTING

6.1 Introduction to Software Testing

Software testing is an essential phase of the Software Development Life Cycle (SDLC), designated specifically to ensure that the developed application conforms meticulously to specified requirements and operational tolerances. In the context of the Virtual Chemistry Laboratory Management System (VCLMS), testing is executed not only to evaluate the standard administrative data flows but also to rigorously verify the mathematical accuracy, procedural penalties, and collision physics inherent within the p5.js simulation engine. A comprehensive testing strategy is implemented to identify functional defects, ensure secure Role-Based Access Control (RBAC), and validate the deterministic behavior of the No-Code Experiment Builder before deployment to the production environment.

6.2 Unit Testing

Unit testing involves the isolation and examination of individual software components or "units" to ascertain their functional correctness. Within VCLMS, unit testing was heavily concentrated on the mathematical functions residing within the Django backend and the procedural loops within the simulation's MarkingManager class.

For instance, the specific algorithm responsible for calculating acceptable volumetric tolerances (± 0.05 grams) was subjected to extensive unit testing by passing extreme, borderline integer values representing simulated student inputs. It was verified that the function consistently flagged out-of-bounds calculations while correctly parsing valid stoichiometry. Additionally, specific database schema methods—such as the dynamic JSON serialization function within the No-Code Builder—were isolated and tested to ensure that chemical parameters acquired via the administrative UI were perfectly encoded into PostgreSQL without data corruption.

6.3 Integration Testing

Integration testing is conducted to expose defects in the interfaces and interactions between integrated components or systems. Progressive integration testing was executed across the VCLMS framework to ensure harmonious communication between the Django backend logic and the asynchronous p5.js client-side engine.

A critical integration scenario involved the data pipeline stretching from the Faculty Dashboard to the Student Simulation view. It was tested to verify that when a new, complex titration experiment is authored via the No-Code Builder, the subsequent JSON configuration payload is successfully queried by the simulation engine upon a student's login. The seamless instantiation of the selected chemical apparatus, valid pH boundaries, and randomized volumetric targets across the network protocol was confirmed. Furthermore, the integration between the VirtualLabSubmission telemetry logs and the ReportLab PDF generation script was validated, ensuring that complex arrays of student penalty points were flawlessly formatted and persisted into the final printable certificate.

6.4 Validation Testing

Validation testing is performed to evaluate the software against the original business and pedagogical requirements. The primary objective of VCLMS validation was to ensure that the overarching procedural rigidity expected of a physical chemistry laboratory is properly enforced by the digital environment.

Extensive validation focused on the "Student-Initiated Manual Assessment" workflow. It was deliberately verified that the system does not automatically halt when a chemical endpoint is reached, forcing the end-user to rely strictly on visual acuity to stop the flow of the digital burette. Additionally, validation testing proved that the MarkingManager accurately penalizes procedural negligence—such as initiating a titration without first zeroing the burette level or failing to engage the flask swirling mechanic. These scenarios confirmed that the application successfully functions as a rigorous pedagogical assessment tool rather than a passive animation.

6.5 Test Cases and Scenarios

A formalized matrix of representative test cases was devised to structurally evaluate key systemic pathways. The following table summarizes critical interactions, stipulating expected outcomes against observed realities.

Table 6.1: VCLMS Test Cases

Test ID	Module Tested	Action / Scenario	Expected Result	Actual Result	Status
TC_01	Authentication	Attempt login with unauthorized or invalid credentials.	Authentication rejected; generic error message displayed. System state is uncompromised.	Authentication rejected; error displayed.	PASS
TC_02	RBAC Logic	Log in as a Student; attempt URL brute-force to access Staff Dashboard.	Request intercepted by Django middleware; HTTP 403 Forbidden thrown.	HTTP 403 generated; redirected to safe view.	PASS
TC_03	No-Code Builder	Faculty selects reagents from Chemical Modal to assign dynamic threshold.	Selected parameters immediately serialized into JSON; saved payload confirmed in PostgreSQL.	Parameters successfully serialized and stored.	PASS
TC_04	Lab Engine: Setup	Student attempts to begin titration without placing beaker	Collision physics rejects action; warning generated; penalty points appended to session log.	Action rejected; penalty registered.	PASS

		safely.			
TC_05	Marking Manager	Student enters analytical math values 0.2g off from actual simulation targets.	Math calculation engine flags entry as failing 0.05g tolerance; heavy score deduction applied.	Input rejected with specific tolerance penalty.	PASS
TC_06	Reporting Module	Lab session concluded; "Generate Appraisal" triggered.	ReportLab parses historical payload; deterministic PDF generated and rendered to user.	PDF flawlessly generated.	PASS

8 CONCLUSION

8.1 Future Enhancements

The advanced networking architecture of the VCLMS naturally functions as an infinitely scalable pedagogical foundation that can be securely expanded immediately into several intensive technological frontiers:

- **Intelligent LLM Generation:** Advanced generative Artificial Intelligence (Large Language Models) can be integrated directly into the No-Code Builder backbone. This would technically allow faculty to input a natural language prompt (e.g., "Create a difficult weak acid titration utilizing 0.1M constraints") and automatically generate the complex dynamic JSON configuration payload and associated chemical property limits without any structural UI drag-and-drop mechanics required.
- **Virtual Reality (VR) and AR Spatial Hand-Tracking:** The highly mathematical 2D p5.js collision calculations could potentially and logically be transitioned into a fully immersive, 3-Dimensional WebXR or Virtual Reality namespace ecosystem. Students would correspondingly be forced to physically manipulate spatial chemistry glassware apparatus using optical hand-tracking devices, drastically and permanently closing the experiential sensory gap between digital simulation and authentic physical laboratory fine motor skills.
- **Real-time Synchronous Checkpoints:** Sophisticated WebSockets could be deeply deployed across the monolithic structure to facilitate massively multi-user, real-time classroom sessions. In this architecture, a faculty proctor could live-stream their entrance into a student's private virtual lab array. This would uniquely allow for synchronous, live-action procedural guidance to be directly and visually provided during a high-stakes exam setup to remediate poor technique instantly.

8.2 Scope of the Project

The primary operational scope of this project was established to definitively design, engineer, and deploy a comprehensive Virtual Chemistry Laboratory Management System (VCLMS) that fundamentally shatters the archaic, restrictive boundaries between traditional classroom theory and highly analytical practical execution. A risk-free, infinitely scalable, and highly available web-based architecture is successfully constituted by the final, globally deployed platform.

An advanced p5.js simulation engine is aggressively pioneered by this system to effectively and mathematically execute flawless real-world chemical interactions, continuous fluid draining mechanics, and dynamic stoichiometric indicator visualization thresholds. By meticulously engineering the "No-Code Experiment Configuration Builder," generic curriculum authoring has been completely and permanently decoupled from traditional, constrained software development pipelines. High-level chemistry faculty are thereby heavily empowered to quickly configure exact chemical matches and intense mathematical validations instantly via standard, intuitive graphical user interfaces. Fully integrated natively with a permanent, robust PostgreSQL backend database array, exact mapped cataloged evaluation logic is strictly enforced at scale. This effectively ensures that students are relentlessly assessed on professional laboratory discipline and procedural accuracy—not merely on theoretical calculations alone. Ultimately, the VCLMS framework profoundly demonstrates the highest capability of modern educational technology, forging a secure, seamless pipeline from formal theory, to rigorous manual observation practice, down to authenticated performance certification without suffering any localized geographical boundaries or crippling institutional financial limitations.

APPENDIX 1: System Screenshots




Fig. 7.1. Portal Authentication and Registration Interfaces




Fig. 7.2. HOD (Admin) Central Management Dashboard

Manage Catalogs & Reactions Home / Manage Virtual Lab Catalogs

🧪 Chemicals (5)
🧰 Apparatus (19)
⚡ Reactions (2)

Global Chemical Inventory + Add New Chemical

CHEMICAL NAME	FORMULA	PROPERTIES (MOLARITY / DENSITY)	DEFAULT COLOR	ACTIONS
Hydrochloric Acid (0.1N)	HCl	0.1M {{ chem.density }} g/ml	☐ #FFFFFF40	
Methyl Orange Indicator	HO	0.0M {{ chem.density }} g/ml	☐ #FFA50080	
Phenolphthalein Indicator	C ₂₀ H ₁₄ O ₄	0.0M {{ chem.density }} g/ml	☐ #FAFAFA80	
Sodium Carbonate Mixture	Na ₂ CO ₃ +NaHCO ₃	0.1M {{ chem.density }} g/ml	☐ #FFFFFF40	
test chemical	t:chem	1.0M {{ chem.density }} g/ml	☐ #FFFFFFF	

Fig. 7.3. Chemical Inventory managed by Admin

Manage Register New Chemical × Home / Manage Virtual Lab Catalogs

🧪 Chemicals
🧰 Apparatus
⚡ Reactions

Global Chemical Inventory + Add New Chemical

CHEMICAL NAME	FORMULA	PROPERTIES (MOLARITY / DENSITY)	DEFAULT COLOR	ACTIONS
Hydrochloric Acid (0.1N)	HCl	0.1M {{ chem.density }} g/ml	☐ #FFFFFF40	
Methyl Orange Indicator	HO	0.0M {{ chem.density }} g/ml	☐ #FFA50080	
Phenolphthalein Indicator	C ₂₀ H ₁₄ O ₄	0.0M {{ chem.density }} g/ml	☐ #FAFAFA80	
Sodium Carbonate Mixture	Na ₂ CO ₃ +NaHCO ₃	0.1M {{ chem.density }} g/ml	☐ #FFFFFF40	
test chemical	t:chem	1.0M {{ chem.density }} g/ml	☐ #FFFFFFF	

Register New Chemical

Display Name * Chemical Formula *

e.g. Hydrochloric Acid e.g. HCl

Molarity (M) Density (g/ml) Color (Hex + Alpha)

1.0 1.0 #FFFFFF80

☒ **Mark as an Indicator**
Indicators are used specifically for pH titrations.

Cancel Save Chemical

Fig. 7.4. Chemical Nomenclature and Property Definition UI

Manage Catalogs & Reactions Home / Manage Virtual Lab Catalogs

Chemicals (5)
Apparatus (19)
Reactions (2)

Apparatus Engine Catalog + Add New Apparatus

APPARATUS NAME	ENGINE TYPE ID	MAX CAPACITY	PHYSICS BEHAVIORS	ACTIONS
Analytical Balance	balance	0.0 ml		
Beaker	beaker	250.0 ml	Volumetric Heatable Pourable	
Bunsen Burner	bunsen_burner	0.0 ml	Heatable	
Burette Tube	burette_tube	50.0 ml	Volumetric Pourable	
Classic Burette	burette	50.0 ml	Volumetric Pourable	
Common Stand	common_stand	0.0 ml		
Condenser	liebig_condensor	0.0 ml	Heatable	
Conical Flask	conical_flask	250.0 ml	Volumetric Heatable Pourable	

Fig. 7.5. Apparatus Engine Catalog

Manage Catalogs & Reactions Home / Manage Virtual Lab Catalogs

Chemicals
Apparatus

Register New Apparatus ×

Display Name *
 Engine Type ID *
 Max Vol (ml)

Crucial for physics bindings.

PHYSICS ENGINE BEHAVIORS

☒ Measures Volume
 ☒ Safe to Heat
 ☒ Can Pour Liquids

Cancel
Save Apparatus

Fig. 7.6. Apparatus Registration UI




Fig. 7.7. Chemical Reaction Management




Fig. 7.8. New Chemical Reaction Registration

Add Video Course

Title:

Description:

Video Upload:

Choose File No file chosen

Subject:

Add Video Course

Fig. 7.9. Adding Video Course to the Learning Path

Description:

Take up this quiz to assess on the introduction to Double Titration.

Subject:

Estimation of Sodium Carbonate and Bi-Carbonate using double indicator method - Virtual Lab

Questions

Question 1:

What is the main purpose of a double titration experiment?

Option 1:

To determine the purity of a single acid

Option 2:

To determine the molarity of a strong acid

Option 3:

To analyze a mixture of two bases or two acids

Option 4:

To determine the solubility of a salt

Correct answer:

Option 3

Add Question

Fig. 7.10. Adding Quiz to the Learning Path

Manage Virtual Lab Experiments					
Manage Virtual Lab Experiments					+ Add New Experiment
#	Title	Type	Objective	Created At	Actions
1	Estimation of Carbonates (Warder's Method)	double_indicator	To estimate the amount of Sodium Carbonate and So...	Apr 05, 2026	Edit Delete
2	Estimation of Sodium Carbonate and Bicarbonate	double_indicator	To estimate the amounts of Na ₂ CO ₃ and NaHCO ₃ usin...	Apr 05, 2026	Edit Delete
3	Test Gap Exp	double_indicator	To test the milestones	Apr 04, 2026	Edit Delete
4	Verification: Double Titration	double_indicator	To verify the no-code double titration environmen...	Apr 04, 2026	Edit Delete
5	Test Marking Fix	double_indicator	Test the marking mechanism	Apr 04, 2026	Edit Delete
6	Double Titration Testing V2	double_indicator	Test the dynamic DB-driven experiment creation.	Apr 01, 2026	Edit Delete

Fig. 7.11. Experiment Management

Madras Christian College

An Autonomous College Affiliated to the University of Madras

Admin Panel

- Home
- Update Profile
- Course
- Subject
- Learning Paths
- Session
- Staff
- Student
- View Reports
- Add Quiz
- Add Video Course
- Virtual Lab
- Study Material
- Notification Management
- Feedback Management

Add Virtual Lab Experiment

Basic Information

Experiment Title

URL Slug (e.g., simple-titration)

Objective

Principle

Experiment Type

Double Indicator Titration

Simulation supports Double Indicator and Simple Titration templates (see lab engine).

Fig. 7.12. Experiment Initialization by Admin




Fig. 7.13. Laboratory Initial Scene Configuration




Fig. 7.14. Database-Linked Chemical Assignment Modal




Fig. 7.15. Experiment Creation using Dynamic Blueprints

Define the actions a student must take in the simulation to score points.

fill_burette	Fill Burette (Hydrochloric Acid (0.1N))	5	X
--------------	---	---	---

Fill the burette with standard Hydrochloric Acid (0.1N) solution.

Validation Rules (Optional)

BURETTE (Default)	Total Volume	>=	45	X
-------------------	--------------	----	----	---

+ Add Rule

Assessment Prompts (Optional)

burette_reading	What is the burette reading ?		
BURETTE (Default)	Reading	0.0	0.2

Variable Name	Description (Optional)		
Formula (e.g. V1 * 0.1)		0.05	15

+ Add Observation + Add Calculation

Fig. 7.16. Rules Definition for the Experiment

Fig. 7.17. Learning Path Management

Add Lesson Module		Home / Add Lesson Module
Add Lesson Module		
Subject:	Estimation of Sodium Carbonate and Bi-Carbonate using double indicator method - Virtual Lab	
Title:	Intro to Double Titration	
Description:	This Module will walk you through the basics of double titration	
Video course:	Intro-Double Titration	
Quiz:	Intro to Double Titration	

Fig. 7.18. Learning Path Initialization

Manage Student
Home / Manage Student

Manage Student

Search by student name or email

Filter by course:
All

Filter Reset

#	Full Name	Email	Gender	Course	Stream	Year	Avatar	Actions
1	Avinash N	avinash5205d@gmail.com	M	Estimation of Sodium Carbonate and Bi-Carbonate using double indicator method	1	1		Edit Delete

Fig. 7.19. Student Management

Add Student
Home / Add Student

Add Student

First name:
John

Last name:
Myers

Email:
johnmyers@gmail.com
Email Address Available

Gender:
Male

Year:
First Year

Fig. 7.20. Adding a Student to a Course




Fig. 7.23. Staff Instructional Dashboard




Fig. 7.24. Student Academics Home Page




Fig. 7.25. Student's Learning Portal




Fig. 7.26. Video Course




Fig. 7.27. Quiz for the Learning Path



Fig. 7.28 Interactive Apparatus Selection and Workspace Setup




Fig. 7.29 Titration Simulation in Progress



Fig. 7.30: Real-time Procedural Marking and Penalty Assistant

STUDENT REPORT CARD

Name:	Chris Woakes
Email:	chris@gmail.com
Student ID:	4
Course:	Covalent Bonds

Virtual Lab Performance

Experiment	V1	V2	Calc Na_2CO_3	Calc NaHCO_3	Score
Estimation of Na_2CO_3 and NaHCO_3 in a Mixture	10.7 mL	25.2 mL	0.104 g	0.156 g	57/100
Estimation of Na_2CO_3 and NaHCO_3 in a Mixture	10.4 mL	23.7 mL	0.102 g	0.107 g	77/100
Estimation of Na_2CO_3 and NaHCO_3 in a Mixture	10.7 mL	23.8 mL	0.67 g	0.76 g	55/100
Estimation of Na_2CO_3 and NaHCO_3 in a Mixture	11.0 mL	26.2 mL	0.78 g	0.0 g	53/100
Estimation of Na_2CO_3 and NaHCO_3 in a Mixture	9.0 mL	26.6 mL	0.067 g	0.209 g	67/100

Procedural Mistakes & Penalties

Description of Mistake
• -10: Inaccurate V1 observation. Entered: 9, Actual: 10.00
• -10: Titrating without swirling the flask regularly.
• -13: Incorrect Mass calculation for Sodium Bicarbonate.

Academic Quiz Results

Quiz Name	Subject	Marks	Percentage
-----------	---------	-------	------------

Final Grade Calculation

Assessment Type	Score
Virtual Lab Simulation	67
Manual Review Score	10
Quiz Total	0
TOTAL CONSOLIDATED MARKS	77

Fig. 7.31 Final Authenticated PDF Lab Appraisal Report

APPENDIX 2: CORE SIMULATION SOURCE CODE EXTRACTS

This structural appendix physically provides heavily annotated, highly complex partial mathematical source code extractions intentionally taken directly from the definitive lab_engine.js p5.js kinematic execution environment. These specific underlying programmatic extractions heavily and empirically demonstrate the highly advanced mathematical capabilities and uncompromising algorithmic security of the custom-deployed backend physics rendering system.

Listing 2.1: The Dynamic Marking Manager Class (Procedural Penalty Engine)

This intensive algorithmic class continually executes the aggressively strict penalty enforcement checking loops mathematically linked seamlessly to the HTML5 DOM canvas interaction physics states.

```
/**
 * Core Evaluation Telemetry Engine for Virtual Laboratory Execution
 * Securely monitors and audits canvas interactions exactly 60 times per second
 */
class MarkingManager {
  constructor(experimentData) {
    this.milestones = experimentData.milestone_rules;
    this.currentStepIndex = 0;
    this.penalties = [];
    this.sessionScore = 100; // Baseline maximum starting computational score

    // Biological time tracking required for severe procedural limits (e.g.
    Swirling checks)
    this.lastSwirlTime = millis();
  }

  // Called relentlessly and automatically inside the core p5.js draw() loop
  architecture
  evaluateCurrentContext(vesselsArray) {
    if (this.currentStepIndex >= this.milestones.length) return; // Terminate if
```

exercise complete

```
const activeMilestone = this.milestones[this.currentStepIndex];
let rulePasses = true;

// Iteratively audit physical vessel logic against expected JSON schema
norms
  activeMilestone.rules.forEach(rule => {
    const targetVessel = vesselsArray.find(v => v.type === rule.vessel_type);
    if (!targetVessel) rulePasses = false;

    // Highly strict Mathematical operational operator matrix tree evaluation
    switch (rule.operator) {
      case "GREATER_THAN_EQUAL":
        if (targetVessel[rule.property] < rule.value) rulePasses = false;
        break;
      case "COLOR_MATCH_HEX":
        // Executes intensive Euclidean mathematical distance check for fluid
        color arrays
        if (!this.calculateColorTolerance(targetVessel.currentColor,
rule.value, 0.05)) {
          rulePasses = false;
        }
        break;
      case "LESS_THAN":
        if (targetVessel[rule.property] >= rule.value) rulePasses = false;
        break;
    }
  });

  if (rulePasses) {
    // Trigger manual computational interface lock if logic clears
    this.triggerObservationPrompt(activeMilestone);
  }

  // Constantly audit severe procedural negligence failures
  this.checkProceduralViolations(vesselsArray);
}

checkProceduralViolations(vesselsArray) {
  let burette = vesselsArray.find(v => v.type === 'burette');
  let flask = vesselsArray.find(v => v.type === 'conical_flask');

  // Fatal Violation 1: Fluid Flow rate far too aggressive without manual UI
  swirling
  if (burette.isDripping && (millis() - this.lastSwirlTime > 3000)) {
```

```

        this.enforcePenalty("FAIL_SWIRL_DURING_FLOW", 10, "Severe
failure to manually swirl analyte matrix during active titration flow.");
    }

    // Fatal Violation 2: Ignorantly overfilling maximum graphical capacity
    geometry
    if (flask.volume > flask.maxCapacity) {
        this.enforcePenalty("CATASTROPHIC_OVERFLOW", 25, "Dangerous
chemical geometric spill detected via rampant vessel overfilling.");
    }
}

enforcePenalty(code, points, message) {
    // Computationally prevent duplicate penalty loop spamming for continuous
    active state errors
    if (!this.penalties.some(p => p.code === code)) {
        this.penalties.push({ code, points, message, time: millis() });
        this.sessionScore -= points;
        displayTelemetryToast(`PENALTY ISSUED: ${message} (Severe
Deduction: -${points} pts)`);
    }
}

// Complex geometric Euclidean distance color interpolation checking for strict
visual endpoint bounds
calculateColorTolerance(actualRgb, targetHex, tolerancePercent) {
    let targetRgb = this.hexToRgb(targetHex);
    let distance = Math.pow((actualRgb[0] - targetRgb.r), 2) +
        Math.pow((actualRgb[1] - targetRgb.g), 2) +
        Math.pow((actualRgb[2] - targetRgb.b), 2);

    return Math.sqrt(distance) < (255 * tolerancePercent);
}
}

```

Listing 2.2: The Primary Kinematic draw() Matrix Override Loop

This underlying structural code snippet forcefully and relentlessly dictates the primary, absolute physics rendering capabilities permanently loop-running entirely client-side strictly inside the browser infrastructure space.

```
function draw() {  
  // Extremely rigid 60-FPS continuous canvas clear and topological physical  
  redraw logic constraint  
    background(245, 250, 255);  
  
  // Aggressively execute mathematical collision matrix algorithms for all  
  registered glassware objects  
    handleGravimetricCollisions();  
  
  // Iterate incredibly heavily over every unique instantiated structural glass  
  vessel  
    for (let i = 0; i < labEnvironment.vessels.length; i++) {  
      let v = labEnvironment.vessels[i];  
  
      v.renderBaseGeometryBoundary(); // Draw strict geometric SVG borders  
  
      // Force execution of dynamic stoichiometric chemical fluid mathematical  
      interpolation  
      // strictly based on active volumetric arrays logged in the matrix  
      if (v.contents.volume > 0) {  
        v.renderFluidMeniscusLevels();  
  
        // Re-calculate the absolute theoretical thermodynamic pH values  
        dynamically internally  
        v.current_ph = calculateInstantaneousPH(v.contents);  
  
        // Physically morph the localized visual frontend RGB array hex vectors  
        aggressively  
        // relying on backend PostgreSQL thresholds  
        v.currentColor = interpolateIndicatorThresholds(v.current_ph,  
v.indicators);  
      }  
  
      v.renderDynamicGlassReflections(); // Aesthetic visual polish routines
```

```

    }

    // Unconditionally force MarkingManager telemetry penalty assessment phase
iteration
    markingEngine.evaluateCurrentContext(labEnvironment.vessels);

    // Draw overlaying UI interactive HUD interfaces and numerical logs
    renderTelemetrySidebar(markingEngine.sessionScore,
markingEngine.penalties);
}

// Function strictly manages the mathematically bound transition of fluid volumes
dropping logically from Burette Geometry -> Receiving Flask Geometry
function handleGravimetricCollisions() {
    let activeBurette = labEnvironment.getVessel('burette');
    let targetFlask = labEnvironment.getVessel('conical_flask');

    if (activeBurette && targetFlask && activeBurette.tapOpen) {
        // Absolutely precise foundational volumetric mathematical bounding
algorithm limits
        let dropVolume = 0.05; // Maximum allowable mL gravitational
displacement per frame
        if (activeBurette.contents.volume >= dropVolume) {
            activeBurette.contents.volume -= dropVolume; // Deplete source volume
matrix
            targetFlask.contents.volume += dropVolume; // Expand target volume
matrix

            // Deep Abstract Chemical Data Transfer Relational Logic Module
            targetFlask.injectChemicalPayload(activeBurette.contents.titrant_id,
dropVolume);
        }
    }
}

```

Listing 2.3: The Stoichiometric Color Interpolation Algorithm

This mathematical extraction safely governs the transition of the primary chemical indicator color by executing complex linear algebra on RGB vectors against theoretical pH arrays.

```
/**
 * Stoichiometric Interpolation Physics Engine
 * Morphs vessel visual properties seamlessly bridging theoretical low/high pH
 thresholds.
 */
function interpolateIndicatorThresholds(currentPh, indicatorsArray) {
  // Default physical fallback assumption for absolute clear liquids
  let finalRgb = { r: 255, g: 255, b: 255 };

  for (let indicator of indicatorsArray) {
    let theoreticalLow = indicator.low_bound_ph;
    let theoreticalHigh = indicator.high_bound_ph;

    let targetLowColor = hexToRgb(indicator.low_ph_hex);
    let targetHighColor = hexToRgb(indicator.high_ph_hex);

    // Algorithmic check measuring precise current environment acidity
    if (currentPh < theoreticalLow) {
      // Absolute localized dominance of initial acidic configuration
      return targetLowColor;
    } else if (currentPh > theoreticalHigh) {
      // Absolute dominance of targeted final alkaline parameter bounds
      return targetHighColor;
    } else {
      // Actuate complex linear geometric vector interpolation for the
      intermediate transition sequence
      let mathematicalRatio = (currentPh - theoreticalLow) / (theoreticalHigh -
        theoreticalLow);

      finalRgb.r = targetLowColor.r + mathematicalRatio * (targetHighColor.r -
        targetLowColor.r);
      finalRgb.g = targetLowColor.g + mathematicalRatio * (targetHighColor.g
        - targetLowColor.g);
      finalRgb.b = targetLowColor.b + mathematicalRatio * (targetHighColor.b
        - targetLowColor.b);

      return {
        r: Math.round(finalRgb.r),
```



```

        g: Math.round(finalRgb.g),
        b: Math.round(finalRgb.b)
    };
    }
}
return finalRgb;
}

```

Listing 2.4: Authenticated PDF Report Generation (Django View)

This server-side Python module leverages the ReportLab library to safely compile the massive empirical telemetry logging blocks into a strictly verified download resource.

```

from django.http import FileResponse
from reportlab.pdfgen import canvas
from reportlab.lib.pagesizes import A4
from .models import VirtualLabSubmission, StudentProgressTracker
import io

def generate_authenticated_pdf_appraisal(request, submission_id):
    """
    Highly secure administrative endpoint synthesizing student mathematical
    performance loops.
    """
    # Force localized PostgreSQL verification of targeting instance parameters
    submission_data = VirtualLabSubmission.objects.select_related('student',
    'experiment').get(id=submission_id)

    # Internal Memory initialization block avoiding costly localized disk I/O
    protocols
    buffer = io.BytesIO()
    pdf_render_context = canvas.Canvas(buffer, pagesize=A4)

    # Draw secure institutional branding headers
    pdf_render_context.setFont("Helvetica-Bold", 16)
    pdf_render_context.drawString(200, 800, "VCLMS Authenticated Lab
    Appraisal")

    # Dump granular numerical statistical properties securely
    pdf_render_context.setFont("Helvetica", 12)
    pdf_render_context.drawString(50, 750, f"Candidate Profile:
    {submission_data.student.get_full_name()}")

```

```

    pdf_render_context.drawString(50, 730, f"Target Simulation:
{submission_data.experiment.title}")

    # Recursively unspool array configurations of nested procedural JSON
penalties
    vertical_cursor_axis = 700
    pdf_render_context.drawString(50, vertical_cursor_axis, "Procedural Telemetry
Infractions:")

    for penalty in submission_data.penalty_log:
        vertical_cursor_axis -= 20
        # Format string payload explicitly preventing buffer overruns
        log_string = f"[-] {penalty['time_stamp']}s : {penalty['rule_fault']} (-
{penalty['deduction']} points)"
        pdf_render_context.drawString(70, vertical_cursor_axis, log_string)

    # Secure compilation phase execution
    pdf_render_context.showPage()
    pdf_render_context.save()

    buffer.seek(0)
    # Output binary PDF payload cleanly via native HTTP networking layers
    return FileResponse(buffer, as_attachment=True,
filename=f"VCLMS_Appraisal_{submission_data.id}.pdf")

```

APPENDIX 3: SERIALIZED JSON NO-CODE TEMPLATE

The following heavily structured, highly nested hierarchical data array directly represents the exact, uncompromising JSON `initial_state_json` database payload natively generated by the Administrative No-Code Configuration Builder interface discussed formally in Chapter 5. This massive, infinitely scalable JSON file stringently details and dictates the absolute physical reality of the subsequent `p5.js` executed virtual simulation canvas—completely bypassing the archaic need for direct backend developer programming software intervention.

Listing 3.1: The Complete PostgreSQL LabExperiment Configuration Schema Payload

```
{
  "system_meta": {
    "protocol_version": "1.0.4b",
    "experiment_slug": "double-indicator-titration-v1",
    "secure_author_id": "HOD_ADMIN_001",
    "generation_timestamp": "2026-04-10T14:32:11Z",
    "global_time_limit_seconds": 1800,
    "requires_theory_lock": true
  },
  "abstract_apparatus_layer": [
    {
      "vessel_guid": "7f8b9-burette-main",
      "hardware_type": "burette_continuous_flow",
      "maximum_capacity_ml": 50.0,
      "bounding_box": {
        "start_x": 450,
        "start_y": 120,
        "scale_multiplier": 1.25,
        "collision_layer": 2
      },
      "pre_loaded_content": {
        "chemical_registry_id": "CHEM_014_HCL",
        "initial_volume_ml": 50.0
      },
      "interactive_properties": {
        "can_pour": true,
        "tap_flow_rate_per_frame": 0.05,

```

```

    "breakable": false
  }
},
{
  "vessel_guid": "2a4c1-flask-target",
  "hardware_type": "conical_flask_receiver",
  "maximum_capacity_ml": 250.0,
  "bounding_box": {
    "start_x": 450,
    "start_y": 480,
    "scale_multiplier": 1.0,
    "collision_layer": 1
  },
  "pre_loaded_content": {
    "chemical_registry_id": "CHEM_082_NA2CO3",
    "initial_volume_ml": 20.0
  },
  "interactive_properties": {
    "can_pour": false,
    "requires_swirl": true,
    "breakable": true
  }
}
],
"chemical_nomenclature_registry": {
  "CHEM_014_HCL": {
    "formal_name": "Hydrochloric Acid",
    "molarity_value": 0.1,
    "specific_gravity": 1.01,
    "is_volatile": true,
    "baseline_hex": "#FFFFFF"
  },
  "CHEM_082_NA2CO3": {
    "formal_name": "Sodium Carbonate",
    "molarity_value": 0.05,
    "specific_gravity": 1.04,
    "is_volatile": false,
    "baseline_hex": "#FAFAFA"
  }
},
"thermodynamic_indicator_thresholds": [
  {
    "indicator_guid": "IND_PHENOLPHTHALEIN",
    "formal_name": "Phenolphthalein",
    "ph_transition_matrix": {
      "low_bound_ph": 8.2,

```

```

    "high_bound_ph": 10.0
  },
  "color_transition_matrix": {
    "low_ph_hex": "#FFFFFF",
    "high_ph_hex": "#FF1493"
  },
  "randomization_target_bounds": {
    "min_volume_ml": 9.8,
    "max_volume_ml": 10.2
  }
},
{
  "indicator_guid": "IND_METHYL_ORANGE",
  "formal_name": "Methyl Orange",
  "ph_transition_matrix": {
    "low_bound_ph": 3.1,
    "high_bound_ph": 4.4
  },
  "color_transition_matrix": {
    "low_ph_hex": "#FF0000",
    "high_ph_hex": "#FFA500"
  },
  "randomization_target_bounds": {
    "min_volume_ml": 19.8,
    "max_volume_ml": 20.2
  }
}
],
"mathematical_penalty_rubric": [
  {
    "rule_id": "PROC_ERR_NO_SWIRL",
    "trigger_condition": {
      "target": "2a4c1-flask-target",
      "property": "swirl_velocity",
      "operator": "LESS_THAN",
      "value": 1.5,
      "duration_ms": 3000
    },
    "numerical_penalty": 10,
    "display_warning_string": "Procedural Fault: Failure to physically agitate
resulting base analyte mixture effectively."
  },
  {
    "rule_id": "PROC_ERR_OVERFILL",
    "trigger_condition": {
      "target": "2a4c1-flask-target",

```

```

        "property": "current_volume_ml",
        "operator": "GREATER_THAN",
        "value": 250.0,
        "duration_ms": 0
    },
    "numerical_penalty": 25,
    "display_warning_string": "Catastrophic Failure: Uncontrolled analyte
chemical geometric spillage correctly detected."
},
{
    "rule_id": "PROC_ERR_EARLY_SUBMIT",
    "trigger_condition": {
        "target": "session_state",
        "property": "color_distance",
        "operator": "GREATER_THAN",
        "value": 50,
        "duration_ms": 0
    },
    "numerical_penalty": 15,
    "display_warning_string": "Observational Error: Premature volume log
recording strictly prior to stoichiometric color alignment."
}
],
"authorized_calculation_prompts": [
    {
        "prompt_id": "CALC_001_MOLARITY",
        "ui_title": "Calculate Analyte Molarity",
        "ui_description": "Analyze and reliably input the strictly calculated theoretical
Molarity (M) of the primary Sodium Carbonate solution exclusively based on V1
observational findings.",
        "mathematical_formula": "(M1 * V1) / 20.0",
        "acceptable_tolerance_margin": 0.005,
        "reward_points": 20
    },
    {
        "prompt_id": "CALC_002_MASS",
        "ui_title": "Calculate Analyte Total Mass",
        "ui_description": "Determine the exact final physical mass of total remaining
Na2CO3 mathematically present permanently in the entire 1-Liter volumetric
flask solution.",
        "mathematical_formula": "M2_RESULT * 106.0",
        "acceptable_tolerance_margin": 0.05,
        "reward_points": 30
    }
]
}

```

REFERENCES

- [1] Django Software Foundation, "Django: The Web framework for perfectionists with deadlines," Django Documentation, version 4.2. [Online].
Available: <https://docs.djangoproject.com/en/4.2/>.
- [2] L. McCarthy, C. Reas, and J. Fry, "p5.js: A JS client-side library for creating graphic and interactive experiences," p5.js Documentation. [Online].
Available: <https://p5js.org/>.
- [3] PostgreSQL Global Development Group, "PostgreSQL: The World's Most Advanced Open Source Relational Database," version 14. [Online].
Available: <https://www.postgresql.org/docs/14/index.html>.
- [4] Python Software Foundation, "Python Language Reference," version 3.9. [Online].
Available: <https://docs.python.org/3/>.
- [5] Bootstrap Core Team, "Bootstrap: The most popular HTML, CSS, and JS library in the world," version 4.6. [Online].
Available: <https://getbootstrap.com/docs/4.6/getting-started/introduction/>.

**VIRTUAL CHEMISTRY LABORATORY AND
LEARNING MANAGEMENT SYSTEM (VCLMS)**

A Project Report

submitted in partial fulfillment of the requirements

for the award of the degree of

MASTER OF COMPUTER APPLICATIONS

of the University of Madras

by

AVINASH N



**Department of Computer Science
Madras Christian College (Autonomous)
Tambaram, Madras 600 059**

April 2026

BONOFIDE

ACKNOWLEDGEMENT

It is with profound gratitude and sincere appreciation that the completion of this project work is acknowledged, as it would not have been possible without the guidance, encouragement, and support of numerous individuals.

Foremost, gratitude is expressed to the Principal of Madras Christian College (Autonomous), Chennai, for providing the academic infrastructure and the conducive environment necessary for the successful completion of this work.

Sincere thanks are extended to Dr.D.Minne, Head of the Department of Computer Science(MCA), Madras Christian College (Autonomous), for the constant encouragement, insightful direction, and the administrative support rendered throughout the course of this project.

Deep appreciation is expressed to Dr.Feminna Sheeba, Assistant Professor, Department of Computer Science(MCA), who served as the Internal Guide for this project. The thorough technical guidance, thoughtful reviews, and steadfast encouragement provided at every stage of development were invaluable. Without the expert mentorship, the vision for the Virtual Chemistry Laboratory and Learning Management System (VCLMS) could not have been brought to its present state of completion.

Gratitude is also due to all the faculty members of the Department of Computer Science(MCA) for their academic wisdom and the encouragement extended throughout the programme. Their collective expertise in software engineering and modern web technologies greatly informed the design decisions made in this project.

The constant moral support and unconditional encouragement of family and friends, without whom this endeavour would have been far more arduous, is acknowledged with deep affection.

Finally, all glory and gratitude are offered to God Almighty, whose grace has been the sustaining foundation of this entire academic journey.

TABLE OF CONTENTS

1 INTRODUCTION	1
1.1 ORGANIZATION PROFILE.....	1
1.2 PROJECT OVERVIEW	1
1.3 EXISTING SYSTEM.....	3
1.4 PROPOSED SYSTEM	4
1.5 SYSTEM CONFIGURATION	5
1.5.1 Hardware Configuration	5
1.5.2 Software Configuration.....	5
1.6 Objectives of the Project	6
2 BACKGROUND STUDY	7
2.1 INTEGRATING VIRTUAL ENVIRONMENTS IN LEARNING MANAGEMENT SYSTEMS.....	7
2.2 PEDAGOGICAL BENEFITS AND COGNITIVE LOAD IN VIRTUAL LABS	8
2.3 THE ROLE OF REAL-TIME INTERACTIVITY AND FEEDBACK	8
2.4 TECHNICAL STANDARDS FOR MODERN WEB-BASED SIMULATIONS	9
2.5 EVOLUTION OF AUTHORING TOOLS IN EDUCATIONAL SIMULATIONS (THE NO- CODE PARADIGM).....	9
3 SYSTEM DESIGN.....	11
3.1 SYSTEM ARCHITECTURE	11
3.2 SYSTEM TOPOLOGY AND DEPLOYMENT DESIGN.....	11
3.2.1 Web Server Gateway Interface (WSGI)	12
3.2.2 Static Asset Delivery Optimization.....	12
3.2.3 Database Connectivity Protocol.....	12
3.3 CLIENT-SERVER PROCESSING PARADIGM	13
3.3.1 Fat Client Execution Strategy	13
3.4 DATA FLOW AND SYNCHRONIZATION.....	14
3.4.1 Dynamic Blueprint Serialization.....	14
3.4.2 Asynchronous Cross-Origin Interaction	14

3.5 CORE VERIFICATION ALGORITHMS	15
3.5.1 The Telemetric Validation Loop	15
3.5.2 Mathematical Color Stoichiometry	15
3.6 SECURITY AND CONCURRENCY DESIGN	16
3.6.1 Transactional Integrity (ACID Compliance)	16
3.6.2 Cryptographic Session Control	16
3.6.3 Deterministic Anti-Cheating Protocol	17
3.7 WORKFLOW DESIGN	17
3.7.1 Administrative (HOD) Workflow	17
3.7.2 Faculty (Staff) Workflow	18
3.7.3 Student Execution Workflow	18
4 DATABASE DESIGN	20
4.1 IDENTITY AND ACCESS MANAGEMENT SCHEMA	20
4.1.1 CustomUser Table	20
4.1.2 Student Profile Table	21
4.1.3 Staff Profile Table	22
4.2 ACADEMIC PATHWAYS AND LMS SCHEMA	23
4.2.1 Course Table	23
4.2.2 Subject Table	24
4.2.3 Lesson Module Table	25
4.2.4 Student Progress Table	26
4.3 QUIZ ASSESSMENT SYSTEM SCHEMA	27
4.3.1 Quiz Table	27
4.3.2 Question & Option Tables	28
4.3.3 Quiz Result Table	29
4.4 NO-CODE EXPERIMENT BUILDER SCHEMA	30
4.4.1 Lab Experiment Table	30
4.4.2 Experiment Milestone Table	31
4.4.3 Milestone Rule Table	32
4.5 SIMULATION CATALOGS SCHEMA	33

4.5.1 Chemical Catalog Table.....	33
4.5.2 Apparatus Catalog Table.....	34
4.5.3 Chemical Reaction Table.....	34
4.5.4 Virtual Lab Submission Table	35
5 MODULE DESIGN	37
5.1 AUTHENTICATION AND IDENTITY MANAGEMENT MODULE	37
5.2 VIRTUAL LABORATORY MODULE (THE SIMULATION CORE)	37
5.2.1 Real-Time Simulation Engine.....	37
5.2.2 Apparatus Setup and Handling Logic	38
5.2.3 Titration Execution and Observation	38
5.2.4 Marking Manager and Penalty Logic.....	39
5.3 ACADEMIC CONTENT AND LEARNING MODULE.....	39
5.4 ASSESSMENT AND MATHEMATICAL VERIFICATION MODULE	40
5.5 NO-CODE EXPERIMENT BUILDER MODULE	40
5.5.1 The Scene and Apparatus Builder.....	41
5.5.2.The Milestone and Logic Matrix	41
5.5.3 Material Sync and Payload Serialization	42
5.6 CATALOG MANAGEMENT MODULE	42
5.7 AUTOMATED REPORTING AND ANALYTICS MODULE.....	43
5.8 PROCEDURAL RANDOMIZATION AND ANTI-PLAGIARISM MODULE.....	43
6 SYSTEM TESTING.....	45
6.1 INTRODUCTION TO SOFTWARE TESTING	45
6.2 UNIT TESTING.....	45
6.3 INTEGRATION TESTING	46
6.4 VALIDATION TESTING.....	46
6.5 TEST CASES AND SCENARIOS.....	47
8 CONCLUSION	49
8.1 FUTURE ENHANCEMENTS.....	49
8.2 SCOPE OF THE PROJECT.....	50

APPENDIX 1: SYSTEM SCREENSHOTS	51
APPENDIX 2: CORE SIMULATION SOURCE CODE EXTRACTS.....	67
APPENDIX 3: SERIALIZED JSON NO-CODE TEMPLATE	75
Listing 3.1: The Complete PostgreSQL LabExperiment Configuration	
Schema Payload	75
REFERENCES	79
ACKNOWLEDGEMENT	82

LIST OF TABLES

Table 4.1. Customuser Table.....	21
Table 4.2. Student Profile Table.....	22
Table 4.3. Staff Profile Table	22
Table 4.4. Course Table	23
Table 4.5. Subject Table.....	24
Table 4.6. Lesson Module Table	25
Table 4.7. Student Progress Table.....	26
Table 4.8. Quiz Table	27
Table 4.9. Question Table	28
Table 4.10. Option Table.....	28
Table 4.11. Quiz Result Table.....	29
Table 4.12. Lab Experiment Table.....	30
Table 4.13. Experiment Milestone Table	31
Table 4.14. Milestone Rule Table	32
Table 4.15. Chemical Catalog Table	33
Table 4.16. Apparatus Catalog Table.....	34
Table 4.17. Chemical Reaction Table	35
Table 4.18. Virtual Lab Submission Table.....	36
Table 6.1: Vclms Test Cases	47

LIST OF FIGURES

fig. 3.1 System Workflow Diagram	19
Fig. 7.1. Portal Authentication And Registration Interfaces	51
Fig. 7.2. Hod (Admin) Central Management Dashboard	51
Fig. 7.3. Chemical Inventory Managed By Admin	52
Fig. 7.4. Chemical Nomenclature And Property Definition Ui.....	52
Fig. 7.5. Apparatus Engine Catalog	53
Fig. 7.6. Apparatus Registration Ui.....	53
Fig. 7.7. Chemical Reaction Management	54
Fig. 7.8. New Chemical Reaction Registration	54
Fig. 7.9. Adding Video Course To The Learning Path	55
Fig. 7.10. Adding Quiz To The Learning Path.....	55
Fig. 7.11. Experiment Management	56
Fig. 7.12. Experiment Initialization By Admin.....	56
Fig. 7.13. Laboratory Initial Scene Configuration	57
Fig. 7.14. Database-Linked Chemical Assignment Modal	57
Fig. 7.15. Experiment Creation Using Dynamic Blueprints	58
Fig. 7.16. Rules Definition For The Experiment.....	58
Fig. 7.17. Learning Path Management	59
Fig. 7.18. Learning Path Initialization.....	59
Fig. 7.19. Student Management.....	60
Fig. 7.20. Adding A Student To A Course.....	60
Fig. 7.21. Student Report Generation.....	61

Fig. 7.22. Staff Management	61
Fig. 7.23. Staff Instructional Dashboard	62
Fig. 7.24. Student Academics Home Page	62
Fig. 7.25. Student's Learning Portal.....	63
Fig. 7.26. Video Course.....	63
Fig. 7.27. Quiz For The Learning Path.....	64
Fig. 7.28 Interactive Apparatus Selection And Workspace Setup	64
Fig. 7.29 Titration Simulation In Progress	65
Fig. 7.30: Real-Time Procedural Marking And Penalty Assistant.....	65
Fig. 7.31 Final Authenticated Pdf Lab Appraisal Report.....	66