

Cucumber Report

19 Dec 2023, 14:11:36

Start : Dec 19, 2:10:01.099 pm

End : Dec 19, 2:11:34.473 pm

Duration : 1 m 33.374 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 3

SKIPPED - 0

PASSED - 3



FAILED - 7

SKIPPED - 0

PASSED - 42


FAILED - 7

SKIPPED - 15




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Desktop test</u> | 9.956 s | 1 | 1 | 0 | 0 | 5 | 5 | 0 | 0 |
| <u>Laptops and Notebook page test cases</u> | 12.722 s | 2 | 1 | 1 | 0 | 20 | 9 | 1 | 10 |
| <u>Accounts test cases</u> | 53.555 s | 4 | 1 | 3 | 0 | 27 | 19 | 3 | 5 |
| <u>Verify user should navigate to the pages successfully</u> | 17.065 s | 3 | 0 | 3 | 0 | 12 | 9 | 3 | 0 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>Laptops and Notebook page test cases</u> | <u>Verify that user place order successfully</u> |
| 2 | <u>Accounts test cases</u> | <u>Verify user should navigate to register page successfully</u> |
| 3 | | <u>Verify user should navigate to login page successfully</u> |
| 4 | | <u>Verify that user register account successfully</u> |
| 5 | <u>Verify user should navigate to the pages successfully</u> | <u>Verify user should navigate to desktops page successfully</u> |
| 6 | | <u>Verify user should navigate to LaptopsAndNotebooks page successfully</u> |
| 7 | | <u>Verify user should navigate to Components page successfully</u> |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Desktop test</u> | 1 | 1 | 0 | 0 | 9.956 s |
| 2 | <u>Laptops and Notebook page test cases</u> | 2 | 1 | 1 | 0 | 12.722 s |
| 3 | <u>Accounts test cases</u> | 4 | 1 | 3 | 0 | 53.555 s |
| 4 | <u>Verify user should navigate to the pages successfully</u> | 3 | 0 | 3 | 0 | 17.065 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|---|---|----|----------|
| 1 | <u>Desktop test</u> | <u>verify product arranged in alphabetical order</u> | 5 | 5 | 0 | 0 | 9.948 s |
| 2 | <u>Laptops and Notebook page test cases</u> | <u>Verify that products price display High To Low successfully</u> | 5 | 5 | 0 | 0 | 6.321 s |
| 3 | | <u>Verify that user place order successfully</u> | 15 | 4 | 1 | 10 | 6.374 s |
| 4 | <u>Accounts test cases</u> | <u>Verify user should navigate to register page successfully</u> | 4 | 3 | 1 | 0 | 5.839 s |
| 5 | | <u>Verify user should navigate to login page successfully</u> | 4 | 3 | 1 | 0 | 5.008 s |
| 6 | | <u>Verify that user register account successfully</u> | 10 | 4 | 1 | 5 | 7.706 s |
| 7 | | <u>Verify that user should Login and Logout successfully</u> | 9 | 9 | 0 | 0 | 34.944 s |
| 8 | <u>Verify user should navigate to the pages successfully</u> | <u>Verify user should navigate to desktops page successfully</u> | 4 | 3 | 1 | 0 | 5.703 s |
| 9 | | <u>Verify user should navigate to LaptopsAndNotebooks page successfully</u> | 4 | 3 | 1 | 0 | 5.799 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 10 | | <u>Verify user should navigate to Components page successfully</u> | 4 | 3 | 1 | 0 | 5.541 s |

Desktop test



| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| PASSED | DURATION - 9.956 s | Scenarios |  | Steps |  |
| / 2:10:01.099 pm // 2:10:11.055 pm / | | Total - 1 | | Total - 5 | |
| | | Pass - 1 | | Pass - 5 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

verify product arranged in alphabetical order


| | | | | | |
|---|--|---|---|--|--|
| <div>PASSED</div> <div>DURATION - 9.948 s</div> | | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | | <div></div> |
| <div>/ 2:10:01.107 pm // 2:10:11.055 pm /</div> | | | | | |
| <div>Desktop test</div> | | | | | |
| | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I hover on the Desktops tab and click | PASSED | 0.734 s |
| 3 | And click on "Show AllDesktops" | PASSED | 1.017 s |
| 4 | And select sort by position "Name: Z to A" | PASSED | 1.347 s |
| 5 | Then I can see the products in descending order | PASSED | 0.554 s |

Laptops and Notebook page test cases


| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| FAILED | DURATION - 12.722 s | Scenarios |  | Steps |  |
| / 2:10:11.092 pm // 2:10:23.814 pm / | | Total - 2 | | Total - 20 | |
| | | Pass - 1 | | Pass - 9 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 10 | |

Verify that products price display High To Low successfully




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I hover on Laptops & Notebooks Tab and click | PASSED | 0.585 s |
| 3 | And I click on "Show All Laptops & Notebooks" | PASSED | 0.692 s |
| 4 | And I select Sort By "Price (High > Low)" | PASSED | 0.813 s |
| 5 | Then I can see the Product price will arrange in High to Low order. | PASSED | 0.318 s |

Verify that user place order successfully





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I hover on Laptops & Notebooks Tab and click | PASSED | 0.569 s |
| 3 | And I click on "Show All Laptops & Notebooks" | PASSED | 0.658 s |
| 4 | And I select Sort By "Price (High > Low)" | PASSED | 0.817 s |
| 5 | And I select Product "MacBook" | FAILED | 0.009 s |
| | io.cucumber.core.exception.CucumberException: Step [I select Product {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.LaptopsAndNoteBooksSteps.iSelectProductMacBook()'. However, the gherkin step has 1 arguments: * "MacBook" Step text: I select Product "MacBook" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 6 | Then I can see the text "MacBook" | SKIPPED | 0.001 s |
| 7 | And I click on 'Add To Cart' button | SKIPPED | 0.000 s |
| 8 | Then I can see the message 'Success: You have added MacBook to your shopping cart!' | SKIPPED | 0.000 s |
| 9 | And I click on link 'shopping cart' displayed into success message | SKIPPED | 0.000 s |
| 10 | Then I can able to see the text "Shopping Cart" | SKIPPED | 0.000 s |
| 11 | Then I can able to see the Product name "MacBook" | SKIPPED | 0.000 s |
| 12 | And I change Quantity to 2 | SKIPPED | 0.001 s |
| 13 | And I click on 'Update' Tab | SKIPPED | 0.000 s |
| 14 | Then I can see the message 'Success: You have modified your shopping cart!' | SKIPPED | 0.000 s |
| 15 | Then I can see the Total \$1,204.00 | SKIPPED | 0.000 s |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.623 s |
| | Verify that user place order successfully | | |
| |  | | |


Accounts test cases

| | | | | | |
|--------------------------------------|----------------------------|-----------|--|------------|--|
| FAILED | DURATION - 53.555 s | Scenarios | | Steps | |
| / 2:10:23.842 pm // 2:11:17.397 pm / | | Total - 4 |  | Total - 27 |  |
| | | Pass - 1 | | Pass - 19 | |
| | | Fail - 3 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 5 | |



Verify user should navigate to register page successfully

| | | | | |
|---|-------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 5.839 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:10:23.842 pm // 2:10:29.681 pm /</div> | | | | |
| <div>Accounts test cases</div> | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | And I click on My Account link | PASSED | 0.224 s |
| 3 | And call the method selectMyAccountOptions method with parameter "Register" | PASSED | 0.715 s |
| 4 | Then I can see the text 'Register Account' io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Register Account' Step text: I can see the text 'Register Account' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> | | |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.622 s |
| | Verify user should navigate to register page successfully | | |
| |  | | |



Verify user should navigate to login page successfully

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 5.008 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:10:29.699 pm // 2:10:34.707 pm /</div> | | | | |
| <div>Accounts test cases</div> | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I click on My Account link | PASSED | 0.214 s |
| 3 | And I call the method selectMyAccountOptions method with parameter "Login" | PASSED | 0.555 s |
| 4 | <p>Then I can see the text 'Returning Customer'</p> <p>io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Returning Customer' Step text: I can see the text 'Returning Customer'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> | FAILED | 0.005 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> | | |
| | <p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify user should navigate to login page successfully</p>  | PASSED | 0.495 s |

Verify that user register account successfully

| | | | | |
|---|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 7.706 s</div> | | <div></div> | <div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div> | <div></div> |
| / 2:10:34.728 pm // 2:10:42.434 pm / | | | | |
| Accounts test cases | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I click on My Account link | PASSED | 0.210 s |
| 3 | And I can call the method selectMyAccountOptions method with parameter "Register" | PASSED | 0.686 s |
| 4 | And I enter First Name and I enter Last Name and I enter Email and I enter Telephone and I enter Password and I enter Password Confirm and I select Subscribe Yes radio button and I click on Privacy Policy check box and I click on Continue button | PASSED | 2.399 s |
| 5 | Then I can see the message 'Your Account Has Been Created!' | FAILED | 0.003 s |
| | io.cucumber.core.exception.CucumberException: Step [I can see the message {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.MyAccountsSteps.iCanSeeTheMessageYourAccountHasBeenCreated()'. However, the gherkin step has 1 arguments: * 'Your Account Has Been Created!' Step text: I can see the message 'Your Account Has Been Created!' | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |


Verify that user should Login and Logout successfully

PASSED

DURATION - 34.944 s

/ 2:10:42.453 pm // 2:11:17.397 pm /

Accounts test cases




Steps

Total - 9

Pass - 9



Fail - 0

Skip - 0





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | And I click on My Account link | PASSED | 0.216 s |
| 3 | And I can call the method selectMyAccountOptions method with the parameter "Login" | PASSED | 0.000 s |
| 4 | And I enter Email address and and I enter Password and I click on Login button | PASSED | 0.541 s |
| 5 | Then I can see the text "My Account" | PASSED | 28.936 s |
| 6 | And I click on the My Account Link. | PASSED | 0.240 s |
| 7 | And I call the method "selectMyAccountOptions" method and pass the parameter "Logout" | PASSED | 0.855 s |
| 8 | Then I can see text "Account Logout" | PASSED | 0.043 s |
| 9 | And I click on Continue button | PASSED | 0.507 s |


Verify user should navigate to the pages successfully

| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 17.065 s | Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0 |  | Steps Total - 12 Pass - 9 Fail - 3 Skip - 0 |  |
| / 2:11:17.408 pm // 2:11:34.473 pm / | | | | | |
| | | | | | |



Verify user should navigate to desktops page successfully

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 5.703 s |  | Steps Total - 4 Pass - 3 Fail - 1 Skip - 0 |  |
| / 2:11:17.409 pm // 2:11:23.112 pm / | | | | |
| Verify user should navigate to the pages successfully | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | And I hover on the Desktops tab and click | PASSED | 0.579 s |
| 3 | And call selectMenu method and pass the menu "Show AllDesktops" | PASSED | 0.719 s |
| 4 | Then I can see the text 'Desktops' | FAILED | 0.002 s |
| | io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Desktops' Step text: I can see the text 'Desktops' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> | | |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.715 s |
| | Verify user should navigate to desktops page successfully | | |
| |  | | |



Verify user should navigate to LaptopsAndNotebooks page successfully

| | | | | |
|--|-------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 5.799 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:11:23.122 pm // 2:11:28.921 pm /</div> | | | | |
| <div>Verify user should navigate to the pages successfully</div> | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | And I hover on the Laptops & Notebooks tab and click | PASSED | 0.635 s |
| 3 | And call selectMenu method and pass the menu "Show AllLaptops & Notebooks" | PASSED | 0.687 s |
| 4 | Then I can see the text 'Laptops & Notebooks' io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Laptops & Notebooks' Step text: I can see the text 'Laptops & Notebooks' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> | | |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.698 s |
| | Verify user should navigate to LaptopsAndNotebooks page successfully | | |
| |  | | |

Verify user should navigate to Components page successfully

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 5.541 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 2:11:28.932 pm // 2:11:34.473 pm / | | | | |
| Verify user should navigate to the pages successfully | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I hover on the Components tab and click | PASSED | 0.535 s |
| 3 | And call selectMenu method and pass the menu "Show AllComponents" | PASSED | 0.663 s |
| 4 | <p>Then I can see the text 'Components'</p> <p>io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Components' Step text: I can see the text 'Components'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.548 s |
| | Verify user should navigate to Components page successfully | | |
| |  | | |