

Cucumber Report

19 Dec 2023, 14:06:18

Start : Dec 19, 2:04:24.121 pm

End : Dec 19, 2:06:16.426 pm

Duration : 1 m 52.305 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 2
FAILED - 8
SKIPPED - 0

PASSED - 37
FAILED - 8
SKIPPED - 19




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop test</u>	9.368 s	1	1	0	0	5	5	0	0
<u>Laptops and Notebook page test cases</u>	14.131 s	2	1	1	0	20	9	1	10
<u>Accounts test cases</u>	1 m 10.835 s	4	0	4	0	27	14	4	9
<u>Verify user should navigate to the pages successfully</u>	17.883 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>Laptops and Notebook page test cases</u>	<u>Verify that user place order successfully</u>
2	<u>Accounts test cases</u>	<u>Verify user should navigate to register page successfully</u>
3		<u>Verify user should navigate to login page successfully</u>
4		<u>Verify that user register account successfully</u>
5		<u>Verify that user should Login and Logout successfully</u>
6	<u>Verify user should navigate to the pages successfully</u>	<u>Verify user should navigate to desktops page successfully</u>
7		<u>Verify user should navigate to LaptopsAndNotebooks page successfully</u>
8		<u>Verify user should navigate to Components page successfully</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop test</u>	1	1	0	0	9.368 s
2	<u>Laptops and Notebook page test cases</u>	2	1	1	0	14.131 s
3	<u>Accounts test cases</u>	4	0	4	0	1 m 10.835 s
4	<u>Verify user should navigate to the pages successfully</u>	3	0	3	0	17.883 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop test</u>	<u>verify product arranged in alphabetical order</u>	5	5	0	0	9.352 s
2	<u>Laptops and Notebook page test cases</u>	<u>Verify that products price display High To Low successfully</u>	5	5	0	0	7.157 s
3		<u>Verify that user place order successfully</u>	15	4	1	10	6.948 s
4	<u>Accounts test cases</u>	<u>Verify user should navigate to register page successfully</u>	4	3	1	0	5.818 s
5		<u>Verify user should navigate to login page successfully</u>	4	3	1	0	6.786 s
6		<u>Verify that user register account successfully</u>	10	4	1	5	10.939 s
7		<u>Verify that user should Login and Logout successfully</u>	9	4	1	4	46.371 s
8	<u>Verify user should navigate to the pages successfully</u>	<u>Verify user should navigate to desktops page successfully</u>	4	3	1	0	7.154 s
9		<u>Verify user should navigate to LaptopsAndNotebooks page successfully</u>	4	3	1	0	5.545 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>Verify user should navigate to Components page successfully</u>	4	3	1	0	5.150 s

Desktop test



<div>PASSED</div>	<div>DURATION - 9.368 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:04:24.121 pm // 2:04:33.489 pm /</div>					

verify product arranged in alphabetical order



<div>PASSED</div>	<div>DURATION - 9.352 s</div>		Steps	
/ 2:04:24.137 pm // 2:04:33.489 pm /			Total - 5	
Desktop test			Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on the Desktops tab and click	PASSED	0.729 s
3	And click on "Show AllDesktops"	PASSED	0.951 s
4	And select sort by position "Name: Z to A"	PASSED	1.225 s
5	Then I can see the products in descending order	PASSED	0.552 s

Laptops and Notebook page test cases



FAILED	DURATION - 14.131 s	Scenarios		Steps	
/ 2:04:33.518 pm // 2:04:47.649 pm /		Total - 2		Total - 20	
		Pass - 1		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

Verify that products price display High To Low successfully

<div>PASSED</div> <div>DURATION - 7.157 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 2:04:33.519 pm // 2:04:40.676 pm /				
Laptops and Notebook page test cases				


#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.737 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.708 s
4	And I select Sort By "Price (High > Low)"	PASSED	1.001 s
5	Then I can see the Product price will arrange in High to Low order.	PASSED	0.320 s

Verify that user place order successfully



FAILED	DURATION - 6.948 s		Steps Total - 15 Pass - 4 Fail - 1 Skip - 10	
/ 2:04:40.701 pm // 2:04:47.649 pm /				
Laptops and Notebook page test cases				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.684 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.871 s
4	And I select Sort By "Price (High > Low)"	PASSED	0.766 s
5	And I select Product "MacBook"	FAILED	0.010 s
	io.cucumber.core.exception.CucumberException: Step [I select Product {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.LaptopsAndNoteBooksSteps.iSelectProductMacBook()'. However, the gherkin step has 1 arguments: * "MacBook" Step text: I select Product "MacBook" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
6	Then I can see the text "MacBook"	SKIPPED	0.002 s
7	And I click on 'Add To Cart' button	SKIPPED	0.000 s
8	Then I can see the message 'Success: You have added MacBook to your shopping cart!'	SKIPPED	0.000 s
9	And I click on link 'shopping cart' displayed into success message	SKIPPED	0.000 s
10	Then I can able to see the text "Shopping Cart"	SKIPPED	0.001 s
11	Then I can able to see the Product name "MacBook"	SKIPPED	0.001 s
12	And I change Quantity to 2	SKIPPED	0.001 s
13	And I click on 'Update' Tab	SKIPPED	0.000 s
14	Then I can see the message 'Success: You have modified your shopping cart!'	SKIPPED	0.000 s
15	Then I can see the Total \$1,204.00	SKIPPED	0.001 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.585 s
	Verify that user place order successfully		
			


Accounts test cases

<div>FAILED</div> <div>DURATION - 1 m 10.835 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 4</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 14</div> <div>Fail - 4</div> <div>Skip - 9</div>	<div></div>
/ 2:04:47.680 pm // 2:05:58.515 pm /					



Verify user should navigate to register page successfully

<div>FAILED</div> <div>DURATION - 5.818 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 2:04:47.680 pm // 2:04:53.498 pm /				
Accounts test cases				


#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.238 s
3	And call the method selectMyAccountOptions method with parameter "Register"	PASSED	0.935 s
4	Then I can see the text 'Register Account' io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Register Account' Step text: I can see the text 'Register Account' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.635 s
	Verify user should navigate to register page successfully		
			



Verify user should navigate to login page successfully

<div>FAILED</div> <div>DURATION - 6.786 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:04:53.515 pm // 2:05:00.301 pm /</div>				
<div>Accounts test cases</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.236 s
3	And I call the method selectMyAccountOptions method with parameter "Login"	PASSED	0.577 s
4	<p>Then I can see the text 'Returning Customer'</p> <p>io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Returning Customer' Step text: I can see the text 'Returning Customer'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify user should navigate to login page successfully</p> 	PASSED	0.567 s

Verify that user register account successfully


<div>FAILED</div> <div>DURATION - 10.939 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 2:05:01.179 pm // 2:05:12.118 pm /				
Accounts test cases				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.278 s
3	And I can call the method selectMyAccountOptions method with parameter "Register"	PASSED	1.325 s
4	And I enter First Name and I enter Last Name and I enter Email and I enter Telephone and I enter Password and I enter Password Confirm and I select Subscribe Yes radio button and I click on Privacy Policy check box and I click on Continue button	PASSED	2.404 s
5	Then I can see the message 'Your Account Has Been Created!'	FAILED	0.003 s
	<pre> io.cucumber.core.exception.CucumberException: Step [I can see the message {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.MyAccountsSteps.iCanSeeTheMessageYourAccountHasBeenCreated()'. However, the gherkin step has 1 arguments: * 'Your Account Has Been Created!' Step text: I can see the message 'Your Account Has Been Created!' </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
6	And I click on Continue button	SKIPPED	0.001 s
7	And I click on my Accounts Link.	SKIPPED	0.001 s
8	And I call the method "selectMyAccountOptions" method and pass the parameter "Logout"	SKIPPED	0.000 s
9	Then I can see the text 'Account Logout'	SKIPPED	0.001 s
10	And I click on the continue button	SKIPPED	0.001 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.865 s
	Verify that user register account successfully		
			

Verify that user should Login and Logout successfully

FAILED		DURATION - 46.371 s	
/ 2:05:12.144 pm // 2:05:58.515 pm /			
Accounts test cases			
			


Steps

Total - 9

Pass - 4


Fail - 1

Skip - 4





#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I click on My Account link	PASSED	0.257 s
3	And I can call the method selectMyAccountOptions method with the parameter "Login"	PASSED	0.001 s
4	And I enter Email address and and I enter Password and I click on Login button	PASSED	0.534 s
5	Then I can see the text "My Account"	FAILED	40.185 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[text()='My Account']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03e9b69ea6dc46951f56498573f0bac5, findElement {using=xpath, value="//h2[text()='My Account']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47798},			



#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47798/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 03e9b69ea6dc46951f56498573f0bac5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialsninja.demo.pages.MyAccountPage.getTextMyAccount(MyAccountPage.java:145) at com.tutorialsninja.demo.steps.MyAccountsSteps.iCanSeeTheTextMyAccount(MyAccountsSteps.java:70) at ?.I can see the text "My Account"(file:///C:/Users/Wilton/IdeaProjects/avinash-week15-tutorialsninjasw6/src/test/resources/features/myaccountstest.feature:32) * Not displayable characters are replaced by '?'. </p>		
6	And I click on the My Account Link.	SKIPPED	0.000 s
7	And I call the method "selectMyAccountOptions" method and pass the parameter "Logout"	SKIPPED	0.001 s
8	Then I can see text "Account Logout"	SKIPPED	0.001 s
9	And I click on Continue button	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.536 s
	Verify that user should Login and Logout successfully		

#	Step / Hook Details	Status	Duration
			

Verify user should navigate to the pages successfully


FAILED	DURATION - 17.883 s	Scenarios		Steps	
/ 2:05:58.543 pm // 2:06:16.426 pm /		Total - 3		Total - 12	
		Pass - 0		Pass - 9	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	

Verify user should navigate to desktops page successfully



FAILED	DURATION - 7.154 s		Steps	
/ 2:05:58.543 pm // 2:06:05.697 pm /			Total - 4	
Verify user should navigate to the pages successfully			Pass - 3	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.867 s
3	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.927 s
4	Then I can see the text 'Desktops'	FAILED	0.014 s
	io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.'		

#	Step / Hook Details	Status	Duration
	<p>steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Desktops' Step text: I can see the text 'Desktops'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p>		


#	Step / Hook Details	Status	Duration
	<pre>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) <i>Verify user should navigate to desktops page successfully</i>	PASSED	1.515 s
			

Verify user should navigate to LaptopsAndNotebooks page successfully



FAILED		DURATION - 5.545 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0		
/ 2:06:05.715 pm // 2:06:11.260 pm /							
Verify user should navigate to the pages successfully							

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Laptops & Notebooks tab and click	PASSED	0.624 s
3	And call selectMenu method and pass the menu "Show AllLaptops & Notebooks"	PASSED	0.769 s
4	Then I can see the text 'Laptops & Notebooks' <pre>io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Laptops & Notebooks' Step text: I can see the text 'Laptops & Notebooks'</pre> <pre>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.505 s
	Verify user should navigate to LaptopsAndNotebooks page successfully		

#	Step / Hook Details	Status	Duration
			

Verify user should navigate to Components page successfully

<div>FAILED</div> <div>DURATION - 5.150 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 2:06:11.276 pm // 2:06:16.426 pm /				
Verify user should navigate to the pages successfully				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on the Components tab and click	PASSED	0.644 s
3	And call selectMenu method and pass the menu "Show AllComponents"	PASSED	0.687 s
4	Then I can see the text 'Components'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Components' Step text: I can see the text 'Components' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify user should navigate to Components page successfully	PASSED	0.496 s
	