

# Cucumber Report

18 Dec 2023, 15:04:53

Start : Dec 18, 3:03:17.703 pm

End : Dec 18, 3:04:51.863 pm

Duration : 1 m 34.160 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 3  
SKIPPED - 0


PASSED - 2  
FAILED - 8  
SKIPPED - 0

PASSED - 37  
FAILED - 8  
SKIPPED - 19




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop test</u>	6.791 s	1	1	0	0	5	5	0	0
<u>Laptops and Notebook page test cases</u>	10.377 s	2	1	1	0	20	9	1	10
<u>Accounts test cases</u>	57.891 s	4	0	4	0	27	14	4	9
<u>Verify user should navigate to the pages successfully</u>	19.041 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>Laptops and Notebook page test cases</u>	<u>Verify that user place order successfully</u>
2	<u>Accounts test cases</u>	<u>Verify user should navigate to register page successfully</u>
3		<u>Verify user should navigate to login page successfully</u>
4		<u>Verify that user register account successfully</u>
5		<u>Verify that user should Login and Logout successfully</u>
6	<u>Verify user should navigate to the pages successfully</u>	<u>Verify user should navigate to desktops page successfully</u>
7		<u>Verify user should navigate to LaptopsAndNotebooks page successfully</u>
8		<u>Verify user should navigate to Components page successfully</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Desktop test</u>	1	1	0	0	6.791 s
2	<u>Laptops and Notebook page test cases</u>	2	1	1	0	10.377 s
3	<u>Accounts test cases</u>	4	0	4	0	57.891 s
4	<u>Verify user should navigate to the pages successfully</u>	3	0	3	0	19.041 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop test</u>	<u>verify product arranged in alphabetical order</u>	5	5	0	0	6.785 s
2	<u>Laptops and Notebook page test cases</u>	<u>Verify that products price display High To Low successfully</u>	5	5	0	0	5.642 s
3		<u>Verify that user place order successfully</u>	15	4	1	10	4.716 s
4	<u>Accounts test cases</u>	<u>Verify user should navigate to register page successfully</u>	4	3	1	0	3.892 s
5		<u>Verify user should navigate to login page successfully</u>	4	3	1	0	3.783 s
6		<u>Verify that user register account successfully</u>	10	4	1	5	5.325 s
7		<u>Verify that user should Login and Logout successfully</u>	9	4	1	4	44.864 s
8	<u>Verify user should navigate to the pages successfully</u>	<u>Verify user should navigate to desktops page successfully</u>	4	3	1	0	4.034 s
9		<u>Verify user should navigate to LaptopsAndNotebooks page successfully</u>	4	3	1	0	11.061 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>Verify user should navigate to Components page successfully</u>	4	3	1	0	3.934 s

## Desktop test



<b>PASSED</b>	DURATION - 6.791 s	Scenarios		Steps	
/ 3:03:17.703 pm // 3:03:24.494 pm /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## verify product arranged in alphabetical order



<div>PASSED</div> <div>DURATION - 6.785 s</div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>5</div></div>
<div>/ 3:03:17.709 pm // 3:03:24.494 pm /</div>			
<div>Desktop test</div>			

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.256 s
3	And click on "Show AllDesktops"	PASSED	0.623 s
4	And select sort by position "Name: Z to A"	PASSED	0.728 s
5	Then I can see the products in descending order	PASSED	0.316 s

## Laptops and Notebook page test cases



<b>FAILED</b>	DURATION - 10.377 s	Scenarios		Steps	
/ 3:03:24.522 pm // 3:03:34.899 pm /		Total - 2		Total - 20	
		Pass - 1		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

## Verify that products price display High To Low successfully

<div>PASSED</div> <div>DURATION - 5.642 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:03:24.522 pm // 3:03:30.164 pm /</div>			
<div>Laptops and Notebook page test cases</div>			

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.268 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.601 s
4	And I select Sort By "Price (High > Low)"	PASSED	0.624 s
5	Then I can see the Product price will arrange in High to Low order.	PASSED	0.195 s


### Verify that user place order successfully

<div>FAILED</div> <div>DURATION - 4.716 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
/ 3:03:30.183 pm // 3:03:34.899 pm /				
Laptops and Notebook page test cases				



#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.200 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.554 s
4	And I select Sort By "Price (High > Low)"	PASSED	0.514 s
5	And I select Product 'MacBook'	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Step [I select Product {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.LaptopsAndNoteBooksSteps.iSelectProductMacBook()'. However, the gherkin step has 1 arguments: * 'MacBook' Step text: I select Product 'MacBook' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		





#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
6	Then I can see the text 'MacBook'	SKIPPED	0.001 s
7	And I click on 'Add To Cart' button	SKIPPED	0.000 s
8	Then I can see the message 'Success: You have added MacBook to your shopping cart!'	SKIPPED	0.000 s
9	And I click on link 'shopping cart' displayed into success message	SKIPPED	0.000 s
10	Then I can able to see the text "Shopping Cart"	SKIPPED	0.000 s
11	Then I can able to see the Product name "MacBook"	SKIPPED	0.000 s
12	And I change Quantity to 2	SKIPPED	0.000 s
13	And I click on 'Update' Tab	SKIPPED	0.000 s
14	Then I can see the message 'Success: You have modified your shopping cart!'	SKIPPED	0.000 s
15	Then I can see the Total \$1,204.00	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.336 s
	Verify that user place order successfully		
			

## Accounts test cases

<div>FAILED</div>	<div>DURATION - 57.891 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 4</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 14</div> <div>Fail - 4</div> <div>Skip - 9</div>	<div></div>
<div>/ 3:03:34.920 pm // 3:04:32.811 pm /</div>					



Verify user should navigate to register page successfully

<div>FAILED</div>	<div>DURATION - 3.892 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:03:34.920 pm // 3:03:38.812 pm /</div>				
<div>Accounts test cases</div>				


#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.123 s
3	And call the method selectMyAccountOptions method with parameter "Register"	PASSED	0.559 s
4	Then I can see the text 'Register Account'  io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Register Account' Step text: I can see the text 'Register Account' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.328 s
	Verify user should navigate to register page successfully		
			



### Verify user should navigate to login page successfully

<div>FAILED</div> <div>DURATION - 3.783 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:03:38.824 pm // 3:03:42.607 pm /				
Accounts test cases				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.121 s
3	And I call the method selectMyAccountOptions method with parameter "Login"	PASSED	0.400 s
4	<p>Then I can see the text 'Returning Customer'</p> <p>io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Returning Customer' Step text: I can see the text 'Returning Customer'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)  at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	<b>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</b> Verify user should navigate to login page successfully 	PASSED	0.294 s

### Verify that user register account successfully


<div>FAILED</div> <div>DURATION - 5.325 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 3:03:42.615 pm // 3:03:47.940 pm /				
Accounts test cases				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.119 s
3	And I can call the method selectMyAccountOptions method with parameter "Register"	PASSED	0.566 s
4	And I enter First Name and I enter Last Name and I enter Email and I enter Telephone and I enter Password and I enter Password Confirm and I select Subscribe Yes radio button and I click on Privacy Policy check box and I click on Continue button	PASSED	1.038 s
5	Then I can see the message 'Your Account Has Been Created!'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [I can see the message {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.MyAccountsSteps.iCanSeeTheMessageYourAccountHasBeenCreated()'. However, the gherkin step has 1 arguments: * 'Your Account Has Been Created!' Step text: I can see the message 'Your Account Has Been Created!'		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
6	And I click on Continue button	SKIPPED	0.001 s
7	And I click on my Accounts Link.	SKIPPED	0.000 s
8	And I call the method "selectMyAccountOptions" method and pass the parameter "Logout"	SKIPPED	0.000 s
9	Then I can see the text 'Account Logout'	SKIPPED	0.000 s
10	And I click on the continue button	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.480 s
	Verify that user register account successfully		
			

### Verify that user should Login and Logout successfully

FAILED		DURATION - 44.864 s	
/ 3:03:47.947 pm // 3:04:32.811 pm /			
Accounts test cases			
			


Steps

Total - 9

Pass - 4

Fail - 1


Skip - 4





#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I click on My Account link	PASSED	0.109 s
3	And I can call the method selectMyAccountOptions method with the parameter "Login"	PASSED	0.000 s
4	And I enter Email address and and I enter Password and I click on Login button	PASSED	0.374 s
5	Then I can see the text "My Account"	FAILED	40.106 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[text()='My Account']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [43c3903f368c270e1894291518325cfb, findElement {using=xpath, value=//h2[text()='My Account']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:36979},			





#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:36979/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43c3903f368c270e1894291518325cfb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source)  at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:63)  at com.tutorialsninja.demo.pages.MyAccountPage.getTextMyAccount(MyAccountPage.java:145)  at com.tutorialsninja.demo.steps.MyAccountsSteps.iCanSeeTheTextMyAccount(MyAccountsSteps.java:70)  at ?.I can see the text "My Account"(file:///C:/Users/Wilton/IdeaProjects/avinash-week15-tutorialsninjasw6/src/test/resources/features/myaccounttest.feature:32)  * Not displayable characters are replaced by '?'. </p>		
6	And I click on the My Account Link.	SKIPPED	0.000 s
7	And I call the method "selectMyAccountOptions" method and pass the parameter "Logout"	SKIPPED	0.000 s
8	Then I can see text "Account Logout"	SKIPPED	0.000 s
9	And I click on Continue button	SKIPPED	0.001 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.377 s
	Verify that user should Login and Logout successfully		

#	Step / Hook Details	Status	Duration
			

### Verify user should navigate to the pages successfully


<b>FAILED</b>	DURATION - 19.041 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 9 Fail - 3 Skip - 0	
/ 3:04:32.822 pm // 3:04:51.863 pm /					

### Verify user should navigate to desktops page successfully



<b>FAILED</b>	DURATION - 4.034 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:04:32.822 pm // 3:04:36.856 pm /				
Verify user should navigate to the pages successfully				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.206 s
3	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.683 s
4	Then I can see the text 'Desktops'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.ICanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Desktops' Step text: I can see the text 'Desktops' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.300 s
	Verify user should navigate to desktops page successfully		

#	Step / Hook Details	Status	Duration
			



### Verify user should navigate to LaptopsAndNotebooks page successfully

<div>FAILED</div> <div>DURATION - 11.061 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:04:36.862 pm // 3:04:47.923 pm /				
Verify user should navigate to the pages successfully				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Laptops & Notebooks tab and click	PASSED	0.204 s
3	And call selectMenu method and pass the menu "Show AllLaptops & Notebooks"	PASSED	0.554 s
4	Then I can see the text 'Laptops & Notebooks'	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Laptops & Notebooks' Step text: I can see the text 'Laptops & Notebooks' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.335 s
	Verify user should navigate to LaptopsAndNotebooks page successfully		
			

Verify user should navigate to Components page successfully

<div>FAILED</div>	<div>DURATION - 3.934 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:04:47.929 pm // 3:04:51.863 pm /</div>				
<div>Verify user should navigate to the pages successfully</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Components tab and click	PASSED	0.184 s
3	And call selectMenu method and pass the menu "Show AllComponents"	PASSED	0.551 s
4	Then I can see the text 'Components'  io.cucumber.core.exception.CucumberException: Step [I can see the text {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps.TopMenuSteps.iCanSeeTheTextDesktops()'. However, the gherkin step has 1 arguments: * 'Components' Step text: I can see the text 'Components' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.295 s
	Verify user should navigate to Components page successfully		
	