

Cucumber Report

28 Jan 2024, 21:39:17

Start : Jan 28, 9:38:39.676 pm

End : Jan 28, 9:39:13.367 pm

Duration : 33.691 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 8
FAILED - 2
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	33.691 s	2	0	2	0	13	8	2	3

#	Feature Name	Scenario Name
1	<u>Login Functionality</u>	<u>User should be able to login with valid Credentials</u>
2		<u>User should not be able to login with invalid Credentials</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Positive	1	0	1	0	1	0	1	0
@Negative	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	2	0	2	0	33.691 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>User should be able to login with valid Credentials</u>	8	4	1	3	20.815 s
2		<u>User should not be able to login with invalid Credentials</u>	5	4	1	0	12.828 s

Login Functionality

FAILED	DURATION - 33.691 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 13 Pass - 8 Fail - 2 Skip - 3	
/ 9:38:39.676 pm // 9:39:13.367 pm /					

User should be able to login with valid Credentials



<div>FAILED</div> <div>DURATION - 20.815 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 9:38:39.681 pm // 9:39:00.496 pm /				
Login Functionality				
@Positive				

#	Step / Hook Details	Status	Duration
1	When User clicks on Login Link	PASSED	0.240 s
2	And User enters valid Username "avinashp22@gmail.com"	PASSED	3.288 s
3	And User enters valid Password "Prime123"	PASSED	0.317 s
4	And User clicks on Login Button	PASSED	0.429 s
5	Then User should see Deposit link at the top org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.227) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f12c17a3b61e07bc985b880741e8d38c, findElement {using=link text, value=Deposit}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34589}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:34589/devtoo..., se:cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f12c17a3b61e07bc985b880741e8d38c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	7.531 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at uk.co.heartbingo.utility.Utility.getTextFromElement(Utility.java:70) at uk.co.heartbingo.pages.LoginPage.getDepositText(LoginPage.java:83) at uk.co.heartbingo.steps.LoginSteps.userShouldSeeDepositLinkAtTheTop(LoginSteps.java:32) at ?.User should see Deposit link at the top(file:///C:/Users/Wilton/Homework/heartbingo-frontend/src/test/resources/features/LoginTest.feature:11) * Not displayable characters are replaced by '?'. </pre>		
6	And User clicks on My Account Button	SKIPPED	0.001 s
7	Then User should see the Logout Button	SKIPPED	0.001 s
8	Then User clicks the Logout Button	SKIPPED	0.002 s
	<p>AFTER - uk.co.heartbingo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.227) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f12c17a3b61e07bc985b880741e8d38c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34589}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:34589/devtoo..., se:cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f12c17a3b61e07bc985b880741e8d38c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at uk.co.heartbingo.utility.Utility.getScreenShot(Utility.java:491) at uk.co.heartbingo.steps.Hooks.tearDown(Hooks.java:18) </pre>		

User should not be able to login with invalid Credentials

FAILED		DURATION - 12.828 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:39:00.539 pm // 9:39:13.367 pm /						
Login Functionality						
@Negative						

#	Step / Hook Details	Status	Duration
1	When User clicks on Login Link	PASSED	0.282 s
2	And User enters Invalid Username "avinashp33@gmail.com"	PASSED	3.661 s
3	And User enters Invalid Password "Prime12345!"	PASSED	0.318 s
4	And User clicks on Login Button	PASSED	0.331 s
5	Then User should see error message for invalid Username and Password <pre> java.lang.AssertionError: expected [The username or password you entered is incorrect. Please try again] but found [The username or password you entered is incorrect. Please try again.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) </pre>	FAILED	0.244 s

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at uk.co.heartbingo.steps.LoginSteps.userShouldSeeErrorMessageForInvalidUsernameAndPassword(LoginSteps.java:62) at ?.User should see error message for invalid Username and Password(file:///C:/Users/Wilton/Homework/heartbingo-frontend/src/test/resources/features/LoginTest.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - uk.co.heartbingo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.910 s
	User should not be able to login with invalid Credentials		
	