2. Create multiple gcloud configurations with different configurations such as different email id's or different projects etc. and list the commands to switch between two accounts

Creating multiple gcloud configurations:

avinash@Quantiphi-929:~\$ gcloud config configurations list

NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION

default True avinash.sidhwani@quantiphi.com pe-training us-central1-a us-central1

avinash@Quantiphi-929:~\$ gcloud config configurations create test-config

Created [test-config].

Activated [test-config].

avinash@Quantiphi-929:~\$ gcloud init -console-only

...

avinash@Quantiphi-929:~\$ gcloud config configurations list

NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE

DEFAULT REGION

default False avinash.sidhwani@quantiphi.com pe-training us-central1-a us-central1

test-config True 2015avinash.sidhwani@ves.ac.in reflecting-ivy-231708

Switching between accounts:

avinash@Quantiphi-929:~\$ gcloud auth list

Credentialed Accounts

ACTIVE ACCOUNT

* 2015avinash.sidhwani@ves.ac.in avinash.sidhwani@quantiphi.com

To set the active account, run:

\$ gcloud config set account `ACCOUNT`

avinash@Quantiphi-929:~\$ gcloud config configurations activate default

Activated [default].

avinash@Quantiphi-929:~\$ gcloud auth list

Credentialed Accounts

ACTIVE ACCOUNT

2015avinash.sidhwani@ves.ac.in

* avinash.sidhwani@quantiphi.com

To set the active account, run:

\$ gcloud config set account `ACCOUNT`

You can also switch between accounts by using the following command: **gcloud config set account <ACCOUNT>**

avinash@Quantiphi-929:~\$ gcloud auth list

Credentialed Accounts

ACTIVE ACCOUNT

* 2015avinash.sidhwani@ves.ac.in avinash.sidhwani@quantiphi.com

To set the active account, run:

\$ gcloud config set account `ACCOUNT`

avinash@Quantiphi-929:~\$ gcloud config set account avinash.sidhwani@quantiphi.com Updated property [core/account].

avinash@Quantiphi-929:~\$ gcloud auth list
Credentialed Accounts
ACTIVE ACCOUNT
2015avinash.sidhwani@ves.ac.in
* avinash.sidhwani@quantiphi.com

To set the active account, run: \$ gcloud config set account `ACCOUNT`