Exp. No. 1

Develop a lexical Analyzer to identify identifiers, constants, operators using C program.

Program:

```
#include<stdio.h>
#include<ctype.h>
#include<string.h>
int main()
{
        int i,ic=0,m,cc=0,oc=0,j;
        char b[30],operators[30],identifiers[30],constants[30];
        printf("enter the string : ");
        scanf("%[^\n]s",&b);
        for(i=0;i<strlen(b);i++)
        {
        if(isspace(b[i]))
                {
           continue;
        }
        else if(isalpha(b[i]))
                {
        identifiers[ic] =b[i];
        ic++;
        }
        else if(isdigit(b[i]))
                {
        m=(b[i]-'0');
        i=i+1;
        while(isdigit(b[i]))
                        {
                m=m*10 + (b[i]-'0');
                i++;
        }
        i=i-1;
        constants[cc]=m;
        cc++;
        }
```

```
        else
                {
        if(b[i]=='*')
                        {
                operators[oc]='*';
                oc++;
        }
        else if(b[i]=='-')
                        {
                operators[oc]='-';
                oc++;
        }
        else if(b[i]=='+')
                        {
                operators[oc]='+';
                oc++;
        }
        else if(b[i]=='=')
                        {
                operators[oc]='=';
                oc++;
        }
                }
        }
printf(" identifiers : ");
 for(j=0;j<ic;j++)
        {
    printf("%c ",identifiers[j]);
 }
printf("\n constants : ");
 for(j=0;j<cc;j++)
        {
    printf("%d ",constants[j]);
 }
printf("\n operators : ");
  for(j=0;j<oc;j++)
         {
```

```
      printf("%c ",operators[j]);
    }
}
```

Output:

```
enter the string : a = b + c * e + 100
 identifiers : a b c e
 constants : 100
 operators : = + * +
```

Exp. No. 2

Develop a lexical Analyzer to identify whether a given line is a comment or not using C

Program:

```
#include<stdio.h>
#include<conio.h>
int main()
{
        char com[30];
        int i=2,a=0;
        printf("\n Enter comment:");
        gets(com);
        if(com[0]=='/')
        {
                if(com[1]=='/')
                        printf("\n It is a comment");
                else if(com[1]=='*')
                {
                        for(i=2;i<=30;i++)
                        {
                                if(com[i]=='*'&&com[i+1]=='/')
                                {
                                        printf("\n It is a comment");
                                        a=1;
                                        break;
                                }
                                else
```

```
                        continue;
                }
                if(a==0)
                        printf("\n It is not a comment");
        }
        else
                printf("\n It is not a comment");
}
```

Output:

Input: Enter comment: //hello

Output: It is a comment

Input: Enter comment: hello

Output: It is not a comment

Exp. No. 3

Design a lexical Analyzer for given language should ignore the redundant spaces, tabs and new lines and ignore comments using C

Program:

```
#include<stdio.h>
#include<stdlib.h>
#include<string.h>
#include<ctype.h>

int isKeyword(char buffer[]){
char keywords[32][10] =
{"main","auto","break","case","char","const","continue","default",
"do","double","else","enum","extern","float","for","goto",
"if","int","long","register","return","short","signed",
"sizeof","static","struct","switch","typedef",
"unsigned","void","printf","while"};
int i, flag = 0;
```

```
for(i = 0; i < 32; ++i)
{
if(strcmp(keywords[i], buffer) == 0)
{
flag = 1;
break;
}
}
return flag;
}

int main()
{
char ch, buffer[15], operators[] = "+-*/%=";
FILE *fp;
int i,j=0;
fp = fopen("flex_input.txt","r");
if(fp == NULL){
printf("error while opening the file\n");
exit(0);
}
while((ch = fgetc(fp)) != EOF){
  for(i = 0; i < 6; ++i){
  if(ch == operators[i])
  printf("%c is operator\n", ch);
  }

  if(isalnum(ch)){
  buffer[j++] = ch;
  }
  else if((ch == ' ' || ch == '\n') && (j != 0)){
  buffer[j] = '\0';
  j = 0;

  if(isKeyword(buffer) == 1)
  printf("%s is keyword\n", buffer);
  else
```

```
   printf("%s is identifier\n", buffer);
   }

}
fclose(fp);
return 0;
}
```

Input: flex_input.txt

```
main ( )
{
  int a, b, c ;
  c = b + c;
  printf ( "%d" ,c ) ;
  }
```

Output:

```
main is keyword
int is keyword
a is indentifier
b is indentifier
c is indentifier
c is indentifier
= is operator
b is indentifier
+ is operator
c is indentifier
printf is keyword
% is operator
d is indentifier
c is indentifier
```

Exp. No. 4

Design a lexical Analyzer to validate operators to recognize the operators +,-,*,/ using regular arithmetic operators using C

Program:

```
#include<stdio.h>
```

```
#include<conio.h>
int main()
{
	char s[5];
	printf("\n Enter any operator:");
	gets(s);
	switch(s[0])
	{
		case'>':
			if(s[1]=='=')
				printf("\n Greater than or equal");
			else
				printf("\n Greater than");
			break;
		case'<':
			if(s[1]=='=')
				printf("\n Less than or equal");
			else
				printf("\nLess than");
			break;
		case'=':
			if(s[1]=='=')
				printf("\nEqual to");
			else
				printf("\nAssignment");
			break;
		case'!':
			if(s[1]=='=')
				printf("\nNot Equal");
			else
				printf("\n Bit Not");
			break;
		case'&':
			if(s[1]=='&')
				printf("\nLogical AND");
			else
				printf("\n Bitwise AND");
```

```
                break;
        case'|':
                if(s[1]=='|')
                        printf("\nLogical OR");
                else
                        printf("\nBitwise OR");
                break;
        case'+':
                printf("\n Addition");
                break;
        case'-':
                printf("\nSubstraction");
                break;
        case'*':
                printf("\nMultiplication");
                break;
        case'/':
                printf("\nDivision");
                break;
        case'%':
                printf("Modulus");
                break;
        default:
                printf("\n Not a operator");
    }
}
```

Output:

```
Enter any operator:<=
 Less than or equal
```

Exp. No. 5

Design a lexical Analyzer to find the number of whitespaces and newline characters using C.

Program:

```
#include <stdio.h>
int main()
```

```
{
   char str[100];//input string with size 100

   int words=0,newline=0,characters=0; // counter variables

   scanf("%[^~]",&str);//scanf formatting

   for(int i=0;str[i]!='\0';i++)
    {
       if(str[i] == ' ')
       {
           words++;
       }
       else if(str[i] == '\n')
       {
          newline++;
           words++;//since with every next line new words start. corner case 1
       }
       else if(str[i] != ' ' && str[i] != '\n'){
       characters++;
       }
    }
   if(characters > 0)//Corner case 2,3.
   {
      words++;
      newline++;
   }
    printf("Total number of words : %d\n",words);
    printf("Total number of lines : %d\n",newline);
    printf("Total number of characters : %d\n",characters);
   return 0;
}
```

Output:

```
void main()
{
int a;
```

```
int b;
a = b + c;
c = d * e;
}
```
Total number of words : 18
Total number of lines : 7

Exp. No. 6

Develop a lexical Analyzer to test whether a given identifier is valid or not using C.

Program:

```
#include<stdio.h>
#include<conio.h>
#include<ctype.h>
int main()
{
        char a[10];
        int flag, i=1;
        printf("\n Enter an identifier:");
        gets(a);
        if(isalpha(a[0]))
                flag=1;
        else
                printf("\n Not a valid identifier");
                while(a[i]!='\0')
        {
                if(!isdigit(a[i])&&!isalpha(a[i]))
                {
                        flag=0;
                        break;
                } i++;
        }
        if(flag==1)
                printf("\n Valid identifier");
}
```

Output:

Enter an identifier:abc123
Valid identifier

Exp. No. 7

Write a C program to find FIRST( ) - predictive parser for the given grammar

S → AaAb / BbBa
A → ∈
B → ∈

Program:

```
#include<stdio.h>
#include<ctype.h>
void FIRST(char[],char );
void addToResultSet(char[],char);
int numOfProductions;
char productionSet[10][10];
int main()
{
   int i;
   char choice;
   char c;
   char result[20];
   printf("How many number of productions ? :");
   scanf(" %d",&numOfProductions);
   for(i=0;i<numOfProductions;i++)//read production string eg: E=E+T
   {
      printf("Enter productions Number %d : ",i+1);
      scanf(" %s",productionSet[i]);
   }
   do
   {
      printf("\n Find the FIRST of  :");
      scanf(" %c",&c);
      FIRST(result,c); //Compute FIRST; Get Answer in 'result' array
      printf("\n FIRST(%c)= { ",c);
      for(i=0;result[i]!='\0';i++)
      printf(" %c ",result[i]);      //Display result
```

```
        printf("}\n");
         printf("press 'y' to continue : ");
        scanf(" %c",&choice);
    }
    while(choice=='y'||choice =='Y');
}
/*
 *Function FIRST:
 *Compute the elements in FIRST(c) and write them
 *in Result Array.
 */
void FIRST(char* Result,char c)
{
    int i,j,k;
    char subResult[20];
    int foundEpsilon;
    subResult[0]='\0';
    Result[0]='\0';
    //If X is terminal, FIRST(X) = {X}.
    if(!(isupper(c)))
    {
        addToResultSet(Result,c);
              return ;
    }
    //If X is non terminal
    //Read each production
    for(i=0;i<numOfProductions;i++)
    {
//Find production with X as LHS
        if(productionSet[i][0]==c)
        {
//If X → ε is a production, then add ε to FIRST(X).
 if(productionSet[i][2]=='$') addToResultSet(Result,'$');
           //If X is a non-terminal, and X → Y1 Y2 … Yk
           //is a production, then add a to FIRST(X)
           //if for some i, a is in FIRST(Yi),
           //and ε is in all of FIRST(Y1), …, FIRST(Yi-1).
```

```
    else
        {
           j=2;
           while(productionSet[i][j]!='\0')
           {
           foundEpsilon=0;
           FIRST(subResult,productionSet[i][j]);
           for(k=0;subResult[k]!='\0';k++)
              addToResultSet(Result,subResult[k]);
            for(k=0;subResult[k]!='\0';k++)
               if(subResult[k]=='$')
               {
                  foundEpsilon=1;
                  break;
               }
            //No ε found, no need to check next element
            if(!foundEpsilon)
               break;
            j++;
           }
        }
   }
}
   return ;
}
/* addToResultSet adds the computed
 *element to result set.
 *This code avoids multiple inclusion of elements
  */
void addToResultSet(char Result[],char val)
{
   int k;
   for(k=0 ;Result[k]!='\0';k++)
      if(Result[k]==val)
         return;
   Result[k]=val;
   Result[k+1]='\0';
```

```
}
```

Output:

```
How many number of productions ? :4
Enter productions Number 1 : S=AaAb
Enter productions Number 2 : S=BbBa
Enter productions Number 3 : A=$
Enter productions Number 4 : B=$

 Find the FIRST of  :S

 FIRST(S)= {  $  a  b }
press 'y' to continue : y

 Find the FIRST of  :A

 FIRST(A)= {  $ }
press 'y' to continue : y

 Find the FIRST of  :B

 FIRST(B)= {  $ }
press 'y' to continue : n
```

Exp. No. 8

Write a C program to find FOLLOW( ) - predictive parser for the given grammar

S → AaAb / BbBa
A → ∈
B → ∈

Program:

```
#include<stdio.h>
#include<ctype.h>
#include<string.h>
int limit, x = 0;
char production[10][10], array[10];
```

```
void find_first(char ch);
void find_follow(char ch);
void Array_Manipulation(char ch);

int main()
{
    int count;
    char option, ch;
    printf("\nEnter Total Number of Productions:\t");
    scanf("%d", &limit);
    for(count = 0; count < limit; count++)
    {
        printf("\nValue of Production Number [%d]:\t", count + 1);
        scanf("%s", production[count]);
    }
    do
    {
        x = 0;
        printf("\nEnter production Value to Find Follow:\t");
        scanf(" %c", &ch);
        find_follow(ch);
        printf("\nFollow Value of %c:\t{ ", ch);
        for(count = 0; count < x; count++)
        {
            printf("%c ", array[count]);
        }
        printf("}\n");
        printf("To Continue, Press Y:\t");
        scanf(" %c", &option);
    }while(option == 'y' || option == 'Y');
    return 0;
}

void find_follow(char ch)
{
    int i, j;
```

```
    int length = strlen(production[i]);
    if(production[0][0] == ch)
    {
        Array_Manipulation('$');
    }
    for(i = 0; i < limit; i++)
    {
        for(j = 2; j < length; j++)
        {
            if(production[i][j] == ch)
            {
                if(production[i][j + 1] != '\0')
                {
                    find_first(production[i][j + 1]);
                }
                if(production[i][j + 1] == '\0' && ch != production[i][0])
                {
                    find_follow(production[i][0]);
                }
            }
        }
    }
}

void find_first(char ch)
{
    int i, k;
    if(!(isupper(ch)))
    {
        Array_Manipulation(ch);
    }
    for(k = 0; k < limit; k++)
    {
        if(production[k][0] == ch)
        {
            if(production[k][2] == '$')
            {
```

```
                find_follow(production[i][0]);
            }
            else if(islower(production[k][2]))
            {
                Array_Manipulation(production[k][2]);
            }
            else
            {
                find_first(production[k][2]);
            }
        }
    }
}

void Array_Manipulation(char ch)
{
    int count;
    for(count = 0; count <= x; count++)
    {
        if(array[count] == ch)
        {
            return;
        }
    }
    array[x++] = ch;
}
```

Output:

Enter Total Number of Productions: 4

Value of Production Number [1]: S=AaAb

Value of Production Number [2]: S=BbBa

Value of Production Number [3]: A=$

Value of Production Number [4]: B=$

Enter production Value to Find Follow: S

Follow Value of S: { $ }
To Continue, Press Y: y

Enter production Value to Find Follow: A

Follow Value of A: { a b }
To Continue, Press Y: y

Enter production Value to Find Follow: B

Follow Value of B: { b a }
To Continue, Press Y: n

Exp. No. 9

Implement a C program to eliminate left recursion from a given CFG.

$S \rightarrow (L) / a$
$L \rightarrow L , S / S$

Program:

```
#include<stdio.h>
#include<string.h>
#define SIZE 10
 int main () {
     char non_terminal;
     char beta,alpha;
     int num;
     char production[10][SIZE];
     int index=3; /* starting of the string following "->" */
     printf("Enter Number of Production : ");
     scanf("%d",&num);
     printf("Enter the grammar as E->E-A :\n");
     for(int i=0;i<num;i++){
         scanf("%s",production[i]);
     }
```

```
    for(int i=0;i<num;i++){
        printf("\nGRAMMAR : : : %s",production[i]);
        non_terminal=production[i][0];
        if(non_terminal==production[i][index]) {
            alpha=production[i][index+1];
            printf(" is left recursive.\n");
            while(production[i][index]!=0 && production[i][index]!='|')
                index++;
            if(production[i][index]!=0) {
                beta=production[i][index+1];
                printf("Grammar without left recursion:\n");
                printf("%c->%c%c\'",non_terminal,beta,non_terminal);
                printf("\n%c\'->%c%c\'|E\n",non_terminal,alpha,non_terminal);
            }
            else
                printf(" can't be reduced\n");
        }
        else
            printf(" is not left recursive.\n");
        index=3;
    }
 }
```

Output:

```
Enter Number of Production : 2
Enter the grammar as E->E-A :
S->(L)|a
L->L,S|S

GRAMMAR : : : S->(L)|a is not left recursive.

GRAMMAR : : : L->L,S|S is left recursive.
Grammar without left recursion:
L->SL'
L'->,L'|E
```

Exp. No. 10

Implement a C program to eliminate left factoring from a given CFG.

S → iEtS / iEtSeS / a
E → b

Program:

```
#include<stdio.h>
#include<string.h>
  int main()
  {
     char
gram[20],part1[20],part2[20],modifiedGram[20],newGram[20],tempGram[20];
     int i,j=0,k=0,l=0,pos;
     printf("Enter Production : S->");
     gets(gram);
     for(i=0;gram[i]!='|';i++,j++)
        part1[j]=gram[i];
     part1[j]='\0';
     for(j=++i,i=0;gram[j]!='\0';j++,i++)
        part2[i]=gram[j];
     part2[i]='\0';
     for(i=0;i<strlen(part1)||i<strlen(part2);i++)
     {
        if(part1[i]==part2[i])
        {
           modifiedGram[k]=part1[i];
           k++;
           pos=i+1;
        }
     }
     for(i=pos,j=0;part1[i]!='\0';i++,j++){
        newGram[j]=part1[i];
     }
```

```
    newGram[j++]='|';
    for(i=pos;part2[i]!='\0';i++,j++){
        newGram[j]=part2[i];
    }
    modifiedGram[k]='X';
    modifiedGram[++k]='\0';
    newGram[j]='\0';
    printf("\n S->%s",modifiedGram);
    printf("\n X->%s\n",newGram);
 }
```

Output:

```
Enter Production : S->iEtS|iEtSeS|a

 S->iEtSX
 X->|eS|a
```

Exp. No. 11

Implement a C program to perform symbol table operations.

Program:

```
#include<stdio.h>
#include<stdlib.h>
#include<string.h>
int cnt=0;
struct symtab
{
        char label[20];
        int addr;
}
sy[50];
void insert();
int search(char *);
void display();
void modify();
int main()
```

```
{
int ch,val;
char lab[10];
do
{
        printf("\n1.insert\n2.display\n3.search\n4.modify\n5.exit\n");
        scanf("%d",&ch);
        switch(ch)
        {
                case 1:
                        insert();
                         break;
                        case 2:
                                display();
                                break;
                case 3:
printf("enter the label");
                        scanf("%s",lab);
                        val=search(lab);
                        if(val==1)
                        printf("label is found");
                        else
                        printf("label is not found");
                break;
        case 4:
                        modify();
                break;
        case 5:
                        exit(0);
                        break;
                }
        }while(ch<5);
}
void insert()
{
int val;
        char lab[10];
```

```
        int symbol;
        printf("enter the label");
        scanf("%s",lab);
        val=search(lab);
        if(val==1)
        printf("duplicate symbol");
        else
        {
                strcpy(sy[cnt].label,lab);
                printf("enter the address");
                scanf("%d",&sy[cnt].addr);
                cnt++;
        }
}
int search(char *s)
{
        int flag=0,i; for(i=0;i<cnt;i++)
        {
                if(strcmp(sy[i].label,s)==0)
                flag=1;
        }
return flag;
}
void modify()
{
        int val,ad,i;
        char lab[10];
        printf("enter the labe:");
        scanf("%s",lab);
        val=search(lab);
        if(val==0)
        printf("no such symbol");
        else
        {
                printf("label is found \n");
                printf("enter the address");
                scanf("%d",&ad);
```

```
                for(i=0;i<cnt;i++)
                {
                        if(strcmp(sy[i].label,lab)==0)
                        sy[i].addr=ad;
                }
        }
}
void display()
{
        int i;
        for(i=0;i<cnt;i++)
        printf("%s\t%d\n",sy[i].label,sy[i].addr);
}
```

Output:

```
1.insert
2.display
3.search
4.modify
5.exit
1
enter the label a
enter the address 100

1.insert
2.display
3.search
4.modify
5.exit
2
a       100

1.insert
2.display
3.search
```

4.modify
5.exit
3
enter the label a
label is found
1.insert
2.display
3.search
4.modify
5.exit
4
enter the labe: a
label is found
enter the address 200

1.insert
2.display
3.search
4.modify
5.exit
2
a 200

1.insert
2.display
3.search
4.modify
5.exit
5

Exp. No. 12

Write a C program to construct recursive descent parsing for the given grammar

$E \rightarrow TE'$
$E' \rightarrow +TE' / \in$
$T \rightarrow FT'$
$T' \rightarrow *FT' / \in$
$F \rightarrow (E) / \ id$

Program:

```
#include<stdio.h>
#include<conio.h>
#include<string.h>
char input[100];
int i,l;
void main()
{
//clrscr();
printf("\nRecursive descent parsing for the following grammar\n");
printf("\nE->TE'\nE'->+TE'/@\nT->FT'\nT'->*FT'/@\nF->(E)/ID\n");
printf("\nEnter the string to be checked:"); gets(input);
if(E())
{
if(input[i+1]=='\0')
printf("\nString is accepted");
else
printf("\nString is not accepted");
}
else
printf("\nString not accepted");
getch();
}
E()
{
if(T())
{
if(EP())
return(1);
else
return(0);
}
```

```
else
return(0);
}
EP()
{
if(input[i]=='+')
{
i++;
if(T())
{
if(EP())
return(1);
else
return(0);
}
else
return(0);
}
else
return(1);
}
T()
{
if(F())
{
if(TP())
return(1);
else
return(0);
}
else
return(0);
}
TP()
{
if(input[i]=='*')
{
```

```
i++;
if(F())
{
if(TP())
return(1);
else
return(0);
}
else
return(0);
}
else
return(1);
}
F()
{
if(input[i]=='(')
{
i++;
if(E())
{
if(input[i]==')')
{
i++;
return(1);
}
else
return(0);
}
else
return(0);
}
else if(input[i]>='a'&&input[i]<='z'||input[i]>='A'&&input[i]<='Z')
{
i++;
return(1);
}
```

```
else
return(0);
}
```

Output:

Recursive descent parsing for the following grammar

```
E->TE'
E'->+TE'/@
T->FT'
T'->*FT'/@
F->(E)/ID

Enter the string to be checked: (a+b)*c

String is accepted

Enter the string to be checked: a/c+d

String is not accepted
```

Exp. No. 13

Write a C program to implement either Top Down parsing technique or Bottom Up Parsing technique to check whether the given input string is satisfying the grammar or not.

Program:

```
#include<stdio.h>
#include<conio.h>
#include<string.h>
int main() {
        char string[50];
        int flag,count=0;
        printf("The grammar is: S->aS, S->Sb, S->ab\n");
        printf("Enter the string to be checked:\n");
        gets(string);
        if(string[0]=='a') {
                flag=0;
                for (count=1;string[count-1]!='\0';count++) {
                        if(string[count]=='b') {
                                flag=1;
```

```
                        continue;
                    } else if((flag==1)&&(string[count]=='a')) {
                        printf("The string does not belong to the specified
grammar");
                        break;
                    } else if(string[count]=='a')
                    continue; else if((flag==1)&&(string[count]='\0')) {
                        printf("String not accepted…..!!!!");
                        break;
                    } else {
                        printf("String accepted");
                    }
                }
        }
}
```

Output:

```
The grammar is: S->aS, S->Sb, S->ab
Enter the string to be checked:
abb
String accepted
```

Exp. No. 14

Implement the concept of Shift reduce parsing in C Programming.

Program:

```
#include<stdio.h>
#include<stdlib.h>
#include<conio.h>
#include<string.h>
char ip_sym[15],stack[15]; int ip_ptr=0,st_ptr=0,len,i; char temp[2],temp2[2];
char act[15];
void check(); int main()
{
//clrscr();
printf("\n\t\t SHIFT REDUCE PARSER\n"); printf("\n GRAMMER\n");
```

```
printf("\n E->E+E\n E->E/E"); printf("\n E->E*E\n E->a/b"); printf("\n enter the
input symbol:\t"); gets(ip_sym);
printf("\n\t stack implementation table"); printf("\n stack \t\t input symbol\t\t
action");
printf("\n     \t\t     \t\t     \n");
printf("\n $\t\t%s$\t\t\t--",ip_sym); strcpy(act,"shift ");
temp[0]=ip_sym[ip_ptr]; temp[1]='\0';
strcat(act,temp); len=strlen(ip_sym); for(i=0;i<=len-1;i++)
{
stack[st_ptr]=ip_sym[ip_ptr];

stack[st_ptr+1]='\0'; ip_sym[ip_ptr]=' '; ip_ptr++;
printf("\n $%s\t\t%s$\t\t\t%s",stack,ip_sym,act); strcpy(act,"shift");
temp[0]=ip_sym[ip_ptr]; temp[1]='\0'; strcat(act,temp); check();
st_ptr++;
}
st_ptr++; check();
}
void check()
{
int flag=0; temp2[0]=stack[st_ptr]; temp2[1]='\0';
if((!strcmpi(temp2,"a"))||(!strcmpi(temp2,"b")))
{
stack[st_ptr]='E'; if(!strcmpi(temp2,"a"))
printf("\n $%s\t\t%s$\t\t\tE->a",stack,ip_sym); else
printf("\n $%s\t\t%s$\t\t\tE->b",stack,ip_sym); flag=1;
}
if((!strcmpi(temp2,"+"))||(strcmpi(temp2,"*"))||(!strcmpi(temp2,"/")))
{
flag=1;
}
if((!strcmpi(stack,"E+E"))||(!strcmpi(stack,"E\E"))||(!strcmpi(stack,"E*E")))
{
strcpy(stack,"E"); st_ptr=0; if(!strcmpi(stack,"E+E"))
printf("\n $%s\t\t%s$\t\t\tE->E+E",stack,ip_sym); else
if(!strcmpi(stack,"E\E"))
printf("\n $%s\t\t%s$\t\t\tE->E\E",stack,ip_sym); else
```

```
if(!strcmpi(stack,"E*E"))
printf("\n $%s\t\t%s$\t\t\tE->E*E",stack,ip_sym); else
printf("\n $%s\t\t%s$\t\t\tE->E+E",stack,ip_sym); flag=1;
}

if(!strcmpi(stack,"E")&&ip_ptr==len)
{
printf("\n $%s\t\t%s$\t\t\tACCEPT",stack,ip_sym); getch();
exit(0);
}
if(flag==0)
{
printf("\n%s\t\t\t%s\t\t reject",stack,ip_sym); exit(0);
}
return;
}
```

Output:

```
            SHIFT REDUCE PARSER

 GRAMMER

 E->E+E
 E->E/E
 E->E*E
 E->a/b
 enter the input symbol:       a+b

       stack implementation table
 stack         input symbol          action
 $              a+b$                  --
 $a             +b$                 shift a
 $E             +b$                  E->a
 $E+            b$                 shift+
 $E+b           $                 shiftb
 $E+E           $                 E->b
```

$E	$	E->E+E
$E	$	ACCEPT

Exp. No. 15

Write a C Program to implement the operator precedence parsing.

Program:

```
#include<stdio.h>
#include<string.h>

char *input;
int i=0;
char lasthandle[6],stack[50],handles[][5]={")E(","E*E","E+E","i","E^E"};
//(E) becomes )E( when pushed to stack

int top=0,l;
char prec[9][9]={

                /*input*/

        /*stack   +   -   *   /   ^   i   (   )   $  */

        /*  + */  '>', '>','<','<','<','<','<','>','>',

        /*  - */  '>', '>','<','<','<','<','<','>','>',

        /*  * */  '>', '>','>','>','<','<','<','>','>',

        /*  / */  '>', '>','>','>','<','<','<','>','>',

        /*  ^ */  '>', '>','>','>','<','<','<','>','>',

        /*  i */  '>', '>','>','>','>','e','e','>','>',

        /*  ( */  '<', '<','<','<','<','<','<','>','e',

        /*  ) */  '>', '>','>','>','>','e','e','>','>',

        /*  $ */  '<', '<','<','<','<','<','<','<','>',
```

```
            };

int getindex(char c)
{
switch(c)
   {
   case '+':return 0;
   case '-':return 1;
   case '*':return 2;
   case '/':return 3;
   case '^':return 4;
   case 'i':return 5;
   case '(':return 6;
   case ')':return 7;
   case '$':return 8;
   }
}

int shift()
{
stack[++top]=*(input+i++);
stack[top+1]='\0';
}


int reduce()
{
int i,len,found,t;
for(i=0;i<5;i++)//selecting handles
   {
   len=strlen(handles[i]);
   if(stack[top]==handles[i][0]&&top+1>=len)
      {
      found=1;
      for(t=0;t<len;t++)
         {
         if(stack[top-t]!=handles[i][t])
            {
            found=0;
```

```
            break;
            }
          }
       if(found==1)
          {
          stack[top-t+1]='E';
          top=top-t+1;
          strcpy(lasthandle,handles[i]);
          stack[top+1]='\0';
          return 1;//successful reduction
          }
       }
  }
return 0;
}

void dispstack()
{
int j;
for(j=0;j<=top;j++)
   printf("%c",stack[j]);
}

void dispinput()
{
int j;
for(j=i;j<l;j++)
   printf("%c",*(input+j));
}



void main()
{
int j;

input=(char*)malloc(50*sizeof(char));
printf("\nEnter the string\n");
scanf("%s",input);
input=strcat(input,"$");
```

```
l=strlen(input);
strcpy(stack,"$");
printf("\nSTACK\tINPUT\tACTION");
while(i<=l)
        {
        shift();
        printf("\n");
        dispstack();
        printf("\t");
        dispinput();
        printf("\tShift");
        if(prec[getindex(stack[top])][getindex(input[i])]=='>')
                {
                while(reduce())
                        {
                        printf("\n");
                        dispstack();
                        printf("\t");
                        dispinput();
                        printf("\tReduced: E->%s",lasthandle);
                        }
                }
        }

if(strcmp(stack,"$E$")==0)
   printf("\nAccepted;");
else
   printf("\nNot Accepted;");
}
```

Output:

```
Enter the string
i*(i+i)*i

STACK   INPUT   ACTION
$i      *(i+i)*i$       Shift
$E      *(i+i)*i$       Reduced: E->i
$E*     (i+i)*i$        Shift
$E*(    i+i)*i$             Shift
$E*(i   +i)*i$              Shift
```

```
$E*(E   +i)*i$          Reduced: E->i
$E*(E+  i)*i$           Shift
$E*(E+i )*i$            Shift
$E*(E+E )*i$            Reduced: E->i
$E*(E   )*i$    Reduced: E->E+E
$E*(E)  *i$     Shift
$E*E    *i$     Reduced: E->)E(
$E      *i$     Reduced: E->E*E
$E*     i$      Shift
$E*i    $       Shift
$E*E    $       Reduced: E->i
$E      $       Reduced: E->E*E
$E$             Shift
$E$             Shift
Accepted;
```

Exp. No. 16

Write a C Program to Generate the Three address code representation for the given input statement.

Program:

```
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
#include<string.h>
struct three
{
char data[10],temp[7];
}s[30];
int main()
{
char d1[7],d2[7]="t";
int i=0,j=1,len=0;
FILE *f1,*f2;
//clrscr();
f1=fopen("sum.txt","r");
f2=fopen("out.txt","w");
while(fscanf(f1,"%s",s[len].data)!=EOF)
len++;
itoa(j,d1,7);
```

```
strcat(d2,d1);
strcpy(s[j].temp,d2);
strcpy(d1,"");
strcpy(d2,"t");
if(!strcmp(s[3].data,"+"))
{
fprintf(f2,"%s=%s+%s",s[j].temp,s[i+2].data,s[i+4].data);
j++;
}
else if(!strcmp(s[3].data,"-"))
{
fprintf(f2,"%s=%s-%s",s[j].temp,s[i+2].data,s[i+4].data);
j++;
}
for(i=4;i<len-2;i+=2)
{
itoa(j,d1,7);
strcat(d2,d1);
strcpy(s[j].temp,d2);
if(!strcmp(s[i+1].data,"+"))
fprintf(f2,"\n%s=%s+%s",s[j].temp,s[j-1].temp,s[i+2].data);
else if(!strcmp(s[i+1].data,"-"))
fprintf(f2,"\n%s=%s-%s",s[j].temp,s[j-1].temp,s[i+2].data);
strcpy(d1,"");
strcpy(d2,"t");
j++;
}
fprintf(f2,"\n%s=%s",s[0].data,s[j-1].temp);
fclose(f1);
fclose(f2);
getch();
}
```

Output:

Input: sum.txt

```
out = in1 + in2 + in3 - in4
```

Output: out.txt

```
t1=in1+in2
t2=t1+in3
t3=t2-in4
out=t3
```

Exp. No. 17

Write a C program for implementing a Lexical Analyzer to Scan and Count the number of characters, words, and lines in a file.

Program:

```
#include <stdio.h>
int main()
{
   char str[100];//input string with size 100

   int words=0,newline=0,characters=0; // counter variables

   scanf("%[^~]",&str);//scanf formatting

   for(int i=0;str[i]!='\0';i++)
    {
       if(str[i] == ' ')
       {
           words++;
       }
       else if(str[i] == '\n')
       {
          newline++;
           words++;//since with every next line new words start. corner case 1
       }
       else if(str[i] != ' ' && str[i] != '\n'){
       characters++;
       }
    }
   if(characters > 0)//Corner case 2,3.
   {
      words++;
```

```
      newline++;
   }
    printf("Total number of words : %d\n",words);
    printf("Total number of lines : %d\n",newline);
    printf("Total number of characters : %d\n",characters);
   return 0;
}
```

Output:

```
void main()
{
int a;
int b;
a = b + c;
c = d * e;
}
Total number of words : 18
Total number of lines : 7
```

Exp. No. 18

Write a C program to implement the back end of the compiler.

Program:

```
#include<stdio.h>
#include<conio.h>
#include<string.h>
int main()
{
        int n,i,j;
        char a[50][50];
        printf("enter the no: intermediate code:");
        scanf("%d",&n);
        for(i=0;i<n;i++)
        {
                printf("enter the 3 address code:%d:",i+1);
                for(j=0;j<6;j++)
                {
                        scanf("%c",&a[i][j]);
                }
```

```
        }
        printf("the generated code is:");
        for(i=0;i<n;i++)
        {
                printf("\n mov %c,R%d",a[i][3],i);
                if(a[i][4]=='-')
                {
                        printf("\n sub %c,R%d",a[i][5],i);
                }
                if(a[i][4]=='+')
                {
                        printf("\n add %c,R%d",a[i][5],i);
                }
                if(a[i][4]=='*')
                {
                        printf("\n mul %c,R%d",a[i][5],i);
                }
                if(a[i][4]=='/')
                {
                        printf("\n div %c,R%d",a[i][5],i);
                }
                printf("\n mov R%d,%c",i,a[i][1]);
                printf("\n");
        }
        return 0;
}
```

Output:

```
enter the no: intermediate code:2
enter the 3 address code:1:a=b+c
enter the 3 address code:2:d=n*d
the generated code is:
 mov b,R0
 add c,R0
 mov R0,a

 mov n,R1
 mul d,R1
 mov R1,d
```

Exp. No. 19

Write a C program to compute LEADING( ) – operator precedence parser for the given grammar

E → E + T | T
T → T * F | F
F → (E) | id

Program:

```
#include<conio.h>
#include<stdio.h>

char arr[18][3] ={{'E', '+', 'F'},{'E', '*', 'F'},{'E', '(', 'F'}, {'E', ')', 'F'},{'E', 'i', 'F'},{'E', '$', 'F'},
{'F', '+', 'F'},{'F', '*', 'F'},{'F', '(', 'F'},{'F', ')', 'F'},{'F', 'i', 'F'},{'F', '$', 'F'}, {'T', '+', 'F'},
{'T', '*', 'F'}, {'T', '(', 'F'},{'T', ')', 'F'},{'T', 'i', 'F'},{'T', '$', 'F'}};

char prod[] = "EETTFF";
char res[6][3] ={ {'E', '+', 'T'}, {'T', '\0'}, {'T', '*', 'F'},  {'F', '\0'}, {'(', 'E', ')'}, {'i', '\0'}};
char stack [5][2];
int top = -1;

void install(char pro, char re) {
   int i;
   for (i = 0; i < 18; ++i) {
      if (arr[i][0] == pro && arr[i][1] == re) {

         arr[i][2] = 'T';
         break;
      }
   }
   ++top;
   stack[top][0] = pro;
   stack[top][1] = re;
}

int main() {
   int i = 0, j;
   char pro, re, pri = ' ';
```

```
    for (i = 0; i < 6; ++i) {
        for (j = 0; j < 3 && res[i][j] != '\0'; ++j) {
            if (res[i][j] == '+' || res[i][j] == '*' || res[i][j] == '(' || res[i][j] == ')' || res[i][j] ==
'i' || res[i][j] == '$') {
                install(prod[i], res[i][j]);
                break;
            }
        }
    }
    while (top >= 0) {
        pro = stack[top][0];
        re = stack[top][1];
        --top;
        for (i = 0; i < 6; ++i) {
            if (res[i][0] == pro && res[i][0] != prod[i]) {
                install(prod[i], re);
            }
        }
    }
    for (i = 0; i < 18; ++i) {
        printf("\n\t");
        for (j = 0; j < 3; ++j)
            printf("%c\t", arr[i][j]);
    }
    getch();
    printf("\n\n");
    for (i = 0; i < 18; ++i) {
        if (pri != arr[i][0]) {
            pri = arr[i][0];
            printf("\n\t%c -> ", pri);
        }
        if (arr[i][2] == 'T')
            printf("%c ", arr[i][1]);
    }
    getch();
}
```

Output:

```
E    +    T
E    *    T
E    (    T
E    )    F
E    i    T
E    $    F
F    +    F
F    *    F
F    (    T
F    )    F
F    i    T
F    $    F
T    +    F
T    *    T
T    (    T
T    )    F
T    i    T
T    $    F


E -> + * ( i
F -> ( i
T -> * ( i
```

Exp. No. 20

Write a C program to compute TRAILING( ) – operator precedence parser for the given grammar

E → E + T | T
T → T * F | F
F → (E) | id

Program:

```
#include<conio.h>
#include<stdio.h>
char arr[18][3] ={{'E', '+', 'F'},  {'E', '*', 'F'}, {'E', '(', 'F'},    {'E', ')', 'F'},    {'E', 'i', 'F'},
```

```
   {'E', '$', 'F'},   {'F', '+', 'F'},   {'F', '*', 'F'},   {'F', '(', 'F'},   {'F', ')', 'F'},   {'F', 'i', 'F'},
   {'F', '$', 'F'},   {'T', '+', 'F'},   {'T', '*', 'F'},   {'T', '(', 'F'},   {'T', ')', 'F'},   {'T', 'i', 'F'},
   {'T', '$', 'F'},
};
char prod[6] = "EETTFF";
char res[6][3] ={   {'E', '+', 'T'},   {'T', '\0', '\0'},   {'T', '*', 'F'},   {'F', '\0', '\0'},   {'(', 'E',
')'},   {'i', '\0', '\0'},};
char stack [5][2];
int top = -1;

void install(char pro, char re) {
   int i;
   for (i = 0; i < 18; ++i) {
      if (arr[i][0] == pro && arr[i][1] == re) {
                        }
   }
   ++top;
   arr[i][2] = 'T';



   stack[top][0] = pro;
   stack[top][1] = re;
}

int main() {
   int i = 0, j;
   char pro, re, pri = ' ';



   for (i = 0; i < 6; ++i) {
      for (j = 2; j >= 0; --j) {

         if (res[i][j] == '+' || res[i][j] == '*' || res[i][j] == '(' || res[i][j] == ')' || res[i][j] ==
'i' || res[i][j] == '$') {
            install(prod[i], res[i][j]);
            break;
         } else if (res[i][j] == 'E' || res[i][j] == 'F' || res[i][j] == 'T') {
            if (res[i][j - 1] == '+' || res[i][j - 1] == '*' || res[i][j - 1] == '(' || res[i][j -
                  1] == ')' || res[i][j - 1] == 'i' || res[i][j - 1] == '$') {
               install(prod[i], res[i][j - 1]);
```

```
                break;
            }
        }
    }
}

while (top >= 0) {
    pro = stack[top][0];
    re = stack[top][1];
    --top;
    for (i = 0; i < 6; ++i) {
        for (j = 2; j >= 0; --j) {
            if (res[i][0] == pro && res[i][0] != prod[i]) {
                install(prod[i], re);
                break;
            } else if (res[i][0] != '\0') break;
        }
    }
}
for (i = 0; i < 18; ++i) {
    printf("\n\t");
    for (j = 0; j < 3; ++j)
        printf("%c\t", arr[i][j]);
}
printf("\n\n");
for (i = 0; i < 18; ++i) {
    if (pri != arr[i][0]) {
        pri = arr[i][0];
        printf("\n\t%c -> ", pri);
    }
    if (arr[i][2] == 'T')
        printf("%c ", arr[i][1]);}
}
```

Output:

```
E    +    F
E    *    F
E    (    F
E    )    F
```

```
E     i     F
E     $     F
F     +     F
F     *     F
F     (     F
F     )     F
F     i     F
F     $     F
T     +     F
T     *     F
T     (     F
T     )     F
T     i     F
T     $     F


E ->
F ->
T ->
```

Exp. No. 21

Write a LEX specification file to take input C program from a .c file and count tthe number of characters, number of lines & number of words.

Input Source Program: (sample.c)

```
#include <stdio.h>
int main()
{
int number1, number2, sum;
printf("Enter two integers: ");
scanf("%d %d", &number1, &number2);
sum = number1 + number2;
printf("%d + %d = %d", number1, number2, sum);
 return 0;
}
```

Program: (count_lines.l)

```
%{
int nchar, nword, nline;
%}
%%
\n { nline++; nchar++; }
[^ \t\n]+ { nword++, nchar += yyleng; }
```

```
. { nchar++; }
%%
int yywrap(void) {
return 1;
}
int main(int argc, char *argv[]) {
yyin = fopen(argv[1], "r");
yylex();
printf("Number of characters = %d\n", nchar);
printf("Number of words = %d\n", nword);
printf("Number of lines = %d\n", nline);
fclose(yyin);
}
```

Output:

```
G:\lex>flex count_line.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe sample.c
Number of characters = 233
Number of words = 33
Number of lines = 10

G:\lex>
```

Exp. No. 22

Write a LEX program to print all the constants in the given C source program file.

Input Source Program: (sample.c)

```
#define P 314
#include<stdio.h>
#include<conio.h>
  void main()
 {

 int a,b,c = 30;
 printf("hello");
 }
```

Program: (countconstants.l)

```
digit [0-9]
%{
int cons=0;
```

```
%}
%%
{digit}+ { cons++; printf("%s is a constant\n", yytext);  }
.|\n { }
%%
int yywrap(void) {
return 1; }
int main(void)
{
FILE *f;
char file[10];
printf("Enter File Name : ");
scanf("%s",file);
f = fopen(file,"r");
yyin = f;
yylex();
printf("Number of Constants : %d\n", cons);
fclose(yyin);
}
```

Output:

```
G:\lex>flex countconstants.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
Enter File Name : sample.c
314 is a constant
30 is a constant
Number of Constants : 2

G:\lex>
```

Exp. No. 23

Write a LEX program to count the number of Macros defined and header files included in the C program.

Input Source Program: (sample.c)

```
#define PI 3.14
#include<stdio.h>
#include<conio.h>
```

```
 void main()
{

int a,b,c = 30;
printf("hello");
}
```

Program: (count_macro.l)

```
%{
int nmacro, nheader;
%}
%%
^#define { nmacro++; }
^#include { nheader++; }
.|\n {  }
%%
int yywrap(void) {
return 1;
}
int main(int argc, char *argv[]) {
yyin = fopen(argv[1], "r");
yylex();
printf("Number of macros defined = %d\n", nmacro);
printf("Number of header files included = %d\n", nheader);
fclose(yyin);
}
```

Output:

```
G:\lex>flex count_macro.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe sample.c
Number of macros defined = 1
Number of header files included = 2

G:\lex>
```

Exp. No. 24

Write a LEX program to print all HTML tags in the input file.

Input Source Program: (sample.html)

```
<html>
<body>
<h1>My First Heading</h1>
<p>My first paragraph.</p>
</body>
</html>
```

Program: (html.l)

```
%{
int tags;
%}
%%
"<"[^>]*>  { tags++; printf("%s \n", yytext); }
.|\n { }
%%
int yywrap(void) {
return 1; }
int main(void)
{
FILE *f;
char file[10];
printf("Enter File Name : ");
scanf("%s",file);
f = fopen(file,"r");
yyin = f;
yylex();
printf("\n Number of html tags: %d",tags);
fclose(yyin);
}
```

Output:

```
G:\lex>flex html.l

G:\lex>gcc lex.yy.c
```

```
G:\lex>a.exe
Enter File Name : sample.html
<html>
<body>
<h1>
</h1>
<p>
</p>
</body>
</html>

 Number of html tags: 8
G:\lex>
```

Exp. No. 25

Write a LEX program which adds line numbers to the given C program file and display the same in the standard output.

Input Source Program: (sample.c)

```
#define PI 3.14
#include<stdio.h>
#include<conio.h>
   void main()
{

int a,b,c = 30;

printf("hello");
}
```

Program: (addlinenos.l)

```
%{
int yylineno;
%}
%%
^(.*)\n printf("%4d\t%s", ++yylineno, yytext);
%%
int yywrap(void) {
return 1;
}
int main(int argc, char *argv[]) {
yyin = fopen(argv[1], "r");
yylex();
```

```
fclose(yyin);
}
```

Output:

```
G:\lex>flex addlinenos.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe sample.c
  1   #define PI 3.14
  2   #include<stdio.h>
  3   #include<conio.h>
  4    void main()
  5   {
  6   int a,b,c = 30;
  7   printf("hello");
  8   }
  9

G:\lex>
```

Exp. No. 26

Write a LEX program to count the number of comment lines in a given C program and eliminate them and write into another file.

Input Source File: (input.c)

```
#include<stdio.h>
int main()
{

int a,b,c; /*varible declaration*/
printf(“enter two numbers”);
scanf(“%d %d”,&a,&b);
c=a+b;//adding two numbers
printf(“sum is %d”,c);
return 0;
}
```

Program: (comment.l)

```
%{
int com=0;
%}
```

```
%s COMMENT
%%
"/*" {BEGIN COMMENT;}
<COMMENT>"*/" {BEGIN 0; com++;}
<COMMENT>\n {com++;}
<COMMENT>. {;}
\/\/.* {; com++;}
.|\n {fprintf(yyout,"%s",yytext);}
%%
void main(int argc, char *argv[])
{
if(argc!=3)
{
printf("usage : a.exe input.c output.c\n");
exit(0);
}
yyin=fopen(argv[1],"r");
yyout=fopen(argv[2],"w");
yylex();
printf("\n number of comments are = %d\n",com);
}
int yywrap()
{
return 1;
}
```

Output:

```
G:\lex>flex comment.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe input.c
usage : a.exe input.c output.c

G:\lex>a.exe input.c output.c

 number of comments are = 2

G:\lex>
```

Output File: (output.c)

```
include<stdio.h>
int main()
{
int a,b,c;
printf(“enter two numbers”);
scanf(“%d %d”,&a,&b);
c=a+b;
printf(“sum is %d”,c);
return 0;
}
```

Exp. No. 27

Write a LEX program to identify the capital words from the given input.

Program: (capital.l)

```
%%
[A-Z]+[\t\n ] { printf("%s is a capital word\n",yytext); }
.  ;
%%

int main( )
{
        printf("Enter String :\n");
        yylex();
}
int yywrap( )
{
        return 1;
}
```

Output:

```
G:\lex>flex capital.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
Enter String :
```

```
CAPITAL of INDIA is DELHI
CAPITAL  is a capital word
INDIA  is a capital word
DELHI
 is a capital word

G:\lex>
```

Exp. No. 28

Write a LEX Program to check the email address is valid or not.

Program: (email_valid.l)

```
%{
int flag=0;
%}
%%
[a-z . 0-9]+@[a-z]+".com"|".in" { flag=1; }
%%
int main()
{
yylex();
if(flag==1)
printf("Accepted");
else
printf("Not Accepted");
}
int yywrap()
{ return 1;
 }
```

Output:

```
G:\lex>flex email_valid.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
sse123@gmail.com

Accepted
```

G:\lex>

Exp. No. 29

Write a LEX Program to convert the substring abc to ABC from the given input string

Program: (substring.l)

```
%{
int i;
%}
%%
[a-z A-Z]* { for(i=0;i<=yyleng;i++)
          { if((yytext[i]=='a')&&(yytext[i+1]=='b')&&(yytext[i+2]=='c'))
            { yytext[i]='A';
              yytext[i+1]='B';
              yytext[i+2]='C';
            }
          }
          printf("%s",yytext);
         }

[\t]* return 1;
.* {ECHO;}
\n {printf("%s",yytext);}
%%
int main()
{
yylex();
}
int yywrap()
{
return 1;
}
```

Output:

```
G:\lex>flex substring.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
```

```
abcdefghabcijkla
ABCdefghABCijkla

G:\lex>
```

Exp. No. 30

Implement a LEX program to check whether the mobile number is valid or not.

Program: (mobile.l)

```
%%
[1-9][0-9]{9} {printf("\nMobile Number Valid\n");}
.+ {printf("\nMobile Number Invalid\n");}
%%
int main()
{
        printf("\nEnter Mobile Number : ");
        yylex();
        printf("\n");
        return 0;
}
int yywrap()
{ }
```

Output:

```
G:\lex>flex mobile.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe

Enter Mobile Number : 7856453489

Mobile Number Valid

G:\lex>
```

Exp. No. 31

Implement Lexical Analyzer using FLEX (Fast Lexical Analyzer). The program should separate the tokens in the given C program and display with appropriate caption.

Input Source Program: (sample.c)

```
#include<stdio.h>

void main()
{
int a,b,c = 30;

printf("hello");
}
```

Program: (token.l)

```
digit [0-9]
letter [A-Za-z]
%{
int count_id,count_key;
%}
%%
(stdio.h|conio.h) { printf("%s is a standard library\n",yytext); }
(include|void|main|printf|int) { printf("%s is a keyword\n",yytext); count_key++; }
{letter}({letter}|{digit})*  { printf("%s is a identifier\n", yytext); count_id++; }
{digit}+  { printf("%s is a number\n", yytext); }
\"(\\.|[^"\\])*\"  { printf("%s is a string literal\n", yytext); }
.|\n {  }
%%
int yywrap(void) {
return 1;
}
int main(int argc, char *argv[]) {
yyin = fopen(argv[1], "r");
yylex();
printf("number of identifiers = %d\n", count_id);
printf("number of keywords = %d\n", count_key);
fclose(yyin);
}
```

Output:

```
G:\lex>flex token.l
```

```
G:\lex>gcc lex.yy.c

G:\lex>a.exe sample.c
include is a keyword
stdio.h is a standard library
void is a keyword
main is a keyword
int is a keyword
a is a identifier
b is a identifier
c is a identifier
30 is a number
printf is a keyword
"hello" is a string literal
number of identifiers = 3
number of keywords = 5

G:\lex>
```

Exp. No. 32

Write a LEX program to count the number of vowels in the given sentence.

Program: (vowels.l)

```
%{
   int vow_count=0;
   int const_count =0;
%}

%%
[aeiouAEIOU] {vow_count++;}
[a-zA-Z] {const_count++;}
%%
int yywrap(){}
int main()
{
   printf("Enter the string of vowels and consonants:");
   yylex();
   printf("Number of vowels are:  %d\n", vow_count);
   printf("Number of consonants are:  %d\n", const_count);
   return 0;
```

```
}
```

Output:

```
G:\lex>flex vowels.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
Enter the string of vowels and consonants: Vowel sounds allow the air to flow freely, causing the chin to drop noticeably, whilst consonant sounds are produced by restricting the air flow
      ,     ,
Number of vowels are:  42
Number of consonants are:  77
^C
G:\lex>
```

Exp. No. 33

Write a LEX program to count the number of vowels in the given sentence.

(Refer the program and output of experiment 32, both are same)

Exp. No. 34

Write a LEX program to separate the keywords and identifiers.

(Refer the program and output of experiment 31, both are same)

Exp. No. 35

Write a LEX program to recognise numbers and words in a statement.

Program: (numbers_words.l)

```
%%
[\t ]+ ;
[0-9]+|[0-9]*\.[0-9]+ { printf("\n%s is NUMBER", yytext);}
#.* { printf("\n%s is COMMENT", yytext);}
[a-zA-Z]+ { printf("\n%s is WORD", yytext);}
\n { ECHO;}
%%
int main()
{
        while( yylex());
```

```
}

int yywrap( )
{
        return 1;
}
```

Output:

```
G:\lex>flex numbers_words.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
Variables A and B contains 10 and 20 respectively

Variables is WORD
A is WORD
and is WORD
B is WORD
contains is WORD
10 is NUMBER
and is WORD
20 is NUMBER
respectively is WORD

G:\lex>
```

Exp. No. 36

Write a LEX program to identify and count positive and negative numbers.

Program: (positive_neg_nums.l)

```
%{
int positive_no = 0, negative_no = 0;
%}
%%
^[-][0-9]+ {negative_no++;
                printf("negative number = %s\n",
                        yytext);} // negative number
```

```
[0-9]+ {positive_no++;
                printf("positive number = %s\n",
                                yytext);} // positive number
%%
int yywrap(){}
int main()
{
yylex();
printf ("number of positive numbers = %d,"
                "number of negative numbers = %d\n",
                                positive_no, negative_no);
return 0;
}
```

Output:

```
G:\lex>flex positive_neg_nums.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
-10
negative number = -10

20
positive number = 20

number of positive numbers = 1,number of negative numbers = 1

G:\lex>
```

Exp. No. 37

Write a LEX program to validate the URL.

Program: (url.l)

```
%%
((http)|(ftp))s?:\/\/[a-zA-Z0-9](.[a-z])+(.[a-zA-Z0-9+=?]*)* {printf("\nURL Valid\n");}
```

```
.+ {printf("\nURL Invalid\n");}

%%
void main()
{
        printf("\nEnter URL : ");
        yylex();
        printf("\n");
}
int yywrap()
{
}
```

Output:

```
G:\lex>flex url.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe

Enter URL : https:\\www.sse.in

URL Invalid

https://www.sse.in

URL Valid

G:\lex>
```

Exp. No. 38

Write a LEX program to validate DOB of students.

Program: (dob.l)

```
%%
((0[1-9])|([1-2][0-9])|(3[0-1]))\/((0[1-9])|(1[0-2]))\/(19[0-9]{2}|2[0-9]{3}) printf("Valid DoB");
.* printf("Invalid DoB");
```

```
%%

int main()
{
 yylex();
 return 0;
}
int yywrap()
{}
```

Output:

```
G:\lex>flex dob.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
26/07/1995
Valid DoB



13\2\96
Invalid DoB

G:\lex>
```

Exp. No. 39

Write a LEX program to check whether the given input is digit or not.

Program: (digit_or_not.l)

```
%%
[0-9]+ {printf("\nValid digit \n");}
.* printf("\nInvalid digit\n");
%%
int yywrap(){}
int main()
{
yylex();
return 0;
}
```

Output:

```
G:\lex>flex digit_or_not.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe
23
Valid digit

h56
Invalid digit

G:\lex>
```

Exp. No. 40

Write a LEX program to implement basic mathematical operations.

Program: (cal.l)

```
%{
#undef yywrap
#define yywrap() 1
int f1=0,f2=0;
char oper;
float op1=0,op2=0,ans=0;
void eval();
%}

DIGIT [0-9]
NUM {DIGIT}+(\.{DIGIT}+)?
OP [*/+-]

%%

{NUM} {
        if(f1==0)
        {
                op1=atof(yytext);
                f1=1;
        }
```

```
        else if(f2==-1)
        {
                op2=atof(yytext);
                f2=1;
        }

        if((f1==1) && (f2==1))
        {
                eval();
                f1=0;
                f2=0;

        }
}

{OP} {

        oper=(char) *yytext;
        f2=-1;
}

[\n] {

        if(f1==1 && f2==1)
        {
                eval;
                f1=0;
                f2=0;
        }
}

%%


int main()
{
        yylex();
}
```

```
void eval()
{
	switch(oper)
	{
		case '+':
			ans=op1+op2;
			break;

		case '-':
			ans=op1-op2;
			break;

		case '*':
			ans=op1*op2;
			break;

		case '/':
			if(op2==0)
			{
				printf("ERROR");
				return;
			}
			else
			{
				ans=op1/op2;
			}
			break;
		default:
			printf("operation not available");
			break;
	}
	printf("The answer is = %lf",ans);
}
```

Output:

```
G:\lex>flex cal.l

G:\lex>gcc lex.yy.c
```

```
G:\lex>a.exe
20 + 30
  The answer is = 50.000000
25 * 5
  The answer is = 125.000000

G:\lex>
```