

Cucumber Report

21 Dec 2023, 23:21:56

Start : Dec 21, 11:20:05.909 pm

End : Dec 21, 11:21:55.240 pm

Duration : 1 m 49.331 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 6



FAILED - 7

SKIPPED - 0

PASSED - 73


FAILED - 7

SKIPPED - 42




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	1 m 43.856 s	12	6	6	0	120	72	6	42
<u>Search functionality</u>	5.466 s	1	0	1	0	2	1	1	0


#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the used car with model</u>
2		<u>Search the used car with model</u>
3		<u>Search the used car with model</u>
4		<u>Search the used car with model</u>
5		<u>Search the used car with model</u>
6		<u>Search the used car with model</u>
7		<u>Find the dealers and verify the dealers are in list</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	12	6	6	0	1 m 43.856 s
2	<u>Search functionality</u>	1	0	1	0	5.466 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	10	0	0	12.848 s
2		<u>Search the buy car with model</u>	10	10	0	0	19.564 s
3		<u>Search the buy car with model</u>	10	10	0	0	13.406 s
4		<u>Search the buy car with model</u>	10	10	0	0	13.016 s
5		<u>Search the buy car with model</u>	10	10	0	0	10.046 s
6		<u>Search the buy car with model</u>	10	10	0	0	10.794 s
7		<u>Search the used car with model</u>	10	2	1	7	3.901 s
8		<u>Search the used car with model</u>	10	2	1	7	3.858 s
9		<u>Search the used car with model</u>	10	2	1	7	3.795 s
10		<u>Search the used car with model</u>	10	2	1	7	4.044 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Search functionality</u>	<u>Search the used car with model</u>	10	2	1	7	3.831 s
12		<u>Search the used car with model</u>	10	2	1	7	4.625 s
13		<u>Find the dealers and verify the dealers are in list</u>	2	1	1	0	5.466 s

Search functionality


FAILED	DURATION - 1 m 43.856 s	Scenarios Total - 12 Pass - 6 Fail - 6 Skip - 0		Steps Total - 120 Pass - 72 Fail - 6 Skip - 42	
/ 11:20:05.909 pm // 11:21:49.765 pm /					

Search the buy car with model

<div>PASSED</div>	<div>DURATION - 12.848 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:20:05.915 pm // 11:20:18.763 pm /</div>				
<div>Search functionality</div>				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.478 s
3	And I click 'Search Cars' link	PASSED	1.937 s
4	Then I navigate to 'new and used car search' page	PASSED	0.120 s
5	And I select make "BMW"	PASSED	0.206 s
6	And I select model "1 Series"	PASSED	0.218 s
7	And I select location "NSW - Hunter"	PASSED	0.144 s
8	And I select price "\$60,000"	PASSED	0.145 s
9	And I click on Find My Next Car tab	PASSED	4.881 s
10	Then I should see the make "BMW" in results	PASSED	0.128 s

Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.229 s
3	And I click 'Search Cars' link	PASSED	6.341 s
4	Then I navigate to 'new and used car search' page	PASSED	0.180 s
5	And I select make "Honda"	PASSED	0.128 s
6	And I select model "City"	PASSED	0.228 s
7	And I select location "ACT - All"	PASSED	0.131 s
8	And I select price "\$40,000"	PASSED	0.129 s
9	And I click on Find My Next Car tab	PASSED	4.059 s
10	Then I should see the make "Honda" in results	PASSED	0.092 s



Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.401 s
3	And I click 'Search Cars' link	PASSED	1.728 s


#	Step / Hook Details	Status	Duration
4	Then I navigate to 'new and used car search' page	PASSED	0.176 s
5	And I select make "Kia"	PASSED	0.129 s
6	And I select model "Rio"	PASSED	0.181 s
7	And I select location "ACT - All"	PASSED	0.177 s
8	And I select price "\$40,000"	PASSED	0.127 s
9	And I click on Find My Next Car tab	PASSED	7.109 s
10	Then I should see the make "Kia" in results	PASSED	0.085 s

Search the buy car with model

PASSED	DURATION - 13.016 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:20:51.765 pm // 11:21:04.781 pm /				
Search functionality				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.340 s
3	And I click 'Search Cars' link	PASSED	1.791 s
4	Then I navigate to 'new and used car search' page	PASSED	0.192 s
5	And I select make "Kia"	PASSED	0.134 s
6	And I select model "Rio"	PASSED	0.172 s
7	And I select location "ACT - All"	PASSED	0.174 s
8	And I select price "\$70,000"	PASSED	0.141 s
9	And I click on Find My Next Car tab	PASSED	6.699 s
10	Then I should see the make "Kia" in results	PASSED	0.088 s

Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.337 s
3	And I click 'Search Cars' link	PASSED	1.860 s
4	Then I navigate to 'new and used car search' page	PASSED	0.156 s
5	And I select make "Tesla"	PASSED	0.149 s
6	And I select model "Model 3"	PASSED	0.185 s
7	And I select location "NSW - All"	PASSED	0.163 s
8	And I select price "\$40,000"	PASSED	0.138 s
9	And I click on Find My Next Car tab	PASSED	3.591 s
10	Then I should see the make "Tesla" in results	PASSED	0.067 s



Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.242 s
3	And I click 'Search Cars' link	PASSED	1.823 s


#	Step / Hook Details	Status	Duration
4	Then I navigate to 'new and used car search' page	PASSED	0.213 s
5	And I select make "Tesla"	PASSED	0.157 s
6	And I select model "Model 3"	PASSED	0.150 s
7	And I select location "NSW - All"	PASSED	0.148 s
8	And I select price "\$50,000"	PASSED	0.124 s
9	And I click on Find My Next Car tab	PASSED	4.479 s
10	Then I should see the make "Tesla" in results	PASSED	0.103 s

Search the used car with model



FAILED	DURATION - 3.901 s		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 11:21:25.673 pm // 11:21:29.574 pm /				
Search functionality				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.478 s
3	And I click 'Used' link	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy. iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "BMW"	SKIPPED	0.000 s
6	And I select model "1 Series"	SKIPPED	0.000 s
7	And I select location "NSW - Hunter"	SKIPPED	0.000 s
8	And I select price "\$60,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.541 s
	Search the used car with model		

#	Step / Hook Details	Status	Duration
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 3.858 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:21:29.583 pm // 11:21:33.441 pm /				
Search functionality				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.203 s
3	And I click 'Used' link	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy. iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.001 s
5	And I select make "Honda"	SKIPPED	0.001 s
6	And I select model "City"	SKIPPED	0.000 s
7	And I select location "ACT - All"	SKIPPED	0.000 s
8	And I select price "\$40,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Honda" in results	SKIPPED	0.001 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.534 s
	Search the used car with model		
			



Search the used car with model

<div>FAILED</div>	<div>DURATION - 3.795 s</div>		<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:21:33.449 pm // 11:21:37.244 pm /				
Search functionality				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.196 s
3	And I click 'Used' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy.iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "Kia"	SKIPPED	0.002 s
6	And I select model "Rio"	SKIPPED	0.000 s
7	And I select location "ACT - All"	SKIPPED	0.000 s
8	And I select price "\$40,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Kia" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.863 s
	Search the used car with model		
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 4.044 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:21:37.251 pm // 11:21:41.295 pm /				
Search functionality				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.356 s
3	And I click 'Used' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy.iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "Kia"	SKIPPED	0.000 s
6	And I select model "Rio"	SKIPPED	0.001 s
7	And I select location "ACT - All"	SKIPPED	0.000 s
8	And I select price "\$70,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Kia" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.519 s
	Search the used car with model		
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 3.831 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:21:41.302 pm // 11:21:45.133 pm /				
Search functionality				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.198 s
3	And I click 'Used' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy.iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.001 s
5	And I select make "Tesla"	SKIPPED	0.000 s
6	And I select model "Model 3"	SKIPPED	0.000 s
7	And I select location "NSW - All"	SKIPPED	0.000 s
8	And I select price "\$40,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Tesla" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.534 s
	Search the used car with model		
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 4.625 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:21:45.140 pm // 11:21:49.765 pm /				
Search functionality				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.268 s
3	And I click 'Used' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.carguru.demo.steps.Buy.iClickUsedLink()'. However, the gherkin step has 1 arguments: * 'Used' Step text: I click 'Used' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "Tesla"	SKIPPED	0.001 s
6	And I select model "Model 3"	SKIPPED	0.000 s
7	And I select location "NSW - All"	SKIPPED	0.001 s
8	And I select price "\$50,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Tesla" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.575 s
	Search the used car with model		
			

Search functionality

FAILED	DURATION - 5.466 s	Scenarios		Steps	
/ 11:21:49.774 pm // 11:21:55.240 pm /		Total - 1	1	Total - 2	2
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Find the dealers and verify the dealers are in list

FAILED	DURATION - 5.466 s		Steps	
/ 11:21:49.774 pm // 11:21:55.240 pm /			Total - 2	
Search functionality			Pass - 1	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	FAILED	0.001 s
	Step undefined		