

# Cucumber Report

21 Dec 2023, 23:32:10

Start : Dec 21, 11:31:25.933 pm

End : Dec 21, 11:32:09.757 pm

Duration : 43.824 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0


PASSED - 18  
FAILED - 6  
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	43.824 s	6	0	6	0	60	18	6	36

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the used car with model</u>
2		<u>Search the used car with model</u>
3		<u>Search the used car with model</u>
4		<u>Search the used car with model</u>
5		<u>Search the used car with model</u>
6		<u>Search the used car with model</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	6	0	6	0	43.824 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the used car with model</u>	10	3	1	6	7.507 s
2		<u>Search the used car with model</u>	10	3	1	6	5.970 s
3		<u>Search the used car with model</u>	10	3	1	6	7.357 s
4		<u>Search the used car with model</u>	10	3	1	6	6.019 s
5		<u>Search the used car with model</u>	10	3	1	6	8.246 s
6		<u>Search the used car with model</u>	10	3	1	6	8.668 s


## Search functionality

<b>FAILED</b>	DURATION - 43.824 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 60 Pass - 18 Fail - 6 Skip - 36	
/ 11:31:25.933 pm // 11:32:09.757 pm /					



## Search the used car with model

<div><div>FAILED</div><div>DURATION - 7.507 s</div></div>		<div></div>	<div>Steps Total - 10 Pass - 3 Fail - 1 Skip - 6</div>	<div></div>
/ 11:31:25.939 pm // 11:31:33.446 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.990 s
3	And I click Used link	PASSED	1.659 s
4	Then I navigate to Used Cars For Sale page java.lang.AssertionError: expected [New & Used Car Search - carsguide] but found [Used Cars For Sale] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75) at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjectsorange-hrm/car-guru/src/test/resources/features/buy.feature:29) * Not displayable characters are replaced by '?'.	FAILED	0.145 s
5	And I select make "BMW"	SKIPPED	0.001 s
6	And I select model "1 Series"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
7	And I select location "NSW - Hunter"	SKIPPED	0.001 s
8	And I select price "\$60,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "BMW" in results	SKIPPED	0.001 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.909 s
	Search the used car with model		
			

### Search the used car with model



FAILED		DURATION - 5.970 s			<b>Steps</b> Total - 10 Pass - 3 Fail - 1 Skip - 6			
/ 11:31:33.463 pm // 11:31:39.433 pm /								
Search functionality								
@sanity								

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	2.155 s
3	And I click Used link	PASSED	1.949 s
4	Then I navigate to Used Cars For Sale page	FAILED	0.055 s
	java.lang.AssertionError: expected [New & Used Car Search - carsguide] but found [Used Cars For Sale] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75) at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjectsorange-hrm/car-guru/src/test/resources/features/buy.feature:29)		




#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And I select make "Honda"	SKIPPED	0.001 s
5	And I select model "City"	SKIPPED	0.000 s
6	And I select location "ACT - All"	SKIPPED	0.000 s
7	And I select price "\$40,000"	SKIPPED	0.001 s
8	And I click on Find My Next Car tab	SKIPPED	0.000 s
9	Then I should see the make "Honda" in results	SKIPPED	0.001 s
10	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.500 s
	Search the used car with model		
			



### Search the used car with model

FAILED	DURATION - 7.357 s		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 11:31:39.442 pm // 11:31:46.799 pm /				
Search functionality				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.183 s
3	And I click Used link	PASSED	2.003 s
4	Then I navigate to Used Cars For Sale page	FAILED	0.197 s
	java.lang.AssertionError: expected [New & Used Car Search - carguru] but found [Used Cars For Sale] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75) at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjectsorange-hrm/car-guru/src/test/resources/features/buy.feature:29) * Not displayable characters are replaced by '?'.		
5	And I select make "Kia"	SKIPPED	0.002 s
6	And I select model "Rio"	SKIPPED	0.000 s
7	And I select location "ACT - All"	SKIPPED	0.000 s
8	And I select price "\$40,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Kia" in results	SKIPPED	0.001 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.535 s
	Search the used car with model		
			



### Search the used car with model

<b>FAILED</b> DURATION - 6.019 s / 11:31:46.805 pm // 11:31:52.824 pm / Search functionality @sanity		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
--	---	---	--


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.223 s
3	And I click Used link	PASSED	1.899 s
4	Then I navigate to Used Cars For Sale page	FAILED	0.203 s
	java.lang.AssertionError: expected [New & Used Car Search - carsguide] but found [Used Cars For Sale]		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75) at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjectsorange-hrm/car-guru/src/test/resources/features/buy.feature:29) * Not displayable characters are replaced by '?'. </pre>		
5	And I select make "Kia"	SKIPPED	0.001 s
6	And I select model "Rio"	SKIPPED	0.000 s
7	And I select location "ACT - All"	SKIPPED	0.000 s
8	And I select price "\$70,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Kia" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.522 s
	Search the used car with model		
			



### Search the used car with model

<div>FAILED</div> <div>DURATION - 8.246 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:31:52.834 pm // 11:32:01.080 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.316 s

#	Step / Hook Details	Status	Duration
3	And I click Used link	PASSED	2.348 s
4	Then I navigate to Used Cars For Sale page  <pre>java.lang.AssertionError: expected [New &amp; Used Car Search - carsguide] but found [Used Cars For Sale]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:656)     at org.testng.Assert.assertEquals(Assert.java:666)     at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75)     at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjects/orange-hrm/car-guru/src/test/resources/features/buy.feature:29)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.117 s
5	And I select make "Tesla"	SKIPPED	0.000 s
6	And I select model "Model 3"	SKIPPED	0.001 s
7	And I select location "NSW - All"	SKIPPED	0.002 s
8	And I select price "\$40,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Tesla" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.859 s
	Search the used car with model		
			

## Search the used car with model

FAILED		DURATION - 8.668 s			<div>Steps</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 11:32:01.089 pm // 11:32:09.757 pm /						
Search functionality						
@sanity						

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.335 s
3	And I click Used link	PASSED	2.093 s
4	Then I navigate to Used Cars For Sale page	FAILED	0.059 s
	<pre>java.lang.AssertionError: expected [New &amp; Used Car Search - carsguide] but found [Used Cars For Sale]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:656)     at org.testng.Assert.assertEquals(Assert.java:666)     at com.carguru.demo.steps.Buy.iNavigateToUsedCarsForSalePage(Buy.java:75)     at ?.I navigate to Used Cars For Sale page(file:///C:/Users/pjati/IdeaProjectsorange-hrm/car-guru/src/test/resources/features/buy.feature:29) * Not displayable characters are replaced by '?'. </pre>		
5	And I select make "Tesla"	SKIPPED	0.000 s
6	And I select model "Model 3"	SKIPPED	0.000 s
7	And I select location "NSW - All"	SKIPPED	0.000 s
8	And I select price "\$50,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Tesla" in results	SKIPPED	0.000 s
	AFTER - com.carguru.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.533 s
	Search the used car with model		
	