Constructor chaining outputs

Base class default cons is always called first

```
public class myBaseClass
{
    public myBaseClass()
    {
        Console.WriteLine("Base default");
    }
    public myBaseClass(int Age)
    {
        Console.WriteLine("Base params" + Age);
    }
}

public class myDerivedClass : myBaseClass
{
    public myDerivedClass(){
        Console.WriteLine("Derived default");
    }
    public myDerivedClass(int Age)
    {
        Console.WriteLine("Derived params" + Age);
    }
}
```

```
public class Program {
    public static void Main(string[] args) {
        myDerivedClass obj = new myDerivedClass();
    }
}
```

```
Base default
Derived default
```

Base class default cons is always called first

```
public class myBaseClass
{
    public myBaseClass()
    {
        Console.WriteLine("Base default");
    }
    public myBaseClass(int Age)
    {
        Console.WriteLine("Base params" + Age);
    }
}

public class myDerivedClass : myBaseClass
{
    public myDerivedClass(){
        Console.WriteLine("Derived default");
    }
    public myDerivedClass(int Age)
    {
        Console.WriteLine("Derived params" + Age);
    }
}
```

```
public class Program {
    public static void Main(string[] args) {
        myDerivedClass obj = new myDerivedClass(10);
    }
}
```

```
Base default
Derived params10
```

```
public class myBaseClass
{
    public myBaseClass()
    {
        Console.WriteLine("Base default");
    }
    public myBaseClass(int Age)
    {
        Console.WriteLine("Base params" + Age);
    }
}

public class myDerivedClass : myBaseClass
{
    public myDerivedClass(){
        Console.WriteLine("Derived default");
    }
    public myDerivedClass(int Age):base(Age)
    {
        Console.WriteLine("Derived params" + Age);
    }
}
```

```
public class Program {
    public static void Main(string[] args) {
        myDerivedClass obj = new myDerivedClass(10);
    }
}
```

```
Base params10
Derived params10
```