TEXOL PLD CRM

Complete Data Dictionary & Field Specification Guide

System: Product-Led Distribution CRM | **Edition:** Enterprise Architecture v2.0 | **Coverage:** All 14 Lifecycle Workspaces & Tables | **Date:** October 2026

TEXOL PLD CRM — Comprehensive Data Dictionary & Field Guide

This document provides a complete specification of all data fields, column definitions, data types, validation rules, and business descriptions across every page, workspace, modal, and data table in the **TEXOL Product-Led Distribution (PLD) CRM**.

Table of Contents

1. PLD Lead Queue & Intake Workspace
2. PLD Qualification & ICP Assessment Workspace
3. Discovery & Capability Mapping Workspace
4. Product Demo Workspace
5. Proof of Concept (POC) Pilot Trials Workspace
6. SQL Gate Readiness & Handoff Workspace
7. Sales Acceptance & Rejection Workspace
8. Commercial Opportunity Workspace
9. Commercial Proposals & Pricing Quotes Workspace
10. My Work Queue & SLA Dashboard
11. Account 360 Workspace
12. Product Studio & PLD Engine Admin
13. Partner Portal & Channel Management
14. Analytics, Attribution, Funnel Velocity & ERP Sync Gateway
15. Universal Audit Trail & Activity Timeline
16. Cross-Stage Data Continuity Matrix

---

1. PLD Lead Queue & Intake Workspace

Purpose

The **PLD Lead Queue** (`LeadQueue.tsx`) serves as the central hub for PLD Executives and Inbound SDRs. It lists all inbound prospects, marketing leads, partner referrals, and website inquiries awaiting initial qualification, SLA response, or progression to Discovery.

Tables & Columns

Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Account Name	`Lead.account.company_name`	Text (255) / Link	Required	The legal or trading name of the prospective organization (e.g., *Al-Marai Logistics*, *Gulf Food Distributors*). Clicking opens Account 360.
Contact Person	`Lead.contact.first_name` + `last_name`	Text / Email / Phone	Optional	The primary customer contact person initiating the inquiry (e.g., Fleet Manager, Head of Operations, CIO).

Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Primary Product	`Lead.primary_product.code`	Enum (`VANFORCES` , `TASKFORCES` , `ENTAURA` , `AL_MAWASIL` , `SPEAKORDER`)	Required	The primary software product the prospect inquired about or is being evaluated for. Determines product-specific ICP rules.
Lead Status	`Lead.status`	Enum: `ACTIVE` , `NURTURE` , `DISQUALIFIED` , `CONVERTED`	Required	Current operational status of the lead: • **Active**: Under active qualification. • **Nurture**: Not ready now; automated re-engagement scheduled. • **Disqualified**: Knocked out by ICP or no budget. • **Converted**: Successfully accepted as SQL into Sales.
Current Stage	`Lead.current_stage.stage_name`	Text (Foreign Key)	Required	The exact pipeline stage the lead is currently in: *Lead Intake*, *PLD Qualification*, *Discovery & Mapping*, *Product Demo*, *POC Trial*, or *SQL Handoff*.
PLD Fit Score	`AccountProductAssessment.total_score`	Integer (0 – 100)	Auto-Computed	The real-time composite qualification score calculated from ICP criteria, problem severity, and questionnaire responses. Color coded: Green (80+ High Priority), Blue (60-79 Qualified), Yellow (30-59 Development), Red (<30 Nurture).
Lead Source	`Lead.source.name`	Foreign Key / Text	Optional	Channel where the lead originated: `Website Inbound` , `LinkedIn Ads` , `Direct Referral` , `ERP Partner` , `Cold Outreach` , `Webinar` .
Partner Originator	`Lead.partner.account.company_name`	Foreign Key / Link	Optional	If originated or registered by a partner (e.g., *Odoo Silver Partner*), displays partner company and protects deal attribution.
Est. Opportunity Value	`Lead.estimated_opportunity_value`	Decimal (12,2) Currency	Optional / Required for SQL	The estimated total contract value in SAR/USD based on anticipated license count or initial discovery estimates.
Next Action	`Lead.next_action_description`	Text (255)	Required	Mandatory next scheduled operational task (e.g., *Schedule discovery call with Operations Director*). Cannot be empty while status is Active.
Next Action Due Date	`Lead.next_activity_due_at`	DateTime	Required	Due timestamp for the next action. Powers the SLA countdown timer and automated escalation alerts.
SLA Status	Computed (`SLATracker.status`)	Badge: `WITHIN_SLA` , `DUE_SOON` , `AT_RISK` , `BREACHED`	Auto-Computed	Visual indicator showing whether the first response or stage milestone SLA has elapsed. Breached SLAs highlight in flashing red.

---

2. PLD Qualification & ICP Assessment Workspace

Purpose

The **PLD Qualification Workspace** (`PLDQualificationWorkspace.tsx`) is where PLD Executives evaluate whether a prospective account matches the Ideal Customer Profile (ICP), document initial business problems, fill out product questionnaires, and advance the lead to Discovery.

Section A: Lead Information Header

Field Name	Model & Field Key	Data Type	Req / Opt	Functional Description
Lead Reference ID	`Lead.id`	UUID (e.g., `#a71b2e9c`)	Read-only	Unique internal UUID used across API payloads and audit trails.
Company & Industry	`Account.company_name`, `Account.industry`	Text	Read-only	Displays organization name and industry sector (e.g., *FMCG & Food Distribution*).
Target Product Badge	`Product.name` (`Product.code`)	Badge	Read-only	Displays target product edition (e.g., *VanForces Route Pro*).
Assigned Owner	`Lead.owner.email`	User Selector	Optional	PLD Specialist responsible for qualifying this prospect.

Section B: Product-Specific ICP Evaluation Card

Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description
Field Sales / Van Fleet Active	`AccountAttribute.attribute_value['field_sales']`	Boolean (`Yes` / `No`)	Required	Indicates if the prospect operates van sales or field dispatchers. Mandatory knock-out for VanForces.
Number of Active Delivery Vans	`Account.distribution_centers_count`, `vans_count`	Positive Integer	Required	Fleet size. Minimum threshold (e.g., 5+ vans) required to satisfy VanForces ICP rules.
Field Salesmen Count	`AccountAttribute.attribute_value['salesmen_count']`	Positive Integer	Required	Number of field sales reps. Drives seat-based pricing and volume tiers.
Primary Current ERP / Accounting	`AccountAttribute.attribute_value['primary_erp']`	Select (`SAP`, `Odoo`, `Oracle`, `Dynamics`, `Excel/Manual`)	Required	Existing software system. Used to evaluate connector readiness and API compatibility.
ICP Evaluation Status	`AccountProductAssessment.icp_status`	Badge: `PASSED`, `KNOCKED_OUT`, `PENDING`	Auto-Computed	Real-time result of rule engine evaluation against configured ICP rules.

Section C: Dynamic Qualification Questionnaire

Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description
Question Title	`QuestionnaireQuestion.question_text`	Text (500)	System	Configurable question loaded dynamically from the product's active version template.
Answer Options	`QuestionAnswerOption.label`	Select / Radio / Checkbox	Optional	Configurable answer choices with point weights (e.g., *Daily Reconciliation: 100 pts*, *Manual End-of-Week: 30 pts*).
Add Custom Option	`QuestionAnswerOption.value` + `points`	Inline Form (Label, Points)	Optional	Admin/specialist capability to add missing operational choices on-the-fly.
Questionnaire Score	`AccountProductAssessment.questionnaire_score`	Integer (0 – 100)	Auto-Computed	Weighted composite score computed from answered questions. Feeds PLD fit score.

Section D: Documented Business Problems Table

Column Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description
Problem Name	`Problem.name`	Select or Custom Text	Required	Identified business issue (e.g., *Van Stock Discrepancies & Cash Leakage*, *Paper Invoice Loss*).

Column Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description
Problem Category	`LeadProblem.category`	Enum: `DISTRIBUTION`, `SALES`, `OPERATIONS`, `MANAGEMENT`, `INTEGRATION`, `COMPLIANCE`	Required	Operational operational category for domain tagging.
Severity	`LeadProblem.severity`	Enum: `LOW`, `MEDIUM`, `HIGH`, `CRITICAL`	Required	Urgency and impact level. High and Critical carry higher weight in PLD scoring.
Frequency	`LeadProblem.frequency`	Enum: `DAILY`, `WEEKLY`, `MONTHLY`, `OCCASIONAL`	Required	How often the problem occurs in field operations.
Quantified Business Impact	`LeadProblem.business_impact`	Text Area	Optional	Estimated financial or operational loss (e.g., *Estimated 45,000 SAR monthly uncollected cash*).
Affected Users / Personas	`LeadProblem.affected_users`	Text (255)	Optional	Stakeholders impacted (e.g., *28 Van Drivers, 2 Warehouse Supervisors, Head of Credit*).
Evidence & Notes	`LeadProblem.evidence`, `notes`	Text Area	Optional	Quotes, customer reports, or ERP reconciliation discrepancies observed.

Section E: Stage Gate Checklist & Stage Progression

Field Name	Model & Field Key	Data Type	Req / Opt	Functional Description
ICP Knockout Gate	Gate rule check	Boolean Badge (`Pass` / `Fail`)	Auto-Computed	Confirms all mandatory ICP knockout rules have been passed.
Problem Severity Gate	Gate rule check	Boolean Badge (`Pass` / `Fail`)	Auto-Computed	Confirms at least 1 high-severity problem has been documented.
Score Threshold Gate	Gate rule check	Boolean Badge (`Pass` / `Fail`)	Auto-Computed	Confirms composite PLD score exceeds stage threshold (typically 40+ for Discovery).
Advance to Discovery Button	Action Trigger	Action Button	User Action	Progresses lead to Discovery workspace and transitions pipeline stage to *Discovery & Mapping*.

---

3. Discovery & Capability Mapping Workspace

Purpose

The **Discovery Workspace** (`DiscoveryWorkspace.tsx`) is used to run structured discovery workshops. It documents operational processes, refines customer problems, maps buying committee stakeholders, and enforces the mandatory **Product Capability Mapping Gate** before product demos.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Session Info	**Discovery ID**	`Discovery.id`	UUID	Auto-Computed	Unique discovery session identifier.
Session Info	**Conducted By**	`Discovery.conducted_by`	User Foreign Key	Required	PLD Solution Specialist or Presales Engineer leading the discovery workshop.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Session Info	**Discovery Status**	`Discovery.status`	Enum: `IN_PROGRESS`, `COMPLETED`, `CANCELLED`	Required	Stage status. Cannot be marked `COMPLETED` until all confirmed problems are mapped to capabilities.
Operational Process	**Current Operational Process Notes**	`Discovery.current_process_notes`	Rich Text Area	Required	Step-by-step documentation of current manual/legacy workflow (e.g., *Drivers manually write triplicate receipts; daily warehouse returns reconciled by hand next morning*).
Operational Process	**Business Impact Summary**	`Discovery.business_impact_summary`	Rich Text Area	Optional	Strategic summary of executive impact: operational bottleneck, revenue leakage, or compliance risk.
Buying Committee	**Stakeholder Contact**	`DiscoveryStakeholder.contact`	Contact Foreign Key	Required	Customer individual interviewed or attending the workshop.
Buying Committee	**Role Title**	`DiscoveryStakeholder.role_name`	Text (128)	Optional	Specific operational title (e.g., *VP Supply Chain, IT Infrastructure Manager*).
Buying Committee	**Decision Role**	`DiscoveryStakeholder.decision_role`	Enum: `DECISION_MAKER`, `CHAMPION`, `INFLUENCER`, `TECHNICAL`, `FINANCE`, `USER`	Required	Role in the buying decision committee. Required to verify Economic Decision Maker access.
Buying Committee	**Influence Level**	`DiscoveryStakeholder.involvement_level`	Enum: `HIGH`, `MEDIUM`, `LOW`	Required	Degree of influence over final purchase approval.
Process & Timeline	**Decision Process Notes**	`Discovery.decision_process_notes`	Text Area	Optional	Documented procurement stages, Board approval thresholds, and legal review requirements.
Process & Timeline	**Target Decision Date**	`Discovery.expected_decision_date`	Date	Optional	Expected target date when executive sign-off is planned.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Process & Timeline	**Target Go-Live Date**	`Discovery.expected_implementation_date`	Date	Optional	Customer's desired deployment deadline or fiscal quarter rollout window.
Financial & Infra	**Budget Notes & Range**	`Discovery.budget_notes`	Text (255)	Optional	Confirmed budget envelope or fiscal year budget line status.
Financial & Infra	**Technical Constraints Notes**	`Discovery.technical_constraints_notes`	Text Area	Optional	Infrastructure limits (e.g., *Offline van mode required; integration needed with on-premise SAP ECC 6.0*).
Refined Problems	**Refined Problem Statement**	`DiscoveryProblem.refined_statement`	Text (255)	Required	Contextualized definition of the problem within this customer's specific operational environment.
Refined Problems	**Quantified Loss Value**	`DiscoveryProblem.quantified_loss_value`	Decimal Currency	Optional	Documented annualized financial loss (e.g., *320,000 SAR annual inventory shrinkage*).
Refined Problems	**Problem Severity & Frequency**	`DiscoveryProblem.severity`, `frequency`	Enums: `CRITICAL/HIGH/MED/LOW`, `DAILY/WEEKLY/...`	Required	Confirmed severity and occurrence rate.
Refined Problems	**Is Confirmed Problem**	`DiscoveryProblem.is_confirmed`	Boolean Checkbox	Required	Checked if verified with customer stakeholders as an active pain point requiring resolution.
Capability Mapping	**Product Module**	`ProductModule.name`	Foreign Key / Text	Required	Specific product module delivering the solution (e.g., *Van Sales Execution Module*).
Capability Mapping	**Product Capability**	`DiscoveryProblemMapping.capability`	Foreign Key / Text	Required	Exact technical capability resolving the problem (e.g., *Offline Geofenced Cash Collection & Invoice Printing*).
Capability Mapping	**Expected KPI Impact**	`DiscoveryProblemMapping.expected_kpi_impact`	Text (255)	Optional	Measurable target outcome (e.g., *100% real-time cash reconciliation, 0 paper receipts lost*).

4. Product Demo Workspace

Purpose

The **Demo Workspace** (`DemoWorkspace.tsx`) structures end-to-end product demonstrations. It links demonstrated capabilities directly back to Discovery problems, logs attendee participation, captures customer sentiment, and records objections.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Session Header	**Demo Session ID**	`Demo.id`	UUID	Auto-Computed	Unique identifier for the demo event.
Session Header	**Target Product**	`Demo.product.name`	Foreign Key	Required	Product demonstrated (e.g., *VanForces Route Pro Edition*).
Session Header	**Presenter**	`Demo.presenter`	User Foreign Key	Required	Solution Architect or Presales Engineer who gave the live demonstration.
Session Header	**Scheduled At**	`Demo.scheduled_at`	DateTime	Required	Date and time the demo was scheduled.
Session Header	**Conducted At**	`Demo.conducted_at`	DateTime	Optional	Timestamp when the demo session was actually completed.
Session Header	**Demo Status**	`Demo.status`	Enum: `SCHEDULED` , `COMPLETED` , `CANCELLED` , `NOT_REQUIRED`	Required	Operational status of the demo. `NOT_REQUIRED` requires documenting justification.
Participants	**Participant Name**	`DemoParticipant.name`	Text (255)	Required	Attendee full name.
Participants	**Participant Type**	`DemoParticipant.participant_type`	Enum: `CUSTOMER` , `INTERNAL`	Required	Identifies customer stakeholder vs. internal TEXOL attendee.
Participants	**Role Title**	`DemoParticipant.role_title`	Text (128)	Optional	Attendee designation (e.g., *Operations Director*, *Fleet Supervisor*).
Participants	**Attended Checkbox**	`DemoParticipant.attended`	Boolean Checkbox	Required	Tracks attendance for buyer engagement scoring.
Use Cases Demonstrated	**Discovery Problem**	`DemoUseCaseMapping.discovery_problem`	Foreign Key	Required	Discovery pain point being proven solved in this demo.
Use Cases Demonstrated	**Product Capability**	`DemoUseCaseMapping.capability`	Foreign Key	Required	The software capability demonstrated to solve the pain point.
Use Cases Demonstrated	**Was Demonstrated**	`DemoUseCaseMapping.was_demonstrated`	Boolean Checkbox	Required	Confirms whether this capability was successfully demonstrated during the live session.
Use Cases Demonstrated	**Customer Reaction Notes**	`DemoUseCaseMapping.notes`	Text Area	Optional	Customer reactions, questions, or specific praise regarding this feature.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Evaluation & Feedback	**Fit Assessment**	`Demo.fit_assessment`	Enum: `STRONG` (Strong Fit), `MODERATE` (Moderate Fit), `POOR` (Poor Fit)	Required	Presenter's technical and operational fit rating based on demo interaction.
Evaluation & Feedback	**Customer Feedback**	`Demo.customer_feedback`	Rich Text Area	Required	Customer's direct evaluation and verbatim feedback on the solution shown.
Evaluation & Feedback	**Objections Raised**	`Demo.objections_raised`	Text Area	Optional	Documented customer objections, gaps, or security/IT concerns.
Evaluation & Feedback	**Customer Questions**	`Demo.customer_questions`	Text Area	Optional	Technical or commercial questions posed by the customer committee.
Evaluation & Feedback	**Customer Overall Response**	`Demo.customer_response`	Text Area	Optional	Committee sentiment and indicated readiness to proceed to POC or Proposal.
Next Action	**Next Action Description**	`Demo.next_action_description`	Text (255)	Required	Mandatory next step (e.g., *Draft POC success criteria charter with IT Lead*).
Next Action	**Next Action Due Date**	`Demo.next_action_due_at`	DateTime	Required	Due timestamp enforcing follow-up SLAs.

---

5. Proof of Concept (POC) Pilot Trials Workspace

Purpose

The **POC Workspace** (`POCWorkspace.tsx`) governs production pilot trials. It establishes pilot boundaries (users, vans, geography), tracks measurable success criteria KPIs against historical baselines, and logs weekly trial check-ins.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Trial Setup	**Pilot Scope Description**	`POC.scope_description`	Text Area	Required	Exact operational boundaries of the pilot (e.g., *5 Distribution Vans, Riyadh Central Route, 150 Retail Outlets*).
Trial Setup	**Active Pilot Users / Seats**	`POC.users_count`	Positive Integer	Required	Number of active pilot drivers/users operating the mobile software.
Trial Setup	**Geographic Coverage**	`POC.geography_coverage`	Text (255)	Optional	Territory or depot location (e.g., *Riyadh Central Distribution Center*).
Trial Setup	**Pilot Start Date**	`POC.start_date`	Date	Required	Date mobile software goes live in the field.
Trial Setup	**Pilot End Date**	`POC.end_date`	Date	Required	Formal trial cutoff date.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Trial Setup	**POC Status**	`POC.status`	Enum: `PLANNED`, `ACTIVE`, `REVIEW`, `COMPLETED`, `FAILED`, `CANCELLED`, `NOT_REQUIRED`	Required	Operational progress state of the pilot trial.
Success Criteria	**Criterion Name**	`POCSuccessCriterion.name`	Text (255)	Required	Documented metric being measured (e.g., *Daily Van Cash Reconciliation Time, Invoice Return Discrepancy*).
Success Criteria	**Category**	`POCSuccessCriterion.category`	Enum: `OPERATIONAL`, `FINANCIAL`, `TECHNICAL`, `USER_ADOPTION`	Optional	Metric domain category.
Success Criteria	**Measurement Baseline**	`POCSuccessCriterion.measurement_baseline`	Text (255)	Required	Current pre-pilot performance benchmark (e.g., *3.5 hours per van at end of day*).
Success Criteria	**Target Success Threshold**	`POCSuccessCriterion.expected_target`	Text (255)	Required	Contractually agreed threshold for POC success (e.g., *Under 25 minutes per van*).
Success Criteria	**Actual Achieved Result**	`POCSuccessCriterion.actual_result`	Text (255)	Required at close	Result recorded during trial completion (e.g., *18 minutes average per van*).
Success Criteria	**Is Met Checkbox**	`POCSuccessCriterion.is_met`	Boolean Checkbox	Required at close	Confirms whether measured outcome met or exceeded the agreed target.
Participants	**Participant Name & Role**	`POCParticipant.name`, `role_title`	Text (255)	Required	Field supervisor or pilot driver participating in trial.
Weekly Check-ins	**Milestone Notes & Health**	`POC.baseline_notes`, `results_summary`	Rich Text Area	Optional	Health check updates, driver usability feedback, and sync reliability.
Final Trial Verdict	**Is Successful Checkbox**	`POC.status == 'COMPLETED'`	Boolean Checkbox	Required	Formal sign-off that trial fulfilled commercial and technical criteria.
Final Trial Verdict	**Results Summary**	`POC.results_summary`	Text Area	Required	Evidence summary to be presented in SQL Sales Acceptance and Proposal.

---

6. SQL Gate Readiness & Handoff Workspace

Purpose

The **SQL Readiness Workspace** (`SQLReadinessWorkspace.tsx`) serves as the strict quality gate between PLD presales and Commercial Account Executives. It evaluates 9 evidence-based criteria before allowing a lead to be submitted for Sales Acceptance.

The 9 SQL Gates Evaluated

Gate #	Gate Name	Technical Field Key	Evaluation Criterion	Mandatory?
1	**ICP Fit Verified**	`icp_fit_verified`	Account operational criteria match target product profile; zero knockout failures.	**Yes**

Gate #	Gate Name	Technical Field Key	Evaluation Criterion	Mandatory?
2	**Pain Quantified**	`pain_quantified`	At least 1 high-severity problem confirmed with quantified operational or financial loss.	**Yes**
3	**Decision Maker Engaged**	`decision_maker_engaged`	Confirmed Economic Decision Maker or Champion identified in Buying Committee.	**Yes**
4	**Budget Confirmed**	`budget_confirmed`	Stated budget range or approved capital expenditure verified with client.	**Yes**
5	**Timeline Confirmed**	`timeline_confirmed`	Target decision date and implementation window documented.	**Yes**
6	**Demo Completed**	`demo_completed`	Product demonstration conducted, use cases mapped, and fit assessed as Strong/Moderate.	**Yes** (or Skipped)
7	**POC Successful**	`poc_successful`	POC completed with verified criteria met, or stage formally bypassed as Not Required.	**Yes** (or Skipped)
8	**Technical Feasibility**	`technical_feasibility_cleared`	ERP connectors, mobile OS versions, and network constraints cleared by presales.	**Yes**
9	**Partner Alignment**	`partner_aligned`	If partner-sourced, partner registration verified and commission structure confirmed.	**Yes**

Submission Columns & Form Fields

Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Assigned Sales Owner	`SQLHandoff.assigned_sales_owner`	User Selector (Role: Sales / AE)	Required	The Account Executive receiving ownership of the deal.
Estimated Opportunity Value	`SQLHandoff.estimated_value`	Decimal Currency (e.g., `185,000.00`)	Required	Validated pipeline deal value passed to the newly created Opportunity.
Currency	`SQLHandoff.currency`	Enum: `USD`, `SAR`, `AED`, `EUR`	Required	Currency of commercial value.
SLA Duration (Hours)	`SQLHandoff.sla_duration_hours`	Positive Integer (Default: 48)	Required	Hours allowed for Sales to accept or reject the SQL handoff before SLA breach.
Executive Override Checkbox	`SQLHandoff.is_override`	Boolean Checkbox	Optional	Allows Sales Directors to override missing gates with formal audit justification.
Override Reason	`SQLHandoff.override_reason`	Text Area	Required if Override	Mandatory explanation recorded in immutable audit logs explaining why gate was overridden.

---

7. Sales Acceptance & Rejection Workspace

Purpose

The **Sales Acceptance Workspace** (`SalesAcceptanceWorkspace.tsx`) allows Account Executives to inspect incoming SQL handoffs, review the qualification evidence, and formally Accept (creating an Opportunity) or Reject back to PLD.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Handoff Header	**Handoff ID**	`SQLHandoff.id`	UUID	Auto-Computed	Unique handoff submission reference.
Handoff Header	**Submitting PLD Exec**	`SQLHandoff.pld_executive.email`	User Foreign Key	Read-only	Specialist who qualified the lead and submitted the handoff.
Handoff Header	**Submitted At**	`SQLHandoff.submitted_at`	DateTime	Read-only	Timestamp handoff was placed in Sales Review queue.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Handoff Header	**SLA Countdown Timer**	`SQLHandoff.sla_expires_at`	Real-time Timer Badge	Read-only	Live countdown showing hours/minutes remaining until 48h SLA breach.
Evidence Dossier	**Gate Audit Snapshot**	`SQLHandoff.gate_audit_results`	JSON Object	Read-only	Expandable card showing the state of all 9 gates at submission time.
Evidence Dossier	**Quantified Pain Summary**	`SQLHandoff.qualification_evidence`	JSON Object	Read-only	Shows verified discovery problems and quantified financial losses.
Evidence Dossier	**Target Scope & Users**	`SQLHandoff.qualification_evidence`	JSON Object	Read-only	Fleet size, user count, and primary ERP connectors.
Decision Form	**Acceptance Action**	`SQLHandoff.status = 'ACCEPTED'`	Action Button	User Action	Accepting immediately transitions lead to `CONVERTED`, assigns AE ownership, and creates a Commercial Opportunity.
Decision Form	**Rejection Action**	`SQLHandoff.status = 'REJECTED'`	Action Button	User Action	Rejection returns lead to PLD queue with mandatory explanation.
Decision Form	**Rejection Reason**	`SQLHandoff.rejection_reason`	Text Area	Required if Rejected	Mandatory detailed reason (e.g., *Target fleet size reduced to 2 vans; below commercial ARR threshold*).
Decision Form	**Return To Stage**	Frontend option	Select (`DISCOVERY` , `DEMO` , `LEAD_QUEUE`)	Optional	Sends lead back to a specific earlier stage for further qualification.

---

8. Commercial Opportunity Workspace

Purpose

The **Opportunity Workspace** (`OpportunityWorkspace.tsx`) manages active commercial deals. It tracks sales stages, multi-product line items, deal probability, ARR/MRR metrics, competitor presence, and stage transitions.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Opportunity Summary	**Opportunity Name / Code**	`Opportunity.id` / `Account.company_name`	Text (255)	Auto-Computed	Unique commercial deal name (e.g., *Gulf Logistics — VanForces Route Pro*).
Opportunity Summary	**Account Executive / Owner**	`Opportunity.owner.email`	User Selector	Required	Sales representative responsible for closing the deal.
Opportunity Summary	**Pipeline Stage**	`Opportunity.stage.stage_name`	Select: *Sales Acceptance, Proposal, Negotiation, Closed Won, Closed Lost*	Required	Current commercial negotiation stage.
Opportunity Summary	**Deal Status**	`Opportunity.status`	Enum: `OPEN` , `WON` , `LOST`	Required	Operational status of the commercial opportunity.
Opportunity Summary	**Opportunity Type**	`Opportunity.opportunity_type`	Enum: `NEW` , `EXPANSION` , `RENEWAL`	Required	Classifies new logo acquisition vs. existing customer upsell/cross-sell.
Financial Metrics	**Total Contract Value (TCV)**	`Opportunity.total_contract_value`	Decimal Currency	Required	Total gross revenue over the full contract duration.
Financial Metrics	**Annual Recurring Revenue (ARR)**	`Opportunity.arr`	Decimal Currency	Required	Normalized annualized subscription software revenue.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Financial Metrics	**Monthly Recurring Revenue (MRR)**	`Opportunity.mrr`	Decimal Currency	Auto-Computed	Monthly subscription revenue (`ARR / 12`).
Financial Metrics	**Contract Term (Months)**	`Opportunity.contract_term_months`	Positive Integer (Default: 12)	Required	Duration of contract commitment (e.g., 12, 24, 36 months).
Financial Metrics	**Seat / Van Units Count**	`Opportunity.seat_units_count`	Positive Integer	Required	Number of paid software licenses/seats deployed.
Financial Metrics	**Close Probability (%)**	`Opportunity.probability_pct`	Integer (0 – 100)	Required	Weighted win probability for pipeline forecasting.
Financial Metrics	**Expected Close Date**	`Opportunity.expected_close_date`	Date Picker	Required	Projected contract signing date. Drives quarterly revenue forecast.
Carried Information	**Carried PLD Fit Score**	`Opportunity.pld_score`	Decimal (5,2)	Read-only	Historical PLD qualification score carried over from Lead.
Carried Information	**Confirmed Decision Maker**	`Opportunity.decision_maker`	Text (255)	Read-only	Economic buyer verified during Discovery & SQL Handoff.
Carried Information	**ERP System Connector**	`Opportunity.erp_system`	Text (128)	Read-only	Target backend accounting/ERP system for deployment.
Competitor & Loss	**Competitor Involved**	`Opportunity.competitor`	Text (128)	Optional	Competitor vendor bidding for the account (e.g., *SAP Direct, Omnitracs, Local Custom Dev*).
Competitor & Loss	**Loss Reason Category**	`Opportunity.loss_reason_category`	Select: *Price, Feature Gap, Competitor Won, Timing Postponed, Budget Cancelled*	Required if Lost	Category used for executive loss analysis.
Competitor & Loss	**Loss Reason Notes**	`Opportunity.loss_reason_notes`	Text Area	Required if Lost	Detailed post-mortem explanation if deal is marked Closed Lost.
Stage History	**Stage Transition History**	`OpportunityStageHistory`	Sub-table: From, To, User, Date, Reason	Auto-Computed	Immutable audit ledger tracking every stage movement and time spent in each stage.

---

9. Commercial Proposals & Pricing Quotes Workspace

Purpose

The **Proposal Workspace** (`ProposalWorkspace.tsx`) handles commercial quotations, line-item pricing calculations, versioning, automated discount approval thresholds, and PDF dispatch to clients.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Proposal Header	**Proposal Number**	`Proposal.proposal_number`	Text (e.g., `PROP-2026-8941`)	Auto-Computed	System-generated unique proposal reference code.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Proposal Header	**Proposal Title**	`Proposal.title`	Text (255)	Required	Formal proposal title (e.g., *VanForces 50-Van Annual Enterprise Proposal*).
Proposal Header	**Active Version Number**	`Proposal.version_number`	Positive Integer (v1, v2, v3)	Auto-Computed	Increments automatically when terms or discounts are revised.
Proposal Header	**Proposal Status**	`Proposal.status`	Enum: `DRAFT`, `PENDING_APPROVAL`, `APPROVED`, `SENT`, `ACCEPTED`, `REJECTED`, `EXPIRED`	Required	Lifecycle state of current quotation version.
Proposal Header	**Valid Until Date**	`Proposal.valid_until`	Date Picker	Required	Quote expiration date. Automatically triggers `EXPIRED` status if elapsed without signature.
Pricing Line Items	**Product / Module**	`ProposalItem.product`, `module`	Foreign Key Selectors	Required	Software package line item (e.g., *VanForces Route Core, Odoo ERP Connector*).
Pricing Line Items	**Description**	`ProposalItem.description`	Text (255)	Optional	Line item description displayed on formal client quote.
Pricing Line Items	**Quantity (Users/Seats)**	`ProposalItem.quantity`	Positive Integer	Required	Number of billable units.
Pricing Line Items	**Unit Price**	`ProposalItem.unit_price`	Decimal Currency	Required	List unit price per seat/license.
Pricing Line Items	**Line Item Discount (%)**	`ProposalItem.discount_pct`	Decimal Percentage (0 – 100)	Optional	Line-level discount percentage.
Pricing Line Items	**Line Total**	`ProposalItem.line_total`	Decimal Currency	Auto-Computed	Computed line amount: `Qty * Unit Price - Discount`.
Financial Summary	**Gross Subtotal**	`Proposal.gross_amount`	Decimal Currency	Auto-Computed	Sum of all line item gross prices.
Financial Summary	**Overall Discount (%)**	`Proposal.discount_pct`	Decimal Percentage	Optional	Overall commercial deal discount percentage.
Financial Summary	**Discount Reason**	`Proposal.discount_reason`	Text Area	Required if > 15%	Commercial justification (e.g., *Multi-year upfront commitment, 50+ fleet volume*).
Financial Summary	**Net Proposal Amount**	`Proposal.net_amount`	Decimal Currency	Auto-Computed	Final contract price payable by customer.
Financial Summary	**Payment Terms**	`Proposal.payment_terms`	Select: *Net 30, Net 60, 50% Upfront, 100% Advance*	Required	Agreed commercial billing and invoicing schedule.
Approval Governance	**Approval Required Flag**	`Proposal.approval_required_flag`	Boolean Badge	Auto-Computed	Triggers automatically if discount exceeds configured threshold (e.g., > 15%).
Approval Governance	**Approver & Decision**	`ProposalVersion.approved_at`, `approved_by`	User Foreign Key & Timestamp	Auto-Computed	Sales Director approval signature required before quote can be emailed.

10. My Work Queue & SLA Dashboard

Purpose

The **My Work Queue & SLA Dashboard** (`MyWorkQueueWorkspace.tsx` , `ActivitySLADashboardView.tsx`) serves as the daily operational cockpit for all sales and presales staff. It consolidates assigned leads, pending discovery follow-ups, expiring proposals, and SLA countdowns.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Work Queue Tasks	**Task Title & Type**	`Task.title` , `Task.task_type`	Text (255), Enum: `FIRST_CONTACT` , `FOLLOW_UP` , `GATE_MISSING` , `POC_REVIEW` , `SALES_ACCEPTANCE`	Required	Actionable task name and operational category.
Work Queue Tasks	**Related Entity**	`Task.related_lead` , `related_opportunity` , `related_account`	Polymorphic Foreign Key	Required	Clickable link directly navigating to the relevant Lead, Deal, or Account.
Work Queue Tasks	**Priority**	`Task.priority`	Enum: `LOW` , `MEDIUM` , `HIGH` , `CRITICAL` , `URGENT`	Required	Color coded priority badge (Red for Critical/Urgent).
Work Queue Tasks	**Due Timestamp**	`Task.due_date`	DateTime	Required	Deadline for task completion.
Work Queue Tasks	**Task Status**	`Task.status`	Enum: `OPEN` , `IN_PROGRESS` , `COMPLETED` , `CANCELLED`	Required	Checkbox marks task complete and logs completion timestamp.
SLA Monitor	**SLA Milestone**	`SLADefinition.name`	Text (128)	Read-only	Name of SLA commitment (e.g., *Lead First Contact SLA (4h)*, *Sales Acceptance SLA (48h)*).
SLA Monitor	**Assigned Specialist**	`SLATracker.assigned_user.email`	User Foreign Key	Read-only	Team member responsible for meeting the deadline.
SLA Monitor	**Time Remaining**	Computed (`SLATracker.remaining_hours`)	Decimal Hours / Badge	Read-only	Hours remaining before breach. Turns yellow at 75% elapsed and red when overdue.
SLA Monitor	**SLA Health Status**	`SLATracker.status`	Enum: `WITHIN_SLA` , `DUE_SOON` , `AT_RISK` , `BREACHED`	Read-only	Real-time SLA health status. Breaches trigger automated escalation notifications to managers.

11. Account 360 Workspace

Purpose

The **Account 360 Workspace** (`Account360Workspace.tsx`) is the single source of truth for an enterprise customer organization. It unifies firmographics, fleet metrics, buying committee contacts, cross-product relationships, and ERP customer ID synchronization.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Firmographics	**Company Legal Name**	`Account.company_name`	Text (255)	Required	Registered legal entity name.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Firmographics	**Trade Name**	`Account.trade_name`	Text (255)	Optional	Commercial DBA (Doing Business As) brand name.
Firmographics	**Account Classification**	`Account.account_type`	Enum: `PROSPECT`, `CUSTOMER`, `PARTNER`, `VENDOR`	Required	Organizational relationship classification.
Firmographics	**Target Tier**	`Account.target_tier`	Enum: `TIER_1` (Strategic), `TIER_2` (High Priority), `TIER_3` (Standard)	Optional	Account priority tiering for sales assignment and marketing campaigns.
Firmographics	**Industry & Sub-Industry**	`Account.industry`, `Account.sub_industry`	Text (128)	Optional	Vertical industry categorization (e.g., *Beverage & Dairy Distribution*).
Firmographics	**Country & City**	`Account.country`, `Account.city`	Text (128)	Required	Corporate headquarters location (e.g., *Saudi Arabia, Riyadh*).
Firmographics	**Corporate Website**	`Account.website`	URL Field	Optional	Company homepage URL.
Operational Scale	**Employee Headcount**	`Account.employees_count`	Positive Integer	Optional	Total corporate workforce.
Operational Scale	**Distribution Centers**	`Account.distribution_centers_count`	Positive Integer	Optional	Number of physical warehouses / logistics depots.
Operational Scale	**Active Van Fleet Size**	`AccountAttribute.attribute_value['vans_count']`	Positive Integer	Optional	Fleet size across all distribution regions.
Key Contacts	**Contact Full Name**	`Contact.first_name` + `last_name`	Text (128)	Required	Stakeholder name.
Key Contacts	**Job Designation**	`Contact.designation`	Text (128)	Optional	Position (e.g., *Chief Operating Officer*, *Distribution Logistics Manager*).
Key Contacts	**Business Email**	`Contact.email`	Email Field	Optional	Direct corporate email address.
Key Contacts	**Mobile / WhatsApp**	`Contact.mobile`, `phone`	Phone Number (E.164)	Optional	Direct mobile phone number used for WhatsApp messaging integrations.
Key Contacts	**Buying Committee Role**	`Contact.role_type`	Enum: `DECISION_MAKER`, `CHAMPION`, `INFLUENCER`, `TECHNICAL`, `FINANCE`, `USER`	Required	Buying committee positioning.
Key Contacts	**Is Primary Contact**	`Contact.is_primary`	Boolean Checkbox	Optional	Designates the primary corporate contact for contract delivery.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Product Portfolio	**Product Relationship**	`AccountProduct.product.name`	Foreign Key Select	Read-only	Multi-product portfolio matrix showing status per TEXOL product (*VanForces*, *TaskForces*, *EntAura*).
Product Portfolio	**Lifecycle Status**	`AccountProduct.status`	Enum: `PROSPECT`, `EVALUATION`, `CUSTOMER`, `INACTIVE`	Read-only	Stage of relationship for each distinct product.
Product Portfolio	**Annual Contract ARR**	`AccountProduct.arr_mrr`	Decimal Currency	Read-only	Active recurring revenue derived from this product line.
ERP Sync	**ERP Customer ID**	`ERPSyncRecord.erp_reference_id`	Text (128)	Read-only	Synchronized customer master code inside client ERP (e.g., *ODOO-CUST-10492*).

---

12. Product Studio & PLD Engine Admin

Purpose

The **Product Studio & PLD Engine Admin** (`AdminEngineStudio.tsx`) allows CRM administrators to configure product taxonomy, versioned ICP qualification rules, dynamic questionnaire questions, score dimension weights, and pipeline stage gates without writing code.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Product Catalog	**Product Code & Name**	`Product.code`, `Product.name`	Text (64), Text (255)	Required	Master product identifier (e.g., `VANFORCES`, *VanForces Mobile Sales Execution*).
Product Catalog	**Product Category**	`Product.category`	Text (128)	Optional	Domain category (e.g., *Distribution & Field Mobility*).
Modules & Features	**Module Code & Name**	`ProductModule.code`, `name`	Text (64), Text (255)	Required	Feature module belonging to product (e.g., `ROUTE_DISPATCH`, *Route & Geofence Dispatch*).
Capabilities	**Capability Name**	`ProductCapability.name`	Text (255)	Required	Granular technical capability (e.g., *Offline Receipt Thermal Printing & Signature Capture*).
Problem Taxonomy	**Problem Name & Code**	`Problem.code`, `Problem.name`	Text (64), Text (255)	Required	Standard business problem library entry referenced in Discovery.
Problem Taxonomy	**Problem Category**	`Problem.category`	Enum: `DISTRIBUTION`, `SALES`, `OPERATIONS`, `MANAGEMENT`, `INTEGRATION`, `COMPLIANCE`	Required	Taxonomy category for discovery classification.
Problem Taxonomy	**Default Severity**	`Problem.default_severity`	Enum: `LOW`, `MEDIUM`, `HIGH`, `CRITICAL`	Required	Baseline severity assigned when first logged.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
ICP Rules	**Rule Type**	`ICPRule.rule_type`	Enum: `KNOCKOUT`, `FIT`	Required	Defines whether failure disqualifies outright (`KNOCKOUT`) or subtracts points (`FIT`).
ICP Rules	**Target Attribute Field**	`ICPRule.field_name`	Text (e.g., `industry`, `vans_count`, `current_erp`)	Required	Customer attribute evaluated by this rule.
ICP Rules	**Comparison Operator**	`ICPRule.operator`	Enum: `EQ`, `NEQ`, `GT`, `GTE`, `LT`, `LTE`, `IN`, `CONTAINS`	Required	Logical comparison operator.
ICP Rules	**Target Value Criteria**	`ICPRule.target_value`	JSON / Text (e.g., `['FMCG', 'Wholesale']` or `10`)	Required	Value threshold required to satisfy the rule.
ICP Rules	**Score Weight Points**	`ICPRule.points`	Positive Integer	Required if Fit	Points awarded toward composite ICP Fit Score.
Questionnaire Admin	**Question Text**	`QuestionnaireQuestion.question_text`	Text (500)	Required	Wording of question displayed in PLD Qualification forms.
Questionnaire Admin	**Input Type**	`QuestionnaireQuestion.question_type`	Enum: `TEXT`, `NUMBER`, `CHOICE`, `MULTI_CHOICE`, `BOOLEAN`	Required	HTML form component rendered in UI.
Questionnaire Admin	**Mapped Score Dimension**	`QuestionnaireQuestion.feeds_dimension`	Enum: `PROBLEM_SEVERITY`, `BUSINESS_VALUE`, `DECISION_ACCESS`, `TIMELINE`, `TECHNICAL_FIT`, `COMMERCIAL_POTENTIAL`	Optional	Determines which dimension score this question contributes to.
Stage Gate Admin	**Stage Gate Name**	`StageGate.gate_name`	Text (255)	Required	Name of checkpoint required before advancing stage (e.g., *Capability Mapping Gate*).
Stage Gate Admin	**Condition Rules JSON**	`StageGate.condition_rules`	JSON Object	Required	Machine-readable rule payload enforcing mandatory checks (e.g., `{"min_score": 40, "mapped_problems": "all"}`).

Step-by-Step Guide: How to Fill the "Configure ICP Rule" Modal

The **Configure ICP Rule** modal allows administrators to establish automated qualification barriers and scoring criteria per product.

1. Form Fields Specification

Field Name	Description	Accepted Values & Guidance
Rule Type	Governs how the rule affects qualification.	• `KNOCKOUT (Pass/Fail Gate)`: Disqualifies the prospect immediately if not met (moves lead to *Nurture* or *Disqualified*). Cannot proceed to Discovery or Demo unless overridden by an authorized manager. • `FIT_CRITERIA (Scoring Points)`: Non-blocking. If satisfied, awards points toward the 0–100% composite **PLD Fit Score**.
Field to Evaluate	The account firmographic or operational attribute tested.	Key attributes supported by the engine: • `vans_count` — Active delivery van fleet size. • `industry` — Company industry vertical (e.g. FMCG, Bakery). • `salesmen_count` — Number of field sales reps. • `employees_count` — Total corporate headcount. • `field_sales` — Boolean indicator if direct-store-delivery is operated. • `primary_erp` — Primary ERP backend system (e.g. SAP, Odoo). • `distribution_centers_count` — Warehouses / regional depots.

Field Name	Description	Accepted Values & Guidance
Operator	Mathematical or logical comparison rule.	• `EXACT (=)` : Strict equality check (e.g., `field_sales = true`). • `GTE (>=)` : Greater than or equal to a numerical threshold. • `LTE (<=)` : Less than or equal to a numerical threshold. • `GT (>)` / `LT (<)` : Strict inequality comparison. • `IN (List of values)` : Value must match any element in a comma-separated list. • `NOT_IN` : Value must not match any element in the list.
Target Value	The threshold or reference value compared against.	• **Lists/Categories:** Comma-separated (e.g., `FMCG, Bakery, Food & Beverage, Dairy, Wholesale Distribution`). • **Numbers:** Integer or decimal (e.g., `5` , `10` , `50`). • **Booleans:** `true` or `false` .
Weight (Fit Points)	Scoring weight points awarded. *(Active for FIT_CRITERIA only)*	Positive integer between `10` **and** `50` points (e.g., `20` or `30`). The sum of satisfied fit criteria calculates the 0–100% Fit Score.
Failure Reason	Human-readable explanation shown on failure.	Explanatory message displayed to SDRs, PLD specialists, and managers explaining why qualification failed or why points were docked.

2. Configuration Blueprints & Real-World Examples

Rule Goal	Rule Type	Field to Evaluate	Operator	Target Value	Weight	Failure Reason (Explanation)
Minimum Fleet Size	`KNOCKOUT`	`vans_count`	`GTE (>=)`	`5`	—	*Fleet size is under 5 delivery vans (minimum operational threshold for VanForces).*
Target Industry Focus	`FIT_CRITERIA`	`industry`	`IN`	`FMCG, Bakery, Food & Beverage, Dairy, Wholesale`	`30`	*Company operates outside core FMCG and Food Distribution verticals.*
Supported ERP Connector	`FIT_CRITERIA`	`primary_erp`	`IN`	`SAP, Odoo, Microsoft Dynamics, Oracle`	`20`	*Accounting/ERP system is custom or unsupported for standard connectors.*
Active DSD Field Sales	`KNOCKOUT`	`field_sales`	`EXACT (=)`	`true`	—	*Account does not operate direct-store-delivery or van sales operations.*
Corporate Scale Floor	`FIT_CRITERIA`	`employees_count`	`GTE (>=)`	`20`	`20`	*Workforce size is below standard mid-market operational threshold.*

---

13. Partner Portal & Channel Management

Purpose

The **Partner Portal & Channel Management Workspace** (`PartnerDashboardFoundationView.tsx` , `AdminStaffPartnersWorkspace.tsx`) provides partner lifecycle governance, protected deal registration, channel conflict resolution, and commission tracking.

Tables & Columns

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Partner Profile	**Partner Code & Name**	`Partner.partner_code` , `Account.company_name`	Text (64), Text (255)	Required	Unique partner identifier (e.g., `PTR-SA-041` , *Al-Futtaim Systems Integrators*).
Partner Profile	**Partner Type**	`Partner.partner_type`	Enum: `ERP` , `SAP` , `MICROSOFT` , `ODOO` , `SI` , `CONSULTANT` , `MOBILITY` , `REFERRAL`	Required	Categorization of partner ecosystem relationship.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Partner Profile	**Authorization Status**	`Partner.status`	Enum: `PROSPECT`, `ONBOARDING`, `ENABLED`, `AUTHORISED`, `ACTIVE`, `SUSPENDED`	Required	Commercial accreditation and contract status.
Partner Profile	**Authorized Territory**	`Partner.territory`	Text (128)	Required	Geographies where partner is authorized to sell TEXOL products (e.g., *KSA Eastern Province*).
Partner Profile	**Default Commission (%)**	`PartnerProduct.commission_rate_pct`	Decimal Percentage (Default: 15.00%)	Required	Standard revenue share or referral commission percentage.
Deal Registration	**Registration ID**	`DealRegistration.id`	UUID	Auto-Computed	Unique deal protection filing ID.
Deal Registration	**Prospect Account**	`DealRegistration.customer_account.company_name`	Text (255)	Required	Name of end-customer prospect being registered for exclusivity.
Deal Registration	**Target Product**	`DealRegistration.product.name`	Foreign Key Select	Required	TEXOL software product registered for the prospect.
Deal Registration	**Expected Deal Value**	`DealRegistration.expected_deal_value`	Decimal Currency	Required	Estimated deal value submitted by partner.
Deal Registration	**Evidence of Relationship**	`DealRegistration.evidence_notes`	Text Area	Required	Justification proving active partner relationship (e.g., *Existing ERP client holding RFP meeting next Tuesday*).
Deal Registration	**Protection Expiry Date**	`DealRegistration.protection_expiry_date`	Date	Auto-Computed (90 Days)	Expiration date of exclusivity window. Reverts to direct pool if not closed before expiry.
Deal Registration	**Registration Status**	`DealRegistration.status`	Enum: `SUBMITTED`, `UNDER_REVIEW`, `ACCEPTED`, `REJECTED`, `EXPIRED`	Required	Review status by TEXOL Channel Partner Manager.

Section / Table	Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Channel Conflicts	**Conflict Type**	`ChannelConflict.conflict_type`	Enum: `DUPLICATE_REGISTRATION`, `PARTNER_VS_DIRECT`, `MULTI_PARTNER`, `TERRITORY_CONFLICT`	Auto-Computed	Flags when two partners or a direct sales rep claim the same account.
Channel Conflicts	**Conflict Decision**	`ChannelConflict.decision`	Enum: `AWARD_TO_PARTNER`, `AWARD_TO_DIRECT`, `SPLIT_COMMISSION`, `REJECTED`	Required if resolved	Channel manager resolution ruling.
Commission Ledger	**Commission Amount**	`PartnerCommission.commission_amount`	Decimal Currency	Auto-Computed	Calculated payout: `Deal Revenue * Commission Rate %`.
Commission Ledger	**Payment Status**	`PartnerCommission.payment_status`	Enum: `ACCRUED`, `APPROVED`, `PAID`, `CANCELLED`	Required	Financial settlement lifecycle state.

---

14. Analytics, Attribution, Funnel Velocity & ERP Sync Gateway

Purpose

This suite of executive analytics views provides multi-touch attribution reporting, funnel velocity tracking, leakage bottleneck diagnostics, and ERP bi-directional sync monitoring.

Tables & Columns

Section / View	Column / Field Name	Model & Field Key	Data Type	Functional Description & Usage
Multi-Touch Attribution	**Marketing Channel / Source**	`LeadTouch.source.name`	Text (128)	Marketing touchpoint source (e.g., *LinkedIn Sponsored Content*, *Google Ads*, *Partner Event*).
Multi-Touch Attribution	**First Touch Revenue (%)**	Calculated Metric	Percentage	Revenue credited to the very first recorded touchpoint initiating the lead.
Multi-Touch Attribution	**Last Touch Revenue (%)**	Calculated Metric	Percentage	Revenue credited to the final touchpoint occurring prior to SQL conversion.
Multi-Touch Attribution	**W-Shaped Attribution (%)**	Calculated Metric	Percentage	40% First Touch, 40% Lead Creation, 20% SQL Conversion, distributed evenly across intermediary touches.
Multi-Touch Attribution	**Pipeline Value Influenced**	Calculated Metric	Currency	Total SAR/USD commercial pipeline influenced by this campaign channel.
Funnel Velocity	**Pipeline Stage Name**	`PipelineStage.stage_name`	Text	Name of lifecycle stage: *Intake, Discovery, Demo, POC, SQL Review, Opportunity, Proposal, Won*.
Funnel Velocity	**Stage Inflow Count**	Calculated Metric	Integer	Number of leads or deals entering this stage during the selected reporting period.
Funnel Velocity	**Stage Conversion Rate (%)**	Calculated Metric	Percentage	Percentage of records successfully graduating to the next stage.
Funnel Velocity	**Average Dwell Time (Days)**	Calculated Metric	Decimal Days	Average days records spend in this stage before progressing or dropping out.
Funnel Velocity	**Leakage Drop-off Count**	Calculated Metric	Integer	Count of leads disqualified or marked Closed Lost during this stage.

Section / View	Column / Field Name	Model & Field Key	Data Type	Functional Description & Usage
Funnel Velocity	**Top Leakage Reason**	Aggregated Metric	Text	Primary recorded reason for drop-off (e.g., *No Budget, Lack of Decision Maker Access, ICP Knockout*).
ERP Sync Gateway	**ERP System Type**	`ERPConnectorConfig.system_type`	Enum	Target ERP connector (*Odoo 17/18, SAP Business One, Microsoft Dynamics 365, ZATCA*).
ERP Sync Gateway	**Sync Entity Type**	`ERPSyncRecord.entity_type`	Enum	Synchronized record type (*Customer Account, Sales Order, Invoice*).
ERP Sync Gateway	**Sync Direction**	`ERPSyncRecord.direction`	Enum	Direction: `CRM_TO_ERP` (Outbound on Won) or `ERP_TO_CRM` (Inbound master data).
ERP Sync Gateway	**Sync Status**	`ERPSyncRecord.status`	Enum	Status: `SUCCESS`, `PENDING_REVIEW`, `CONFLICT_DETECTED`, `FAILED`.
ERP Sync Gateway	**CRM Entity ID & Name**	`ERPSyncRecord.crm_entity_name`	Text / UUID	Account or Opportunity name being synced.
ERP Sync Gateway	**ERP Reference ID**	`ERPSyncRecord.erp_reference_id`	Text (128)	Generated ID assigned in the ERP backend upon successful write.
ERP Sync Gateway	**Sync Error / Conflict Notes**	`ERPSyncRecord.conflict_details`	Text Area	Error trace, HTTP status, or field mismatch details if sync fails.

---

15. Universal Audit Trail & Activity Timeline

Purpose

The **Universal Audit Trail** (`AuditLog`, `UnifiedActivityTimeline.tsx`) provides an immutable, forensic audit record of every user action, field modification, stage progression, authorized override, and SLA breach across all CRM entities.

Tables & Columns

Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Timestamp	`AuditLog.timestamp`	DateTime (ISO-8601)	Auto-Computed	Precise timestamp when the event occurred in UTC.
Actor Email	`AuditLog.actor_email`	Text (255)	Auto-Computed	Email address of the logged-in user who executed the action (or *System Automation*).
Actor Role	`AuditLog.actor_role`	Text (64)	Auto-Computed	Role title of the actor (e.g., *PLD_SPECIALIST*, *SALES_DIRECTOR*, *ADMIN*).
IP Address	`AuditLog.ip_address`	Generic IP Address	Auto-Computed	Client IPv4/IPv6 address from which the HTTP request originated.
Target Entity Type	`AuditLog.entity_type`	Text (128)	Auto-Computed	Database table or model affected (e.g., `Lead`, `Discovery`, `Demo`, `SQLHandoff`, `Opportunity`, `Proposal`).
Target Entity ID	`AuditLog.entity_id`	UUID	Auto-Computed	UUID of the specific record modified.
Action Taken	`AuditLog.action`	Enum: `CREATE`, `UPDATE`, `DELETE`, `GATE_OVERRIDE`, `SCORE_OVERRIDE`, `SALES_ACCEPT`, `SALES_REJECT`, `PROPOSAL_APPROVE`, `STAGE_CHANGE`, `SLA_BREACH`	Auto-Computed	High-level business classification of the operation performed.

Column / Field Name	Model & Field Key	Data Type & Choices	Req / Opt	Functional Description & Usage
Field-Level Diff	`AuditLog.changes_json`	JSON Object: `{'field': {'old': x, 'new': y}}`	Auto-Computed	Forensic JSON diff detailing previous values versus updated values. Critical for compliance audits.

---

16. Cross-Stage Data Continuity Matrix

A core architectural principle of the **TEXOL PLD CRM** is **Zero Duplicate Data Entry**. Data collected in early qualification stages is permanently preserved and automatically projected downstream into operational records:

Workflow Architecture:

```
flowchart LR
    A[Lead Intake & Qualification] -->|Carries Account, Contact, Problems, Fit Score| B[Discovery & Mapping]
    B -->|Carries Refined Problems, Capabilities, Buying Committee| C[Product Demo & POC]
    C -->|Carries Use Case Fit, POC Evidence, Verified Baseline| D[SQL Gate Readiness]
    D -->|Carries 9 Gates Dossier, Value, Scope| E[Sales Acceptance]
    E -->|Carries Account, Deal Value, Contacts, ERP Type| F[Commercial Opportunity]
    F -->|Carries Modules, Capabilities, Seat Count| G[Proposals & Quotes]
    G -->|Pushes Master Data on Closed Won| H[ERP Customer Sync]
```

Source Stage	Source Field	Target Stage	Target Field	Benefit / Automation Impact
Lead Qualification	`LeadProblem`	**Discovery**	`DiscoveryProblem.lead_problem`	Original customer pain points appear automatically in Discovery for deeper refinement.
Lead Qualification	`AccountAttribute` (Fleet, ERP)	**SQL Handoff**	`qualification_evidence`	Fleet size and ERP system are verified automatically without asking the client twice.
Discovery	`DiscoveryProblemMapping`	**Demo Workspace**	`DemoUseCaseMapping`	Pre-populates the Demo agenda with only the capabilities that resolve confirmed client problems.
Discovery	`DiscoveryStakeholder`	**Opportunity**	`Opportunity.primary_contact`, `decision_maker`	Confirmed Economic Decision Maker is automatically assigned to the commercial deal.
Demo & POC	`POC.results_summary`, `fit_assessment`	**SQL Handoff**	`qualification_evidence`	Provides concrete pilot evidence directly inside the Sales Handoff dossier.
SQL Handoff	`SQLHandoff.estimated_value`	**Opportunity**	`Opportunity.total_contract_value`	Initialized pipeline revenue is anchored in presales estimates.
Opportunity	`Opportunity.seat_units_count`	**Proposal**	`ProposalItem.quantity`	Commercial quotes automatically match evaluated user seat counts.
Opportunity (Won)	`Account`, `Opportunity`	**ERP Connector**	`ERPSyncRecord`	Automatically provisions customer account and sales contract in client Odoo/SAP backend.