



# Viewing RDH12\_mb\_33-610-FFX1H-multi.table

When finished, you should [close this window](#).

Hint: Use File | Save As... to save a copy of this page.

All-Atom Contacts	Clashscore, all atoms:	0.68	99 <sup>th</sup> percentile* (N=1784, all resolutions)	
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	24	10.26%	Goal: <1%
	Ramachandran outliers	17	6.16%	Goal: <0.05%
	Ramachandran favored	213	77.17%	Goal: >98%
	MolProbity score^	2.26		61 <sup>st</sup> percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	12	4.63%	Goal: 0
	Bad backbone bonds:	0 / 2208	0.00%	Goal: 0%
	Bad backbone angles:	37 / 2985	1.24%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

\* 100<sup>th</sup> percentile is the best among structures of comparable resolution; 0<sup>th</sup> percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

<sup>^</sup> MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: Clashscore: 124.27    Outliers: 17 of 276    Poor rotamers: 24 of 234    Outliers: 12 of 259    Outliers: 0 of 278    Outliers: 34 of 278								
33	THR	101.21	-	-	12.1% (t) chi angles: 185.4	0.246Å	-	OUTLIER(S) worst is C-N-CA: 4.504 σ
34	ASN	126.06	-	Favored (2.65%) General / -48.6,-27.1	20.8% (p-10) chi angles: 59.8,318	0.075Å	-	-
35	VAL	63.88	-	Favored (17.57%) Isoleucine or valine / -51.8,-35.4	48.7% (t) chi angles: 168.4	0.102Å	-	-
36	GLN	169.63	-	Favored (10.98%) General /	34.4% (mt-30) chi angles:	0.063Å	-	-

			-86.1,98.7	306.3,167,260.6			
37	LEU 112.63	-	Favored (52.91%) Pre-proline / -144.4,159.2	94% ( <i>mt</i> ) chi angles: 294.9,177.7	0.103Å	-	-
38	PRO 117.63	-	Favored (9.37%) Trans-proline / -86.5,157.9	38.2% ( <i>Cg_endo</i> ) chi angles: 36.7	0.075Å	-	-
39	GLY 107.62	-	Favored (35.4%) Glycine / -60.1,153.1	-	-	-	-
40	LYS 241.57	-	Favored (12.09%) General / -159.5,176.4	0% chi angles: 20.2,61.5,197.4,71.3	0.134Å	-	-
41	VAL 174.29	-	Allowed (0.37%) Isoleucine or valine / -132.8,52.9	14.5% ( <i>p</i> ) chi angles: 64.3	0.165Å	-	-
42	VAL 86.48	-	Favored (13.99%) Isoleucine or valine / -54.0,138.1	71.6% ( <i>t</i> ) chi angles: 173.8	0.089Å	-	-
43	VAL 127.51	-	Favored (35.32%) Isoleucine or valine / -110.7,111.2	22.5% ( <i>m</i> ) chi angles: 302.8	0.142Å	-	-
44	ILE 72.86	-	Favored (45.99%) Isoleucine or valine / -104.9,115.0	62.3% ( <i>mt</i> ) chi angles: 302.2,179	0.05Å	-	-
45	THR 49.61	-	Favored (5.5%) General / -71.2,109.8	73.1% ( <i>p</i> ) chi angles: 58.9	0.132Å	-	-
46	GLY 57.86	-	Favored (42.53%) Glycine / -86.8,-166.5	-	-	-	-
47	ALA 112.55	-	OUTLIER (0.02%) General / -171.1,9.6	-	0.022Å	-	-
48	ASN 89.79	-	Allowed (0.66%) General / 37.2,47.4	5.3% ( <i>m-20</i> ) chi angles: 294.4,23.4	0.084Å	-	-

49	THR	58.21	-	Favored (33.87%) General / -107.8,145.3	61.5% ( <i>m</i> ) chi angles: 303.8	0.07Å	-	-
50	GLY	55.63	-	Favored (93.93%) Glycine / -57.4,-42.8	-	-	-	-
51	ILE	170.53	-	Favored (65.88%) Isoleucine or valine / -62.5,-34.6	0% chi angles: 189.5,268.6	0.253Å	-	-
52	GLY	48.34	-	Favored (91.59%) Glycine / -64.6,-35.1	-	-	-	-
#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278
							Outliers: 34 of 278	
53	LYS	111.57	-	Favored (97.89%) General / -60.7,-43.4	49.1% ( <i>tttp</i> ) chi angles: 187.5,188.1,171.7,76.3	0.08Å	-	-
54	GLU	129.58	-	Favored (81.16%) General / -58.8,-48.5	43% ( <i>mt-10</i> ) chi angles: 298.9,178,266.5	0.108Å	-	-
55	THR	165.86	-	Favored (75.82%) General / -65.8,-33.4	16.8% ( <i>p</i> ) chi angles: 46.7	0.162Å	-	-
56	ALA	60.53	-	Favored (76.13%) General / -69.9,-37.8	-	0.065Å	-	-
57	ARG	159.86	-	Favored (68.85%) General / -70.5,-31.7	7.2% ( <i>ttt85</i> ) chi angles: 216.3,190.6,181.1,113.4	0.139Å	-	-
58	GLU	154.28	-	Favored (20.19%) General / -48.1,-52.5	5.8% ( <i>tp10</i> ) chi angles: 173.7,71.9,108.2	0.042Å	-	-
59	LEU	93.02	-	Favored (66.25%)	22.9% ( <i>mt</i> )	0.087Å	-	-

				General / -73.0,-39.1	chi angles: 300,160.2			
60	ALA	57.5	-	Favored (23.5%) General / -80.1,-42.5	-	0.108Å	-	-
61	SER	52.86	-	Favored (69.71%) General / -60.7,-30.1	51.2% ( <i>m</i> ) chi angles: 300.2	0.129Å	-	-
62	ARG	141.07	-	Allowed (1.51%) General / -105.0,40.5	13.9% ( <i>mmm180</i> ) chi angles: 302.3,315.8,309.9,135	0.153Å	-	-
63	GLY	49.05	-	Allowed (1.08%) Glycine / 88.0,90.4	-	-	-	-
64	ALA	67.18	-	Favored (2.27%) General / -172.7,151.2	-	0.083Å	-	-
65	ARG	127.01	-	Allowed (0.76%) General / -105.5,67.3	66.9% ( <i>mtp180</i> ) chi angles: 295.8,168.4,81.6,184	0.06Å	-	-
66	VAL	63.89	-	Favored (3.76%) Isoleucine or valine / -55.4,147.7	74.3% ( <i>t</i> ) chi angles: 174	0.05Å	-	-
67	TYR	197.65	-	Favored (55.07%) General / -121.5,135.2	37.6% ( <i>t80</i> ) chi angles: 164,75.1	0.067Å	-	-
68	ILE	59.25	-	Favored (17.66%) Isoleucine or valine / -110.4,144.9	90.1% ( <i>mt</i> ) chi angles: 298.4,167.6	0.081Å	-	-
69	ALA	63.09	-	Favored (11.87%) General / -122.4,107.3	-	0.108Å	-	-
70	CYS	85.61	-	Favored (13.42%) General / -149.5,173.6	8.7% ( <i>t</i> ) chi angles: 197.3	0.075Å	-	-
71	ARG	92.77	-	Favored (13.98%) General /	19.5% ( <i>ttm180</i> ) chi angles:	0.047Å	-	-

-89.8,-38.2 188.4,198.9,297.2,193.7

72	ASP	52.25	-	Favored (5.63%) General / -91.9,73.3	55.7% ( <i>t0</i> ) chi angles: 187.4,9.6	0.113Å	-	-
#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
		Avg: 124.27	Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278	Outliers: 34 of 278
73	VAL	43.52	-	Favored (5.1%) Isoleucine or valine / -66.6,-58.8	69.3% ( <i>t</i> ) chi angles: 171.7	0.104Å	-	-
74	LEU	120.77	-	Favored (94.82%) General / -59.9,-43.2	2.9% ( <i>tm?</i> ) chi angles: 188.9,275.6	0.074Å	-	-
75	LYS	92.14	-	Favored (57.86%) General / -77.9,-17.0	2.7% ( <i>ttmp?</i> ) chi angles: 201.7,189.6,304.8,79.5	0.075Å	-	-
76	GLY	28.71	-	Favored (32.94%) Glycine / -82.0,-31.1	-	-	-	-
77	GLU	73.29	-	Favored (43.37%) General / -78.7,-36.5	2.3% ( <i>tp10</i> ) chi angles: 206.3,67.9,297.9	0.06Å	-	-
78	SER	28.67	-	Favored (48.52%) General / -55.9,-26.8	55.6% ( <i>p</i> ) chi angles: 55.3	0.116Å	-	-
79	ALA	36.58	-	Favored (23.36%) General / -108.3,16.2	-	0.045Å	-	-
80	ALA	66.25	-	Favored (4.8%) General / -121.6,-27.1	-	0.095Å	-	-
81	SER	195.76	-	Allowed (0.6%) General / -82.1,-162.9	59.7% ( <i>p</i> ) chi angles: 72.7	0.097Å	-	-
82	GLU	265.7	-	Favored (19.49%) General / -108.8,156.5	0.3% chi angles: 86.1,75.2,57.2	0.144Å	-	-

83	ILE	88.92	-	Allowed (0.13%) Isoleucine or valine / -144.1,62.5	52.2% ( <i>mt</i> ) chi angles: 305.7,178.7	0.054Å	-	-	
84	ARG	198.75	-	Favored (21.79%) General / 59.9,37.2	97.8% ( <i>mtt180</i> ) chi angles: 290.9,186.2,174.4,186.1	0.141Å	-	OUTLIER(S) worst is C-N- CA: 4.16 σ	
85	VAL	77.25	-	OUTLIER (0%) Isoleucine or valine / 163.4,130.2	0.9% chi angles: 136.8	0.063Å	-	-	
86	ASP	128.54	0.452Å OD2 with 89 ASN HA	Allowed (0.46%) General / -59.5,106.4	0.9% chi angles: 295.8,49.1	0.043Å	-	-	
87	THR	87.12	-	Favored (56.76%) General / -75.5,-23.0	0.5% chi angles: 95.7	0.283Å	-	OUTLIER(S) worst is N-CA- CB: 4.217 σ	
88	LYS	69.92	-	Favored (31.23%) General / -142.8,140.1	49.6% ( <i>mttp</i> ) chi angles: 289.6,189,190.5,76.5	0.069Å	-	-	
89	ASN	57.49	0.452Å HA with 86 ASP OD2	Favored (24.29%) General / -69.8,124.5	18.8% ( <i>m120</i> ) chi angles: 283.6,112.9	0.078Å	-	-	
90	SER	164.78	-	Allowed (0.15%) General / 73.2,154.4	42.4% ( <i>t</i> ) chi angles: 181.1	0.094Å	-	-	
91	GLN	82.79	-	Favored (20.56%) General / -58.9,124.7	96.6% ( <i>mt-30</i> ) chi angles: 292.6,172.9,342.5	0.097Å	-	-	
92	VAL	61.77	-	Favored (69.54%) Isoleucine or valine / -126.8,127.0	78.4% ( <i>t</i> ) chi angles: 179.2	0.067Å	-	-	
#	Alt	Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278	Outliers: 34 of 278
93	LEU	148.87	-	Favored (28.28%) General /	2.5% ( <i>mm?</i> ) chi angles: 294.6,317.6	0.031Å	-	-	

			-118.5,156.9				
			Favored				
94	VAL 116.56	-	(54.52%)	7.6% ( <i>p</i> )	0.092Å	-	-
			Isoleucine or valine	chi angles: 59.1			
			/ -134.0,135.8				
			Favored				
95	ARG 134.86	-	(11.84%)	91.1% ( <i>mtm180</i> )	0.053Å	-	-
			General /	chi angles:			
			-121.0,168.2	293.6,177.3,291.3,173.4			
			Favored (2.5%)	12.8% ( <i>tmtt?</i> )			
96	LYS 110.69	-	General /	chi angles:	0.061Å	-	-
			-74.8,92.3	199.2,280.7,186.6,180.3			
			Favored				
97	LEU 74.49	-	(23.34%)	29.8% ( <i>tp</i> )	0.091Å	-	-
			General /	chi angles: 167.8,66.4			
			-109.7,111.7				
			Favored				
98	ASP 63.07	-	(53.69%)	51.5% ( <i>t0</i> )	0.029Å	-	-
			General /	chi angles: 188.4,13.6			
			-108.6,127.1				
			Favored				
99	LEU 81.38	-	(29.81%)	5.1% ( <i>mt</i> )	0.105Å	-	-
			General / -82.2,2.8	chi angles: 294.9,143.6			
			Favored				
100	SER 66.61	-	(27.96%)	16.7% ( <i>m</i> )	0.071Å	-	-
			General / -97.1,-9.5	chi angles: 307.4			
			Favored				
101	ASP 64.01	-	(5.09%)	10.2% ( <i>t0</i> )	0.061Å	-	-
			General /	chi angles: 164.8,11.5			
			-131.8,100.4				
			Favored				
102	THR 107.33	-	(68.15%)	14% ( <i>t</i> )	0.213Å	-	-
			General /	chi angles: 190			
			-58.5,-31.8				
			Favored				
103	LYS 66.57	-	(99.07%)	96.2% ( <i>mttt</i> )	0.144Å	-	-
			General /	chi angles:			
			-61.8,-42.5	289.8,187,175.7,183.1			
			Favored				
104	SER 88.71	-	(57.85%)	54.6% ( <i>p</i> )	0.204Å	-	-
			General /	chi angles: 73.6			
			-75.6,-26.6				
			Favored				
105	ILE 131.35	-	(86.67%)	0.4%	0.226Å	-	-
			Isoleucine or valine	chi angles: 236.3,295.5			
			/ -63.6,-39.8				
			Favored				
				10.6% ( <i>mmm180</i> )			

106	ARG	134.57	-	(78.54%) General / -69.1,-40.4 Favored	chi angles: 279.8,289.7,293,113.8	0.109Å	-	-
107	ALA	23.77	-	(85.66%) General / -58.2,-46.5 Favored	-	0.09Å	-	-
108	PHE	63.38	-	(79.21%) General / -69.0,-38.5 Favored	16% ( <i>t80</i> ) chi angles: 172.8,47.7	0.2Å	-	-
109	ALA	42.58	-	(67.05%) General / -58.0,-31.6 Favored	-	0.114Å	-	-
110	GLU	80.26	-	(40.4%) General / -79.5,-35.2 Allowed	55.1% ( <i>mm-40</i> ) chi angles: 282.6,310.7,311.3	0.106Å	-	-
111	GLY	36.4	-	(0.24%) Glycine / -67.9,28.4 Favored	-	-	-	OUTLIER(S) worst is C-N- CA: 4.256 σ
112	PHE	80.44	-	(8.18%) General / -163.9,143.9	7.8% ( <i>m-30</i> ) chi angles: 281.9,140.2	0.093Å	-	-

#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27			Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278	Outliers: 34 of 278
113	LEU	134.77	-	Favored (60.94%) General / -70.5,-47.3 Allowed	45.3% ( <i>tp</i> ) chi angles: 180.5,56.1	0.065Å	-	-
114	ALA	51.84	-	(0.08%) General / -177.6,113.6 Favored	-	0.08Å	-	-
115	GLU	119.5	-	(3.74%) General / -77.3,81.9 Allowed	4.5% ( <i>pm0</i> ) chi angles: 55.1,263.7,61.9	0.114Å	-	-
116	GLU	175.54	-	(0.47%) General /	1.5% ( <i>tt0</i> ) chi angles: 184.7,231.6,107.3	0.194Å	-	-



117	LYS	262.06	-	49.4,-111.3 OUTLIER (0.02%) General / 82.3,45.2	2% ( <i>ttpm?</i> ) chi angles: 200.9,164.1,83,308.7	0.252Å	-	-
118	GLN	130.36	-	Favored (21.08%) General / -81.4,-42.0	17.9% ( <i>tt0</i> ) chi angles: 178.5,187.3,112.9	0.037Å	-	-
119	LEU	232.59	-	Favored (4.92%) General / -95.8,180.0	7.7% ( <i>mp</i> ) chi angles: 264.7,58.1	0.11Å	-	-
120	HIS	212.87	-	Favored (6.41%) General / -82.0,89.7	8.9% ( <i>m170</i> ) chi angles: 300.4,211.2	0.128Å	-	-
121	ILE	246.39	-	Favored (91.4%) Isoleucine or valine / -61.8,-47.8	1.2% ( <i>tp</i> ) chi angles: 227.5,71.7	0.148Å	-	-
122	LEU	69.93	-	Favored (9.17%) General / -86.0,94.3	40.6% ( <i>tp</i> ) chi angles: 181.4,55.2	0.076Å	-	-
123	ILE	63.03	-	Favored (7.13%) Isoleucine or valine / -88.9,97.6	14.3% ( <i>mt</i> ) chi angles: 289,188.8	0.178Å	-	-
124	ASN	77.78	-	Favored (7.08%) General / -80.5,69.8	67.4% ( <i>m-80</i> ) chi angles: 289.1,282.3	0.034Å	-	-
125	ASN	107.01	-	Favored (6.12%) General / -80.9,-53.8	1.9% ( <i>t30</i> ) chi angles: 156.3,69	0.067Å	-	-
126	ALA	52.42	-	Favored (3.59%) General / -51.7,151.0	-	0.086Å	-	-
127	GLY	42.59	-	Favored (3.75%) Glycine / 173.1,142.2	-	-	-	-
128	VAL	123.43	-	Favored (4.9%) Isoleucine or valine / -90.0,147.9 Favored	7.4% ( <i>p</i> ) chi angles: 74	0.118Å	-	-

129	MET	125.09	-	(40.47%) General / -137.9,140.6	38.2% ( <i>ttp</i> ) chi angles: 179.9,159.9,62.2	0.148Å	-	OUTLIER(S) worst is C-N- CA: 4.545 $\sigma$
130	MET	139.48	-	OUTLIER (0.02%) General / 56.9,-8.9	0% chi angles: 241.5,206.2,201.4	0.177Å	-	-
131	CYS	40.41	-	Favored (12.92%) Pre-proline / -63.0,164.6	31.2% ( <i>p</i> ) chi angles: 65.3	0.069Å	-	-
132	PRO	63.86	-	Favored (13.28%) Trans-proline / -63.4,167.3	13.1% ( <i>Cg_exo</i> ) chi angles: 323.3	0.099Å	-	-
<div> <div>#</div> <div>Alt Res</div> <div>High B</div> <div>Clash &gt; 0.4Å</div> <div>Ramachandran</div> <div>Rotamer</div> <div>C<math>\beta</math> deviation</div> <div>Bond lengths</div> <div>Bond angles</div> </div> <div> <div>Avg: 124.27</div> <div>Clashscore: 0.68</div> <div>Outliers: 17 of 276</div> <div>Poor rotamers: 24 of 234</div> <div>Outliers: 12 of 259</div> <div>Outliers: 0 of 278</div> <div>Outliers: 34 of 278</div> </div>								
133	TYR	139.16	-	Favored (5.27%) General / -53.7,152.4	62.5% ( <i>t80</i> ) chi angles: 177.2,64.9	0.047Å	-	-
134	SER	54.02	-	Allowed (0.16%) General / 175.2,154.9	4.7% ( <i>p</i> ) chi angles: 42.3	0.035Å	-	-
135	LYS	72.92	-	Favored (16.25%) General / -100.9,158.1	43.5% ( <i>mtmt</i> ) chi angles: 297.8,200.6,303.7,179.3	0.091Å	-	-
136	THR	33.03	-	Favored (9.88%) General / -79.2,176.2	22.5% ( <i>p</i> ) chi angles: 49.3	0.05Å	-	-
137	ALA	34.67	-	Favored (78.2%) General / -66.8,-34.6	-	0.098Å	-	-
138	ASP	77.41	-	Allowed (0.17%) General / -67.1,9.9	4.5% ( <i>m-20</i> ) chi angles: 310.9,353.3	0.034Å	-	OUTLIER(S) worst is CA- CB-CG: 4.856 $\sigma$
139	GLY	39.01	-	Favored (2.54%) Glycine /	-	-	-	-

140	PHE 102.17	-	82.0,-36.0 Allowed (0.21%) General / -43.5,150.6	35.4% ( <i>m-85</i> ) chi angles: 307.4,300.4	0.141Å	-	-
141	GLU 147.02	-	Favored (26.9%) General / -69.3,125.5	0.2% chi angles: 94.4,74.8,359.6	0.112Å	-	-
142	THR 128.56	-	Favored (56.6%) General / -51.1,-39.6	15.9% ( <i>p</i> ) chi angles: 46.3	0.102Å	-	-
143	HIS 88.83	-	Favored (23.14%) General / -72.8,-3.1	14.4% ( <i>m80</i> ) chi angles: 313.5,76.4	0.114Å	-	-
144	LEU 96.48	-	Favored (3.8%) General / -117.3,-36.2	30.3% ( <i>tp</i> ) chi angles: 186.2,70.1	0.036Å	-	-
145	GLY 44.64	-	Favored (22.95%) Glycine / -67.3,-53.9	-	-	-	-
146	VAL 115.9	-	Favored (15.99%) Isoleucine or valine / -76.4,-24.5	3.6% ( <i>m</i> ) chi angles: 313.7	0.227Å	-	-
147	ASN 82.24	-	Favored (30.43%) General / -85.0,-20.5	38.5% ( <i>m-20</i> ) chi angles: 294.9,2.8	0.103Å	-	-
148	HIS 107.98	-	Allowed (0.48%) General / -139.1,-65.7	14.1% ( <i>t60</i> ) chi angles: 172.4,43.6	0.131Å	-	-
149	LEU 124.52	-	Favored (81.51%) General / -67.2,-43.6	2.9% ( <i>mm?</i> ) chi angles: 289.6,314.4	0.16Å	-	-
150	GLY 29.97	-	Favored (99.08%) Glycine / -61.0,-40.9	-	-	-	-
151	HIS 65.7	-	Favored (77.62%) General / -63.2,-34.4	63.8% ( <i>m80</i> ) chi angles: 284.6,88.2	0.131Å	-	-
			Favored				

152	PHE	59.27	-	(79.5%) General / -65.1,-46.8	76.1% ( <i>t80</i> ) chi angles: 178.3,69	0.076Å	-	-
#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278
153	LEU	98.03	-	Favored (96.94%) General / -60.4,-43.3	57.3% ( <i>mt</i> ) chi angles: 307.2,179.8	0.089Å	-	-
154	LEU	52.29	-	Favored (93.21%) General / -59.6,-44.8	41.3% ( <i>tp</i> ) chi angles: 185.3,58.5	0.026Å	-	-
155	THR	47.6	-	Favored (84.61%) General / -66.7,-37.4	77.8% ( <i>m</i> ) chi angles: 297.1	0.181Å	-	-
156	TYR	104.02	-	Favored (64.55%) General / -62.4,-52.2	60.7% ( <i>t80</i> ) chi angles: 172.4,67.8	0.056Å	-	-
157	LEU	59.98	-	Favored (81.77%) General / -66.2,-36.0	83.8% ( <i>mt</i> ) chi angles: 300.1,173.6	0.132Å	-	-
158	LEU	83.5	-	Favored (50.87%) General / -80.3,-17.8	81% ( <i>mt</i> ) chi angles: 302,180.7	0.164Å	-	-
159	LEU	77.13	-	Favored (72.93%) General / -68.9,-33.0	37.3% ( <i>mt</i> ) chi angles: 284.8,162.2	0.136Å	-	-
160	GLU	71.75	-	Favored (3.3%) General / -72.7,-58.5	0.4% chi angles: 149.9,29.6,45.9	0.133Å	-	-
161	ARG	90.56	-	Favored (99.57%) General / -62.6,-42.5	96.7% ( <i>mtt180</i> ) chi angles: 286.9,188.4,178.3,171.7	0.185Å	-	-
162	LEU	151.09	-	Favored (7.95%) General /	0% chi angles: 310,34.7	0.076Å	-	OUTLIER(S) worst is C-N- CA: 4.514 σ

163	LYS	231.57	-	-89.4,68.5 Allowed (0.29%) General / -46.6,154.6	0% chi angles: 205.6,147.1,266.1,62.1	0.162Å	-	OUTLIER(S) worst is C-N- CA: 5.173 $\sigma$
164	VAL	160.06	-	Isoleucine or valine / -46.6,-31.6 Allowed (1.55%)	5.9% ( <i>p</i> ) chi angles: 75	0.181Å	-	-
165	SER	51.06	-	-85.7,-101.5 General / Allowed (0.06%)	77.9% ( <i>p</i> ) chi angles: 58.9	0.193Å	-	-
166	ALA	54.33	-	-69.2,-31.9 Pre-proline / Favored (3.02%)	-	0.161Å	-	-
167	PRO	228.32	-	-61.5,72.3 Trans-proline / OUTLIER (0.09%)	0.9% chi angles: 320.9	0.063Å	-	OUTLIER(S) worst is C-N- CA: 4.683 $\sigma$
168	ALA	103.41	-	25.3,-126.1 General / OUTLIER (0.01%)	-	0.235Å	-	-
169	ARG	235.77	-	-153.1,161.9 General / Favored (41.97%)	0% chi angles: 291.1,89.1,224.5,206	0.087Å	-	-
170	VAL	75.62	-	-94.9,166.6 Isoleucine or valine / -94.9,166.6 Allowed (1.77%)	72.1% ( <i>t</i> ) chi angles: 171.9	0.15Å	-	-
171	VAL	90.06	-	-119.9,143.3 Isoleucine or valine / -119.9,143.3 Favored (31.83%)	3.6% ( <i>t</i> ) chi angles: 156.7	0.082Å	-	-
172	ASN	74.14	-	-125.8,145.4 General / Favored (50.24%)	0% chi angles: 339.9,124.5	0.027Å	-	OUTLIER(S) worst is CA- CB-CG: 5.358 $\sigma$

#	Alt	Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	C $\beta$ deviation	Bond lengths	Bond angles
---	-----	-----	--------	-----------------	--------------	---------	------------------------	-----------------	-------------

Avg:	Clashscore:	Outliers: 17 of	Poor rotamers: 24 of	Outliers:	Outliers:	Outliers:
124.27	0.68	276	234	12 of 259	0 of 278	34 of 278

173	VAL	77.62	-	Favored (57.54%) Isoleucine or valine / -125.1,120.1	6.3% ( <i>t</i> ) chi angles: 193.8	0.055Å	-	-
174	SER	143.26	-	Allowed (0.34%) General / -109.0,-133.7	95.5% ( <i>p</i> ) chi angles: 66.7	0.171Å	-	-
175	SER	107.93	-	Favored (30.64%) General / -158.2,167.1	42.8% ( <i>t</i> ) chi angles: 177.9	0.036Å	-	-
176	VAL	169.83	-	Favored (12.89%) Isoleucine or valine / -80.6,-13.5	3.2% ( <i>p</i> ) chi angles: 80.1	0.162Å	-	-
177	ALA	104.75	-	Allowed (0.21%) General / -61.0,0.5	-	0.04Å	-	-
178	HIS	136.37	-	Allowed (1.03%) General / -65.6,2.2	29.7% ( <i>p-80</i> ) chi angles: 78.6,275.4	0.186Å	-	OUTLIER(S) worst is CA- CB-CG: 5.411 σ
179	HIS	105.73	-	Favored (58.51%) General / -77.2,-17.4	3.7% ( <i>t-80</i> ) chi angles: 203.4,316.4	0.059Å	-	OUTLIER(S) worst is CA- CB-CG: 5.288 σ
180	ILE	157.37	-	Allowed (0.29%) Isoleucine or valine / -142.4,-13.4	2.4% ( <i>tp</i> ) chi angles: 213.5,79.3	0.149Å	-	-
181	GLY	63.94	-	Favored (48.1%) Glycine / -64.5,144.2	-	-	-	-
182	LYS	87.5	-	Favored (36.97%) General / -123.7,155.9	54.9% ( <i>mtmt</i> ) chi angles: 297.4,195,293.3,183.9	0.044Å	-	-
183	ILE	138.76	-	Favored (37.42%) Pre-proline / -118.8,89.1	44.9% ( <i>mm</i> ) chi angles: 300.9,296.2	0.05Å	-	-
184	PRO	120.69	-	Allowed (0.3%) Trans-proline / -90.8,105.8	47.7% ( <i>Cg_endo</i> ) chi angles: 35.3	0.038Å	-	-
				Favored (94.71%)	95.8% ( <i>m-85</i> )			

185	PHE	115.05	-	General / -60.6,-41.5	chi angles: 297.8,282.3	0.163Å	-	-
186	HIS	90.21	-	Favored (77.92%) General / -66.8,-34.5	62.2% ( <i>t60</i> ) chi angles: 188.1,82.7	0.107Å	-	-
187	ASP	180.94	-	Allowed (1.07%) General / -111.0,46.4	83.2% ( <i>m-20</i> ) chi angles: 296.5,340.7	0.066Å	-	-
188	LEU	97.32	-	Favored (41.74%) General / -81.2,-20.1	3.6% ( <i>tp</i> ) chi angles: 220.5,69.7	0.135Å	-	-
189	GLN	140.17	-	Favored (2.85%) General / -136.9,5.8	0.9% chi angles: 303.7,88.8,254.6	0.082Å	-	-
190	SER	196.77	-	Favored (13.46%) General / -78.8,172.6	8.9% ( <i>t</i> ) chi angles: 193.3	0.05Å	-	OUTLIER(S) worst is C-N- CA: 5.703 $\sigma$
191	GLU	141.52	-	OUTLIER (0%) General / -56.2,12.7	0% chi angles: 55.3,36.4,259.3	0.068Å	-	-
192	LYS	115.39	-	Favored (6.19%) General / -79.6,72.0	45.6% ( <i>mmtm</i> ) chi angles: 292.6,300.4,187.6,304.5	0.118Å	-	OUTLIER(S) worst is C-N- CA: 4.246 $\sigma$

#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	C $\beta$ deviation	Bond lengths	Bond angles
---	---------	--------	-----------------	--------------	---------	------------------------	-----------------	-------------

Avg:	Clashscore:	Outliers: 17 of	Poor rotamers: 24 of	Outliers:	Outliers:	Outliers: 34
124.27	0.68	276	234	12 of 259	0 of 278	of 278

193	ARG	112.01	-	Favored (2.48%) General / 45.5,61.7	61.3% ( <i>mmt-85</i> ) chi angles: 315.4,301.1,176.8,270.6	0.156Å	-	-
194	TYR	91.21	-	Favored (2.07%) General / -40.4,132.1	45% ( <i>t80</i> ) chi angles: 175,93.7	0.067Å	-	-
195	SER	100.86	-	Favored (50.08%) General / -127.0,148.1	89% ( <i>p</i> ) chi angles: 65.7	0.031Å	-	-
				Favored	45% ( <i>mtm 105</i> )			

196	ARG	107.71	-	(76.54%) General / -60.2,-35.9 Favored	chi angles: 295,188,297.6,101.6	0.105Å	-	-
197	GLY	51.63	-	(12.32%) Glycine / -73.0,-50.6 Favored	-	-	-	-
198	PHE	72.95	-	(57.48%) General / -75.3,-24.8 Favored	55.6% ( <i>m</i> -85) chi angles: 282.4,89.9	0.196Å	-	-
199	ALA	42.08	-	(98.28%) General / -63.6,-41.4 Favored	-	0.073Å	-	-
200	TYR	78.18	-	(73.7%) General / -66.0,-47.7 Favored	37.5% ( <i>t</i> 80) chi angles: 174.3,58.3	0.061Å	-	-
201	CYS	60.18	-	(95.11%) General / -60.0,-43.7 Favored	95.1% ( <i>m</i> ) chi angles: 293.9	0.154Å	-	-
202	HIS	75.92	-	(80.91%) General / -64.1,-35.5 Favored	2.9% ( <i>p</i> -80) chi angles: 90.6,301.2	0.199Å	-	OUTLIER(S) worst is CA- CB-CG: 8.376 σ
203	SER	101.46	-	(25.03%) General / -83.6,-34.7 Favored	16% ( <i>m</i> ) chi angles: 308	0.042Å	-	-
204	LYS	143.54	-	(56.41%) General / -83.8,-11.9 Favored	70.5% ( <i>m</i> mtt) chi angles: 297.8,307.4,192.2,184.1	0.27Å	-	-
205	LEU	132.3	-	(78.03%) General / -64.7,-47.5 Favored	0.8% chi angles: 194.6,305.9	0.04Å	-	-
206	ALA	49.87	-	(70.16%) General / -55.6,-39.0 Favored	-	0.094Å	-	-
207	ASN	81.16	-	(69.9%) General / -67.2,-30.1 Favored	1.6% ( <i>m</i> 120) chi angles: 290.1,193.5	0.194Å	-	OUTLIER(S) worst is CA- CB-CG: 8.081 σ



208	VAL	152.71	-	Favored (55.04%) Isoleucine or valine /-70.4,-33.8	15.6% ( <i>m</i> ) chi angles: 305.8	0.277Å	-	OUTLIER(S) worst is N-CA- CB: 4.266 $\sigma$
209	LEU	71.19	-	Favored (28.19%) General / -82.8,-31.8	56% ( <i>mt</i> ) chi angles: 307.9,177.8	0.086Å	-	-
210	PHE	78.7	-	Favored (70.04%) General / -56.5,-37.2	84.7% ( <i>t80</i> ) chi angles: 181.7,73.1	0.088Å	-	-
211	THR	69.96	-	Favored (50.07%) General / -49.8,-48.8	7.3% ( <i>m</i> ) chi angles: 314.7	0.071Å	-	-
212	ARG	182.06	-	Favored (44.17%) General / -79.8,-21.5	7.3% ( <i>tpm_?</i> ) chi angles: 185,60.7,275.5,187	0.086Å	-	-
<div> <div>#</div> <div>Alt Res</div> <div>High B</div> <div>Clash &gt; 0.4Å</div> <div>Ramachandran</div> <div>Rotamer</div> <div>C<math>\beta</math> deviation</div> <div>Bond lengths</div> <div>Bond angles</div> </div> <div> <div>Avg: 124.27</div> <div>Clashscore: 0.68</div> <div>Outliers: 17 of 276</div> <div>Poor rotamers: 24 of 234</div> <div>Outliers: 12 of 259</div> <div>Outliers: 0 of 278</div> <div>Outliers: 34 of 278</div> </div>								
213	GLU	102.08	-	Favored (14.56%) General / -90.8,-35.8	36.3% ( <i>tp10</i> ) chi angles: 177.9,51.8,13.9	0.118Å	-	-
214	LEU	144.29	-	Favored (94.29%) General / -60.2,-45.1	61% ( <i>tp</i> ) chi angles: 176.9,59.7	0.079Å	-	-
215	ALA	61.08	-	Favored (20.67%) General / -73.2,-2.2	-	0.081Å	-	-
216	LYS	146.29	-	Favored (29.11%) General / -79.7,-40.4	3.7% ( <i>tmmm?</i> ) chi angles: 182.9,278.4,305.9,300.1	0.143Å	-	-
217	ARG	70.09	-	Favored (26.34%) General / -82.6,-36.2	43.5% ( <i>tpt85</i> ) chi angles: 179.5,59.6,189.4,98.5	0.201Å	-	-
218	LEU	139	-	Favored (6.04%) General /	10.2% ( <i>mp</i> ) chi angles: 280.1,59.5	0.122Å	-	-

219	GLN	89.88	-	-87.8,60.7 Favored (5.21%) General / -119.6,-28.9	8.1% ( <i>tp60</i> ) chi angles: 193.8,52,96.2	0.065Å	-	-
220	GLY	45.97	-	Allowed (0.3%) Glycine / -130.1,87.5	-	-	-	-
221	THR	130.17	-	Allowed (0.13%) General / -154.8,-63.8	2.6% ( <i>p</i> ) chi angles: 39.2	0.085Å	-	-
222	GLY	54.18	-	Allowed (0.84%) Glycine / 130.6,-52.0	-	-	-	-
223	VAL	132.42	-	Favored (20.94%) Isoleucine or valine / -68.7,139.2	17.9% ( <i>m</i> ) chi angles: 291.7	0.108Å	-	-
224	THR	155.12	-	Allowed (0.66%) General / -158.5,-157.9	13.4% ( <i>t</i> ) chi angles: 190.6	0.319Å	-	OUTLIER(S) worst is C-CA- CB: 4.354 $\sigma$
225	THR	133.18	-	Favored (39.77%) General / -144.1,151.6	13.5% ( <i>t</i> ) chi angles: 190.4	0.106Å	-	-
226	TYR	124.84	-	Favored (3.11%) General / -112.9,-177.3	14.7% ( <i>m-30</i> ) chi angles: 294.1,354.5	0.041Å	-	OUTLIER(S) worst is CA- CB-CG: 4.207 $\sigma$
227	ALA	85.56	-	Favored (26.56%) General / -162.1,165.9	-	0.059Å	-	-
228	VAL	158.02	-	Allowed (0.52%) Isoleucine or valine / -148.7,-178.1	8.5% ( <i>p</i> ) chi angles: 70.4	0.136Å	-	-
229	HIS	152.9	-	Allowed (1.57%) Pre-proline / -166.4,130.0	24.9% ( <i>p80</i> ) chi angles: 73.7,83	0.05Å	-	-
230	PRO	164.25	-	Favored (2%) Trans-proline / -81.7,109.3 Favored	94% ( <i>Cg_endo</i> ) chi angles: 30.8	0.017Å	-	-

231	GLY	98.78	-	(91.6%) Glycine / -65.8,-44.8 Favored	-	-	-	-
232	VAL	157.39	-	(77.16%) Isoleucine or valine / -61.8,-37.0	18% ( <i>m</i> ) chi angles: 291.8	0.221Å	-	-
#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278
233	VAL	181.19	-	Favored (7.63%) Isoleucine or valine / -105.1,13.7	60.9% ( <i>t</i> ) chi angles: 181.2	0.21Å	-	-
234	ARG	269.11	-	Favored (21.35%) General / -109.3,17.6	10.5% ( <i>mmt85</i> ) chi angles: 290.3,288.5,169.1,117.6	0.198Å	-	-
235	SER	136.67	-	Favored (3.42%) General / -119.2,-177.8	0.3% chi angles: 241.4	0.145Å	-	-
236	GLU	224.8	-	Allowed (0.99%) General / -87.9,41.3	30% ( <i>mp0</i> ) chi angles: 307.3,71.8,12.9	0.061Å	-	-
237	LEU	328.28	-	Favored (36%) General / -80.7,135.5	10.3% ( <i>mp</i> ) chi angles: 279.4,58.3	0.044Å	-	-
238	VAL	361.18	-	OUTLIER (0.04%) Isoleucine or valine / -79.9,-157.8	28.2% ( <i>m</i> ) chi angles: 301.4	0.253Å	-	OUTLIER(S) worst is C-N- CA: 4.94 σ
239	ARG	374.78	-	OUTLIER (0.01%) General / -4.0,98.6	99.7% ( <i>mtt180</i> ) chi angles: 295.9,181.2,177.8,179	0.052Å	-	-
240	HIS	277.74	-	Allowed (0.37%) General / -147.9,-14.4	4.9% ( <i>p-80</i> ) chi angles: 56.2,245.3	0.064Å	-	-
241	SER	148.65	-	Allowed (0.28%) General / 44.0,-139.7 Favored	20.3% ( <i>t</i> ) chi angles: 169.8	0.271Å	-	OUTLIER(S) worst is C-CA- CB: 4.575 σ

242	SER	133.54	-	(15.32%) General / -116.6,13.5 Allowed	55.8% ( <i>p</i> ) chi angles: 55.3	0.077Å	-	-
243	LEU	201.95	-	(1.88%) General / -86.6,49.8 Favored	51.8% ( <i>mt</i> ) chi angles: 306.8,183.1	0.058Å	-	-
244	LEU	277.91	-	(18.84%) General / -86.1,109.4 Favored	0.5% chi angles: 275.1,28.9	0.025Å	-	-
245	CYS	110.49	-	(18.98%) General / -60.9,155.8 Favored	73.5% ( <i>m</i> ) chi angles: 296.9	0.052Å	-	-
246	LEU	264.8	-	(11.94%) General / -134.4,173.2 Favored	0.2% chi angles: 316.9,306.3	0.127Å	-	-
247	LEU	344.54	0.423Å HB2 with 283 SER HA	(3.88%) General / -148.0,107.2 OUTLIER	46% ( <i>tp</i> ) chi angles: 177,55.8	0.07Å	-	OUTLIER(S) worst is C-N- CA: 4.195 $\sigma$
248	TRP	450.74	0.421Å HB2 with 247 LEU O	(0.01%) General / 160.1,172.8 OUTLIER	1.7% ( <i>t-105</i> ) chi angles: 220,270.2	0.131Å	-	OUTLIER(S) worst is C-N- CA: 5.66 $\sigma$
249	ARG	426.24	-	(0.02%) General / 92.7,121.9 Allowed	24% ( <i>tpt85</i> ) chi angles: 177.5,49.8,160.9,92.8	0.11Å	-	-
250	LEU	311.48	-	(1.47%) General / -48.0,149.1 Allowed	49.3% ( <i>tp</i> ) chi angles: 184.8,62.5	0.066Å	-	-
251	PHE	250.74	-	(1.35%) General / -41.8,138.8 Favored	30.9% ( <i>m-85</i> ) chi angles: 304.2,305.3	0.097Å	-	-
252	SER	163.36	-	(28.47%) Pre-proline / -118.6,140.6	15.2% ( <i>m</i> ) chi angles: 308.6	0.09Å	-	-

#	Alt	Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of	Outliers: 0 of 278	Outliers: 34 of 278

						259		
253	PRO 153.91	-	Allowed (1.26%) Trans-proline / -82.1,-30.4	63.1% ( <i>Cg_endo</i> ) chi angles: 34.2	0.056Å	-	-	-
254	PHE 183.36	-	Favored (13.23%) General / -48.2,135.4	20.2% ( <i>m-85</i> ) chi angles: 315.5,116.7	0.052Å	-	-	-
255	VAL 139.98	-	Allowed (0.66%) Isoleucine or valine / -105.5,-178.9	27.7% ( <i>m</i> ) chi angles: 295.6	0.159Å	-	-	-
256	LYS 305.67	-	Favored (16.93%) General / 61.7,35.7	98.5% ( <i>mttt</i> ) chi angles: 297,180.3,179,180.6	0.15Å	-	-	-
257	THR 276.04	-	Favored (7.65%) General / -81.8,96.5	58.1% ( <i>p</i> ) chi angles: 56.4	0.025Å	-	-	-
258	ALA 210.82	-	OUTLIER (0.01%) General / -67.5,-145.8	-	0.222Å	-	-	-
259	ARG 213.72	-	Favored (5.38%) General / -130.7,13.6	40.3% ( <i>ptt180</i> ) chi angles: 61.4,182.2,180.6,181.2	0.049Å	-	-	-
260	GLU 247.55	-	Favored (24.42%) General / -92.9,112.5	7.8% ( <i>mp0</i> ) chi angles: 309.5,64.2,52.8	0.053Å	-	-	-
261	GLY 105.41	-	Favored (61.71%) Glycine / -73.3,-31.1	-	-	-	-	-
262	ALA 78.65	-	Favored (78.28%) General / -55.9,-46.7	-	0.026Å	-	-	-
263	GLN 161.92	-	Favored (98.51%) General / -63.5,-42.1	4.1% ( <i>tt0</i> ) chi angles: 196.8,207.6,135.4	0.08Å	-	-	-
264	THR 202.67	-	Favored (71.9%) General /	6.8% ( <i>p</i> ) chi angles: 42.7	0.192Å	-	-	-

265	SER	84.86	-	-63.1,-30.8 Favored (78.2%) General / -69.1,-37.1	57.4% ( <i>m</i> ) chi angles: 299.4	0.102Å	-	-
266	LEU	87.95	-	Favored (80.53%) General / -65.5,-35.3	89.5% ( <i>mt</i> ) chi angles: 299.8,178.9	0.122Å	-	-
267	HIS	94.4	-	Favored (97.79%) General / -62.1,-41.0	13% ( <i>m-70</i> ) chi angles: 287.6,228.8	0.102Å	-	-
268	CYS	116.65	-	Favored (71.45%) General / -63.4,-30.3	6.4% ( <i>t</i> ) chi angles: 199.9	0.112Å	-	-
269	ALA	131.85	-	Favored (56.49%) General / -77.1,-7.8	-	0.097Å	-	OUTLIER(S) worst is C-N- CA: 5.728 σ
270	LEU	308.31	-	OUTLIER (0%) General / 128.4,7.2	9.3% ( <i>tp</i> ) chi angles: 193.6,43.8	0.215Å	-	-
271	ALA	133.76	-	Favored (12.15%) General / -73.1,0.2	-	0.18Å	-	-
272	GLU	143.4	-	Favored (9.46%) General / -151.8,178.4	4.1% ( <i>pt-20</i> ) chi angles: 85.5,163.8,257.2	0.164Å	-	-
#	Alt Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27			Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278	Outliers: 34 of 278
273	GLY	71.24	-	Favored (4.57%) Glycine / -79.5,117.7	-	-	-	-
274	LEU	210.77	-	Favored (5.24%) General / -146.5,-176.6	29.5% ( <i>mt</i> ) chi angles: 289.7,158.8	0.06Å	-	OUTLIER(S) worst is C-N- CA: 6.208 σ
275	GLU	359.39	-	OUTLIER (0%) Pre-proline / 157.9,-45.0 Favored	2.6% ( <i>tm-20</i> ) chi angles: 178.7,295.1,298.9	0.199Å	-	-

276	PRO	211.07	-	(57.33%) Trans-proline / -52.7,135.9 Favored	28% (Cg_exo) chi angles: 324.9	0.055Å	-	-
277	LEU	186.18	-	(6.15%) General / -53.8,151.7 Favored	7.3% (mp) chi angles: 285.3,55.7	0.049Å	-	-
278	SER	125.06	-	(42.53%) General / -74.7,138.0 Favored	40.6% (t) chi angles: 181.4	0.062Å	-	-
279	GLY	95.24	-	(35.41%) Glycine / 179.0,-166.1 Favored	-	-	-	-
280	LYS	167.75	-	(5.46%) General / -117.0,175.7 Favored	33.4% (mttm) chi angles: 263.3,188.6,180.2,293.1	0.044Å	-	-
281	TYR	159.78	-	(33.51%) General / -73.1,-48.7 Favored	1.2% (t80) chi angles: 176.4,118.5	0.071Å	-	OUTLIER(S) worst is CA- CB-CG: 4.483 σ
282	PHE	226.87	-	(14.41%) General / -99.0,-25.9 Favored	33.2% (t80) chi angles: 194.7,91	0.054Å	-	OUTLIER(S) worst is C-N- CA: 4.177 σ
283	SER	265	0.423Å HA with 247 LEU HB2	OUTLIER (0%) General / 112.9,-42.3 Favored	47.4% (t) chi angles: 180.1	0.205Å	-	OUTLIER(S) worst is N-CA- CB: 4.215 σ
284	ASP	112.42	-	(4.08%) General / -130.8,-4.1 Favored	0.8% chi angles: 328,295.7	0.057Å	-	-
285	CYS	124.36	-	(2.45%) General / -166.9,-173.7 Favored	7.1% (p) chi angles: 49.3	0.07Å	-	-
286	LYS	198.14	-	Allowed (0.19%) General / 68.7,-163.3 OUTLIER	55.6% (mttp) chi angles: 304.9,174.1,184.6,71.5	0.268Å	-	OUTLIER(S) worst is C-CA- CB: 4.223 σ
287	ARG	169.79	-	(0.03%) General / -82.0,-132.9 Favored	10.5% (ptp180) chi angles: 58.7,170.5,75.3,220	0.294Å	-	OUTLIER(S) worst is C-CA- CB: 4.176 σ
				(20.12%)	22% (p)			

288	THR	258.81	-	General / -111.1,157.3	chi angles: 49.1	0.048Å	-	-
289	TRP	288.47	-	Allowed (1%) General / -175.5,149.5	58.3% ( <i>t</i> -105) chi angles: 172.1,243	0.107Å	-	OUTLIER(S) worst is C-N- CA: 4.106 σ
290	VAL	243.63	-	OUTLIER (0.03%) Isoleucine or valine / -93.2,-145.5	2.7% ( <i>p</i> ) chi angles: 81.1	0.319Å	-	OUTLIER(S) worst is C-CA- CB: 4.866 σ
291	SER	177.14	-	Allowed (1.96%) Pre-proline / -156.8,109.8	16% ( <i>m</i> ) chi angles: 283.2	0.047Å	-	-
292	PRO	130.67	-	Favored (6.27%) Trans-proline / -84.5,-15.3	12.9% ( <i>Cg_endo</i> ) chi angles: 39.7	0.04Å	-	-

#	Alt	Res	High B	Clash > 0.4Å	Ramachandran	Rotamer	Cβ deviation	Bond lengths	Bond angles
Avg: 124.27				Clashscore: 0.68	Outliers: 17 of 276	Poor rotamers: 24 of 234	Outliers: 12 of 259	Outliers: 0 of 278	Outliers: 34 of 278
293	ARG	189.56	-		Favored (2.45%) General / -73.0,98.0	7.6% ( <i>mmt180</i> ) chi angles: 259.6,281.2,179.3,159.2	0.053Å	-	-
294	ALA	74.64	-		Allowed (1.2%) General / -139.4,-11.8	-	0.061Å	-	-
295	ARG	114.88	-		Allowed (1.97%) General / -85.7,50.5	73.6% ( <i>ttt180</i> ) chi angles: 192.8,177.8,178.1,179.4	0.079Å	-	-
296	ASN	64.72	-		Favored (2.62%) General / -149.4,97.2	12% ( <i>m120</i> ) chi angles: 293.6,153	0.099Å	-	OUTLIER(S) worst is CA- CB-CG: 7.402 σ
297	ASN	84.45	-		Favored (20.62%) General / -83.9,-38.9	16.7% ( <i>p</i> -10) chi angles: 58.4,303.1	0.102Å	-	-
298	LYS	89.34	-		Favored (61.25%) General / -72.2,-23.3	36.1% ( <i>mttm</i> ) chi angles: 300.1,201.6,166.1,284.1	0.222Å	-	-
					Favored				



299	THR 103.53	-	(70.49%) General / -60.2,-31.8 Favored	1.7% ( <i>p</i> ) chi angles: 37.2	0.124Å	-	-
300	ALA 40.25	-	(13.86%) General / -97.8,-28.5 Favored	-	0.078Å	-	-
301	GLU 86.77	-	(65.15%) General / -73.6,-34.7 Favored	4.2% ( <i>pt-20</i> ) chi angles: 84.9,203.6,34.5	0.2Å	-	-
302	ARG 72.72	-	(67.21%) General / -68.7,-28.9 Favored	15.9% ( <i>tpp180</i> ) chi angles: 166.6,55.8,72.6,173.2	0.163Å	-	-
303	LEU 56.07	-	(73.41%) General / -66.4,-32.2 Favored	17.6% ( <i>tp</i> ) chi angles: 192.7,72	0.101Å	-	-
304	TRP 70.38	-	(53.68%) General / -63.2,-53.4 Favored	47.6% ( <i>t-105</i> ) chi angles: 177,271.5	0.088Å	-	OUTLIER(S) worst is CE3- CD2-CG: 4.28 σ
305	ASN 69.55	-	(58.32%) General / -76.3,-19.3 Allowed	0.4% chi angles: 96.8,289.1	0.27Å	-	-
306	VAL 85.59	-	(0.73%) Isoleucine or valine / -73.9,5.5 Favored	0.3% chi angles: 94.9	0.209Å	-	-
307	SER 48.37	-	(23.99%) General / -100.6,-7.4 Favored	17.2% ( <i>m</i> ) chi angles: 307.3	0.089Å	-	-
308	CYS 77.9	-	(9.81%) General / -118.1,-16.2 Favored	6% ( <i>p</i> ) chi angles: 48	0.159Å	-	-
309	GLU 23.43	-	(57.44%) General / -78.3,-16.8 Favored	55.4% ( <i>mt-10</i> ) chi angles: 298.8,168.4,313.4	0.082Å	-	-
310	LEU 34.93	-	-	53.5% ( <i>mt</i> ) chi angles: 306.2,173.7	0.079Å	-	-

About [MolProbity](#) | [Website for the Richardson Lab](#) | Using [ecloud x-H](#) | Internal reference 4.1-537