```
out of 4490 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 3166, 71%
LFC < 0 (down)     : 1324, 29%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 3)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 1: Significant DEGs Hippocampus vs Cortex"
```

```
out of 14 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 5, 36%
LFC < 0 (down)     : 9, 64%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 1)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 2: Significant DEGs PreFrontalCortex vs Cortex"
```

```
out of 444 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 325, 73%
LFC < 0 (down)     : 119, 27%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 4)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 3: Significant Striatum vs PreFrontalCortex"
```

```
out of 61 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 49, 80%
LFC < 0 (down)     : 12, 20%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 60)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 4: Significant DEGs Striatum vs Cortex"
```

```
out of 5300 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 3476, 66%
LFC < 0 (down)     : 1824, 34%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 3)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 5: Significant DEGs Hippocampus vs Striatum"
```

```
out of 5517 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 3399, 62%
LFC < 0 (down)     : 2118, 38%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 3)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 6: Significant Hippocampus vs VTA"
```

```
out of 478 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 154, 32%
LFC < 0 (down)     : 324, 68%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 60)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 7: Significant DEGs Striatum vs VTA"
```

```
out of 1739 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 656, 38%
LFC < 0 (down)     : 1083, 62%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 4)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 8: Significant DEGs PreFrontalCortex vs VTA"
```

```
out of 1337 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 531, 40%
LFC < 0 (down)     : 806, 60%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 20)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 9: Significant DEGs Cortex vs VTA"
```

```
out of 5521 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)       : 3751, 68%
LFC < 0 (down)     : 1770, 32%
outliers [1]       : 0, 0%
low counts [2]     : 0, 0%
(mean count < 2)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 10: Significant DEGs Hippocampus vs PreFrontalCortex"
```