

out of 519 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 377, 73%

LFC < 0 (down) : 142, 27%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 59)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 1: Significant H3K27ac DEPGs Hippocampus vs Cortex"

out of 519 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 377, 73%

LFC < 0 (down) : 142, 27%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 59)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 2: Significant H3K27ac DEPGs PreFrontalCortex vs Cortex"

out of 3 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 2, 67%

LFC < 0 (down) : 1, 33%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 3)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 3: Significant H3K27ac DEPGs Striatum vs PreFrontalCortex"

```
out of 307 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)      : 5, 1.6%
LFC < 0 (down)    : 302, 98%
outliers [1]      : 0, 0%
low counts [2]    : 0, 0%
(mean count < 640)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 4: Significant H3K27ac DEPGs Striatum vs Cortex"
```

out of 153 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 144, 94%

LFC < 0 (down) : 9, 5.9%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 11)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 5: Significant H3K27ac DEPGs Hippocampus vs Striatum"

```
out of 317 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)      : 259, 82%
LFC < 0 (down)    : 58, 18%
outliers [1]      : 0, 0%
low counts [2]    : 0, 0%
(mean count < 3)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 6: Significant H3K27ac DEPGs Hippocampus vs VTA"
```

out of 154 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 84, 55%

LFC < 0 (down) : 70, 45%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 8)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 7: Significant H3K27ac DEPGs Striatum vs VTA"

out of 521 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 220, 42%

LFC < 0 (down) : 301, 58%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 59)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 8: Significant H3K27ac DEPGs PreFrontalCortex vs VTA"

out of 1670 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 1071, 64%

LFC < 0 (down) : 599, 36%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 44)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 9: Significant H3K27ac DEPGs Cortex vs VTA"

out of 227 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 210, 93%

LFC < 0 (down) : 17, 7.5%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 36)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 10: Significant H3K27ac DEPGs Hippocampus vs PreFrontalCortex"