

out of 16 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 15, 94%

LFC < 0 (down) : 1, 6.2%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 46)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 1: Significant H3K27me3 DEPGs Hippocampus vs Cortex"

```
[1] "Results Sig 2: Significant H3K27me3 DEPGs PreFrontalCortex vs Cortex -- NO SIG
```

out of 1 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 0, 0%

LFC < 0 (down) : 1, 100%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 1)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 3: Significant H3K27me3 DEPGs Striatum vs PreFrontalCortex"

out of 5 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 1, 20%

LFC < 0 (down) : 4, 80%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 416)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 4: Significant H3K27me3 DEPGs Striatum vs Cortex"

out of 1691 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 1183, 70%

LFC < 0 (down) : 508, 30%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 35)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 5: Significant H3K27me3 DEPGs Hippocampus vs Striatum"

```
out of 6 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)      : 6, 100%
LFC < 0 (down)    : 0, 0%
outliers [1]      : 0, 0%
low counts [2]    : 0, 0%
(mean count < 30)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 6: Significant H3K27me3 DEPGs Hippocampus vs VTA"
```

out of 590 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 199, 34%

LFC < 0 (down) : 391, 66%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 46)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 7: Significant H3K27me3 DEPGs Striatum vs VTA"

out of 344 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 189, 55%

LFC < 0 (down) : 155, 45%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 111)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 8: Significant H3K27me3 DEPGs PreFrontalCortex vs VTA"


```
out of 151 with nonzero total read count
adjusted p-value < 0.05
LFC > 0 (up)      : 25, 17%
LFC < 0 (down)    : 126, 83%
outliers [1]      : 0, 0%
low counts [2]    : 0, 0%
(mean count < 35)
[1] see 'cooksCutoff' argument of ?results
[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 9: Significant H3K27me3 DEPGs Cortex vs VTA"
```

out of 756 with nonzero total read count

adjusted p-value < 0.05

LFC > 0 (up) : 525, 69%

LFC < 0 (down) : 231, 31%

outliers [1] : 0, 0%

low counts [2] : 0, 0%

(mean count < 99)

[1] see 'cooksCutoff' argument of ?results

[2] see 'independentFiltering' argument of ?results

[1] "Results Sig 10: Significant H3K27me3 DEPGs Hippocampus vs PreFrontalCortex"