

Form Preview : ID 2

☐ display grid ☐ show structure

Note: This is a simple form preview. This form may display differently when added to your page based on normal inheritance from parent theme styles.

Full Text Review Form - 08/02/2015 revision

Step 4 of 4

100%

G. Data tables

Reproducibility

G.1.

G.1. For the first comparison to ABPM, specify the comparison group here.


G.1. If "other" specified as comparison group above, please provide details here.

0 of 200 max characters


G.1. For the first comparison, how many weeks apart?

G.1. ABPM threshold

Viewport (Width : 1920px , Height :971px)

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


G.1. Comparison group threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


G.1. ABPM vs comparison group (specified above) counts

<input type="text"/>
ABPM=yes. comparison group=no
<input type="text"/>
ABPM=yes. Comparison group=yes
<input type="text"/>
ABPM=no. Comparison group=no
<input type="text"/>
ABPM=no. Comparison group=yes


G.2.

Viewport (Width : 1920px , Height :971px)


G.2. Clinic vs Home counts

<input type="text"/>
Clinic=yes. Home=no
<input type="text"/>
Clinic=yes. Home=yes
<input type="text"/>
Clinic=no. Home=no
<input type="text"/>
Clinic=no. Home=yes

G.2. Clinic threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


G.2. Home threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


Viewport (Width : 1920px , Height :971px)

G.3.

G.3. Clinic vs ABPM counts

Clinic=yes. ABPM=no

Clinic=yes. ABPM=yes

Clinic=no. ABPM=no

Clinic=no. ABPM=yes

G.3. Clinic threshold

Systolic

Diastolic



G.3. ABPM threshold

Systolic

Diastolic

Viewport (Width : 1920px , Height :971px)



G.4.

G.4. Home vs ABPM counts

Home=yes. ABPM=no

Home=yes. ABPM=yes

Home=no. ABPM=no

Home=no. ABPM=yes

G.4. Home threshold

Systolic


Diastolic



G.4. ABPM threshold

Systolic

Viewport (Width : 1920px , Height :971px)


<div></div> <div>Diastolic</div> <div></div>

G.5.

G.5. Clinic vs automated office counts


<div></div> <div>Clinic=yes. Automated=no</div>
<div></div> <div>Clinic=yes. Automated=yes</div>
<div></div> <div>Clinic=no. Automated=no</div>
<div></div> <div>Clinic=no. Automated=yes</div>

G.5. Clinic threshold

<div></div> <div>Systolic</div>
<div></div> <div>Diastolic</div> <div></div>

G.5. Automated office threshold

Viewport (Width : 1920px , Height :971px)


<input type="text"/>
Systolic
<input type="text"/>
Diastolic


G.6.

G.6. ABPM vs automated office


<input type="text"/>
ABPM=yes. Automated=no
<input type="text"/>
ABPM=yes. Automated=yes
<input type="text"/>
ABPM=no. Automated=no
<input type="text"/>
ABPM=no. Automated=yes

G.6. ABPM threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


Viewport (Width : 1920px , Height :971px)

G.6. Automated office threshold


<input type="text"/>
Systolic
<input type="text"/>
Diastolic


G.7.

G.7. ABPM vs home

<input type="text"/>
ABPM=yes. Home=no
<input type="text"/>
ABPM=yes. Home=yes
<input type="text"/>
ABPM=no. Home=no
<input type="text"/>
ABPM=no. Home=yes

G.7 ABPM threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic


Viewport (Width : 1920px , Height :971px)

G.7 Home threshold

<input type="text"/>
Systolic
<input type="text"/>
Diastolic
<input type="button" value="⊕"/>

Additional comments

<input type="text"/>

Previous

Submit

[Save and Continue Later](#)