

Listening to the Philippines (L2PhI)

Operational Handover

Avralt-Od Purevjav Sharon Faye Alariao Piza Liliana D. Sousa

World Bank – Poverty and Equity Global Practice

July 2026

Internal project codename: Project TIPON

What we are handing over

- The **CATI quality-control (QC) dashboard** and its data pipeline — the live, hand-over-critical workstream.
- How to **run** it (one command), **maintain** it (new rounds, new questions), and **trust** it (trace a number, verify a flag).
- The **weighting** procedure and where `target_hh_imputed.dta` comes from.
- Where everything lives: the repository, the datasets, and the **Operational Manual** (26-page reference).

Companion reference

Every item here is documented in full in ***L2PhI Operational Manual***, with an annex that answers each of your turnover questions and points to the relevant section.

The survey at a glance

Component	Mode	N	Fieldwork
Baseline	CAPI (face-to-face)	2,470 HH / 10,496 persons	Sep–Oct 2025
Panel R1–R9	CATI (phone)	~1,100 per round	Nov 2025–Jul 2026

- Nationally representative: two-stage stratified PPS, 247 PSUs, **39 strata**, 18 regions.
- CAPI baseline is **frozen**; the CATI panel **rolls forward** (attrition + replenishment, not a closed cohort).
- Round 9 is in progress at hand-over (558 households as of mid-July 2026 — read as provisional).

Two modes, one repository

CAPI baseline CAPI/

- Round00/ processing pipeline
- S2S/ income imputation
- Analysis/ dashboards, storylines, deep dives

CATI panel CATI/

- Analysis/QC/ the QC dashboard pipeline
- Analysis/HF/ pooled masters
- KOB0/ per-round questionnaire forms

The three-stage flow

raw export → cleaned & weighted → analysis & deliverables.

Inputs only ever flow forward; raw data is never modified in place.

The QC Dashboard

What the dashboard shows

A single self-contained HTML page, regenerated from the pooled data:

- **Completion tracker** — household participation by round.
- **Data-quality heatmap** — red / amber / green cells by variable and module.
- **Kobo skip-logic panel** — the routing rule for each variable.
- **Issue intelligence** — tracked, classified data-quality issues.
- **Interviewer performance** — operator-level monitoring.
- **Cross-round questionnaire report** — which variables exist in which round.

Output: `CATI/Analysis/QC/output/l2phl_dq_dashboard.html`

The pipeline: one command

Regenerate everything

```
python3 update_pipeline.py -all
```

Reads the pooled masters, writes JSON to cache/, produces the HTML + Excel:

1. detect files
2. build DQ data (build_dq.py)
3. build panel tracker (build_panel.py)
4. build interviewer performance (build_interviewer.py)
5. parse questionnaires + Kobo skip logic (parse_kobo.py)
6. build issue intelligence (build_issues.py)
7. render dashboard + Excel report (gen_dashboard.py, build_report.py)

Maintenance: adding a new round (worked example: R9)

1. Bump the `ROUNDS` constant in `build_dq.py`, `build_panel.py`, `build_interviewer.py`, `build_report.py` (add the date label).
2. In `gen_dashboard.py` + `issue_rollup.py`: extend the round range and the JS round arrays, labels, and CSV export.
3. Register the round's Kobo form in `parse_kobo.py` and `update_pipeline.py`.
4. Run `python3 update_pipeline.py -all`.
5. Verify the new round appears in `dq_data.json` and renders in the dashboard.

Why so few edits

The pooled data is keyed by a round column, so the checks need *no* change — only the round-count constants and the new form. A partial round shows as provisional, not as a data problem.

Maintenance: new/removed questions & filters

New or removed question

1. The round's Kobo form is the ground truth — check it first.
2. Update the module's variable list + heatmap in `build_dq.py`.
3. Standardize it in `gen_dashboard.py`.
4. Re-run the pipeline.

Questionnaire logic changed

1. Register the new Kobo form in `parse_kobo.py`.
2. It folds each variable's relevant rule in automatically.
3. Re-run — the skip-logic panel and gated checks update.

Because checks are gated by the Kobo relevant conditions, updating a filter is usually just registering the new form — not editing check code.

Trusting the numbers: trace to source

Every dashboard number traces back through the pipeline to a variable and a check:

1. Identify the panel / variable on the dashboard.
2. Find it in the relevant cache/*.json (e.g. dq_data.json).
3. Find the check in build_dq.py — which module, which condition.
4. Trace to the .dta variable in CATI/Analysis/HF/.
5. If it is a computed statistic, confirm against the Stata do-file / log.

Single source of truth

Stata do-files are authoritative: do-file → log → Excel → HTML. A cross-checker helper automates tracing a statistic through that chain.

Real issue, or a filtering artifact?

A red cell can be a genuine data problem *or* a skip-gate mismatch (a variable legitimately empty because the respondent was routed past it).

- Checks are gated by the Kobo `relevant` condition; preload-gated variables are annotated.
- **First step on any surprising flag: check it against the skip logic before treating it as an error.**

Issue classification (automatic):

- **A1** gate missing **A2** response violates the gate
- **B** gate reference absent from the data **C** our check disagrees with Kobo (held dormant)
- **D** structural / expected (derived, `_oth`, preload-gated) **REVIEW** unassigned

Weighting & Income

Which weight, when

- **Individual weight** — person-level indicators (employment, education, health).
- **Household weight** — household-level behaviour (finance, assets, perceptions).
- **Population weight** — welfare / SDG framing (“X% of Filipinos live in households where. . .”).

CATI per-round reweighting

The individual weight is recalibrated each round to census cells (age $\times$ sex $\times$ stratum); the household weight is the within-household mean, smoothed at PSU level and rescaled to census household totals. Full derivation: the *Weighting Technical Note*.

Where `target\_hh\_imputed.dta` comes from

It is **not** produced by the weighting code. It is the **survey-to-survey (S2S) income-imputation** product:

- A welfare model (log per-capita income) is estimated on **FIES-LFS 2023** and applied to L2PhI 2025 ($N = 162,687$; $R^2 = 0.51$), with a GDP adjustment of $\times 1.104$.
- Output: `pcinc_imp_mean` (per-capita imputed income), in `CAPI/S2S/target_hh_imputed.dta`.
- Copied to `CATI/Analysis/HF/R00/`, merged onto the baseline weight file by `hhid` for **income-quintile breakdowns**.

The key point

It is an **imputed-welfare input**, joined to the weighted file — **not a component of the survey weights**. That is why it appears in the analysis do-file but not the weighting do-file.

Handover

Your turnover questions — answered

Question	Where
Dashboard access + ownership after turnover	Manual Part IV; Annex C
target_hh_imputed.dta provenance & purpose	Part II (S2S); Part III
Edits when a new round is uploaded	Part IV playbook
Edits for new / removed questions	Part IV playbook
Updating filters when logic changes	Part IV playbook
Full data → dashboard process	Part IV architecture
Trace a number to source	Part IV verifying
Real issue vs filtering artifact	Part IV verifying
Real-time fieldwork monitoring	Part IV verifying
Which files to modify most / naming conventions	Part IV conventions
Common causes & most frequent issues	Part IV verifying

All 13 questions are answered in full in the manual's **Annex B** crosswalk.

Handover checklist

You inherit

- The QC pipeline (CATI/Analysis/QC/) and dashboard.
- The pooled masters (CATI/Analysis/HF/) — WB authorization required.
- The per-round Kobo forms (CATI/KOBO/).
- The Operational Manual + Weighting Note.

To run it

- Python + the QC pipeline dependencies.
- `python3 update_pipeline.py -all`
- Stata for the weighting / analysis do-files.

Note

- Datasets are confidential (household-level); keep identifiers out of shared paths.

Thank you

Questions?

Full reference: *L2Phl Operational Manual*

`CAP1/Analysis/SL/tex/L2PHL_Operational_Manual.pdf`