## **Experiment 1**

Student Name: Avreet Kaur UID: 23BCS12246

Branch: CSE Section/Group: KRG 3-A

Semester: 5th Date of Performance:24/07/2025

Subject Name: ADBMS Subject Code: 23CSP-333

**1. Aim**: University Database System helps in managing student enrollments, course allocations, and professor assignments effectively. The system also demonstrates secure access control and transaction safety. This includes CRUD operations, JOIN queries, and database-level user permission management.

a. Author-Book Relationship Using Joins and Basic SQL Operations

b. Department-Course Subquery and Access Control

### 2. Objective:

- To create and manage relational databases LibraryDB and UniversityDB using SQL.
- To define tables with appropriate primary and foreign key constraints.
- To insert sample data into author, book, department, and course tables.
- To retrieve related data using **INNER JOIN** and **subqueries** with GROUP BY and HAVING.
- To manage user access by granting **SELECT privileges** on specific tables.

### 3. DBMS script and output:

```
Solution-(a)

CREATE DATABASE LibraryDB;

USE LibraryDB;

CREATE TABLE TBL_Author (
   author_id INT PRIMARY KEY,
   author_name VARCHAR(100),
   country VARCHAR(50)
);
```

CREATE TABLE TBL Book (

book\_id INT PRIMARY KEY,

title VARCHAR(100),

author\_id INT,

FOREIGN KEY (author\_id) REFERENCES Author(author\_id)
);

INSERT INTO TBL\_Author (author\_id, author\_name, country) VALUES

- (1, 'J.K. Rowling', 'United Kingdom'),
- (2, 'George R.R. Martin', 'United States'),
- (3, 'Haruki Murakami', 'Japan');

INSERT INTO TBL\_Book (book\_id, title, author\_id) VALUES

- (101, 'Harry Potter and the Sorcerer's Stone', 1),
- (102, 'A Game of Thrones', 2),
- (103, 'Kafka on the Shore', 3);

#### **SELECT**

B.title AS Book\_Title,

A.author\_name AS Author\_Name,

A.country AS Author\_Country

#### **FROM**

TBL\_Book B

#### **INNER JOIN**

TBL\_Author A ON B.author\_id = A.author\_id;

BOOK_TITLE	AUTHOR_NAME	AUTHOR_COUNTRY
Harry Potter and the Sorcerer's Stone	J.K. Rowling	United Kingdom
A Game of Thrones	George R.R. Martin	United States
Kafka on the Shore	Haruki Murakami	Japan

3 rows returned in 0.01 seconds

Download

```
Solution-(b)
CREATE DATABASE UniversityDB;
USE UniversityDB;
CREATE TABLE TBL_Department (
  dept_id INT PRIMARY KEY,
  dept_name VARCHAR(100)
);
CREATE TABLE TBL_Course (
  course_id INT PRIMARY KEY,
  course_name VARCHAR(100),
  dept_id INT,
  FOREIGN KEY (dept_id) REFERENCES TBL_Department(dept_id)
);
INSERT INTO TBL_Department (dept_id, dept_name) VALUES
(1, 'Computer Science'),
(2, 'Mechanical Engineering'),
(3, 'Electrical Engineering'),
(4, 'Civil Engineering'),
(5, 'Mathematics');
INSERT INTO TBL_Course (course_id, course_name, dept_id) VALUES
(101, 'Data Structures', 1),
(102, 'Operating Systems', 1),
(103, 'DBMS', 1),
(104, 'Thermodynamics', 2),
(105, 'Fluid Mechanics', 2),
(106, 'Circuit Theory', 3),
```

```
(107, 'Power Systems', 3),
(108, 'Structural Analysis', 4),
(109, 'Linear Algebra', 5),
(110, 'Calculus', 5);
CREATE USER 'user123'@'localhost' IDENTIFIED BY 'password123';
GRANT SELECT ON University DB. TBL_Course TO 'user123'@'localhost';
SELECT dept_name
FROM TBL_Department
WHERE dept_id IN (
  SELECT dept_id
  FROM TBL_Course
  GROUP BY dept_id
  HAVING COUNT(course_id) > 2
);
   DEPT NAME
 Computer Science
```

# 4. Learning Outcomes:

1 rows returned in 0.01 seconds

- Understand how to design relational databases using primary and foreign key constraints.
- Gain hands-on experience with **SQL DDL and DML** commands for creating and manipulating tables.
- Learn to use **INNER JOINs** to combine data from related tables.
- Apply **subqueries** with aggregation (GROUP BY, HAVING) to filter complex data sets.

Download

• Learn how to **grant user privileges** using the GRANT statement for controlled access.