




The Journeys of Mental Health Diagnoses in SVH data

By Abigail Reyes Luna, Avril Lozano Andrews, Victoria Do, Alexis Luciano, Tania
Bobbili
UT-Austin



Frequency of Encounters

Frequency of visits by patients




Healthcare Utilization: Mental Health (MH) vs. Non-Mental Health (NMH) Patients

Encounter Type	Mental Health Group		Non-Mental Health Group		Difference
	Count	Average	Count	Average	
Anti-coag visit	11,736	0.25	55,078	0.18	0.07
Appointment	171,373	3.72	607,589	1.94	1.78
Follow-Up	30,726	0.67	126,238	0.40	0.27
Hospital Encounter	246,974	5.36	801,826	2.56	2.8
Imaging	113,695	2.47	412,687	1.32	1.15
Infusion	9,542	0.21	45,795	0.15	0.06
Initial consult	31,944	0.69	110,304	0.35	0.34
Lab Requisition	26,638	0.58	175,410	0.56	0.02
Lab Visit	245,010	5.32	807,008	2.57	2.75
Office Visit	563,686	12.24	1,685,450	5.37	6.87
Patient Outreach	189,731	4.12	365,492	1.17	2.95
Pre-Endoscopy Assessment	3,892	0.08	17,758	0.06	0.02
Procedure visit	29,286	0.64	101,415	0.32	0.32
Routine Prenatal	13,856	0.30	49,964	0.16	0.14
Surgery	13,551	0.29	59,300	0.19	0.1
Telemedicine	47,057	1.02	70,066	0.22	0.8
Treatment	78,051	1.69	247,496	0.79	0.9
Well Child	12,952	0.28	97,225	0.31	-0.03

MyChart activation

Follow-up Rates by MyChart Status & Mental Health Diagnosis




Patients with a MyChart activation status leads to a 37% higher likelihood of attending follow-up appointments.

X² Test: 2,599 (MI), 9,281 (NMI)

P-Value: 2.2×10^{-16}

MyChart Inactivation Percentages By Reported Race




Minority patients are 73% more likely to be inactive on MyChart than White or Caucasian patients.

X² Test: 54,972 (All)

P-Value: 2.2×10^{-16}

Top 10 Diagnoses by MyChart Inactivation



Diagnosis by MyChart Inactivation

- More than 50% of Patients with Disruptive mood dysregulation disorder are Inactive on MyChart
- Ranking of diagnosis with the most inactivation status.
- 6 out of 10 Diagnosis were Mental Health related.
- Displaying that SHV should focus their efforts in encouraging app use to Individuals with these particular diagnosis.

Conclusion

*Considering the potential benefits MyChart has on patient journeys, SVH should focus on its use, especially within **minorities diagnosed with mental health issues**.*

Suggestions

*Focus on **outreach** to those with mental illnesses and at-risk minorities.*