

avrxt-in Full Analysis Report

Branch: codex/v3fix

Generated: 2026-03-07 07:05:14 UTC

avrxt-in Analysis Report (Branch: codex/v3fix)

- Repository: <https://github.com/avrxtcloud/avrxt-in>
- Branch analyzed: `codex/v3fix` (checked out locally)
- Analysis date (UTC): 2026-03-07
- Environment: Node/npm local install, static checks + manual code review

1) Automated Check Results

Build

- Command: `npm run build`
- Result: PASS
- Notes: Next.js production build completed and all routes generated successfully.

Lint

- Command: `npm run lint` (also captured as JSON with `npx eslint . -f json -o lint-report.json`)
- Result: FAIL
- Totals: **68 errors**, **58 warnings** (126 total)
- Top failing rules:
- `@typescript-eslint/no-explicit-any`: 52
- `@typescript-eslint/no-unused-vars`: 37
- `@next/next/no-img-element`: 17
- `react/jsx-no-comment-textnodes`: 6
- `@typescript-eslint/no-non-null-asserted-optional-chain`: 5

Most affected files:

- `src/app/me/MeClient.tsx`: 25
- `src/app/me/admin/MeAdminClient.tsx`: 23
- `src/app/cloud/[service]/BookingForm.tsx`: 8
- `src/app/guestbook/GuestbookClient.tsx`: 6
- `src/app/cupcake/CupcakeForm.tsx`: 5

Dependency Security (npm audit)

- Command: `npm audit --json` (saved to `audit-report.json`)
- Result: FAIL

- Totals: ****24 vulnerabilities****
- Critical: 1
- High: 21
- Moderate: 1
- Low: 1

Notable vulnerable packages:

- `next` (direct): vulnerable range includes current `16.1.1`; fix available `16.1.6`
- `fast-xml-parser` (critical, transitive)
- multiple `@aws-sdk/\*` transitive high vulnerabilities
- `axios` high, `minimatch` high, `ajv` moderate, `qs` low

2) Manual Review Findings (Prioritized)

[Critical] Price-on-request flow is functionally broken

- Evidence:
 - `src/app/cloud/[service]/BookingForm.tsx:44` sends hardcoded fake payment payload:
 - `razorpay\_order\_id: 'FREE\_TIER'`
 - `razorpay\_payment\_id: 'LEAD\_CAPTURE'`
 - `razorpay\_signature: 'VALID'`
 - `src/app/actions/cloud.ts:54-60` always verifies signature cryptographically and rejects mismatch.
- Impact:
 - "Price on Request" submissions will fail verification and never complete as intended.

[Critical] Server trusts client-provided price for cloud payments

- Evidence:
 - Client sends selected price: `src/app/cloud/[service]/BookingForm.tsx:82,107`
 - Server creates order from user-controlled `amount`: `src/app/actions/cloud.ts:21`
 - Server stores `bookingDetails.amount` directly after signature check: `src/app/actions/cloud.ts:73`
- Impact:
 - Price integrity can be bypassed by tampering request payloads; users can underpay and still create booked records.
- Why signature check is not enough:
 - Signature proves Razorpay signed **an order**, not that server-side expected service price equals paid amount.

[High] OAuth callback open redirect risk via unsanitized `next`

- Evidence:
 - Reads user-controlled query param: `src/app/auth/callback/route.ts:8`
 - Redirects with `new URL(next, request.url)`: `src/app/auth/callback/route.ts:63`
- Impact:

- Can redirect authenticated users to attacker-controlled domains if absolute URLs are provided in `next`.

[High] Spotify OAuth lacks state verification and strong admin gate

- Evidence:
 - OAuth auth URL contains no `state`: `src/app/api/spotify/auth/route.ts:15`
 - Callback does not validate `state`, directly exchanges code and writes tokens:
 - `src/app/api/spotify/callback/route.ts:39-43`
- Impact:
 - Missing CSRF protection in OAuth flow.
 - Token storage endpoint is sensitive but not clearly enforcing admin-only access within route itself.

[Medium] Cupcake amount persistence trusts client payload

- Evidence:
 - Client sends `amount: finalAmount`: `src/app/cupcake/CupcakeForm.tsx:61`
 - Server stores `tipDetails.amount` directly: `src/app/actions/cupcake.ts:66`
- Impact:
 - Stored/displayed tip amounts can diverge from actual paid amount unless verified against Razorpay order/payment data.

[Medium] Contact/Hireme APIs inject raw user input into HTML emails

- Evidence:
 - Contact: `\${message}` in HTML template at `src/app/api/contact/route.ts:73`
 - Hireme: `\${description}` in HTML template at `src/app/api/hireme/route.ts:90`
- Impact:
 - HTML injection in outgoing email content; can lead to phishing-like content in inbox previews/clients.

[Medium] Weak anti-abuse posture on public form APIs

- Evidence:
 - CORS wildcard in OPTIONS: `src/app/api/contact/route.ts:99`, `src/app/api/hireme/route.ts:131`, `src/app/api/subscribe/route.ts:221`
 - Subscribe rate key uses `x-forwarded-for` directly: `src/app/api/subscribe/route.ts:67`
- Impact:
 - Easy origin-agnostic request generation and IP spoofing edge cases can reduce effectiveness of anti-spam controls.

[Low] Supabase admin client silently falls back to anon key

- Evidence:
 - `src/utils/supabase/admin.ts:15` uses `SUPABASE\_SERVICE\_ROLE\_KEY || NEXT\_PUBLIC\_SUPABASE\_ANON\_KEY`
- Impact:

- Sensitive flows may silently degrade instead of failing fast, making auth behavior inconsistent and harder to reason about.

3) Warning/Quality Inventory

Primary quality risks from lint output:

- Type-safety debt (`any`) across server actions and clients.
- Multiple unescaped JSX entities and comment text-node issues that can break UX or fail CI.
- Image optimization and accessibility warnings (`<img>` usage and missing alt text).
- Hook correctness warnings (`react-hooks/exhaustive-deps`, `set-state-in-effect`).

4) Generated Artifacts (full data)

- Full ESLint findings (all files, all messages): `lint-report.json`
- Full npm audit payload: `audit-report.json`

5) Recommended Fix Order

1. Fix cloud payment integrity and price-on-request flow first (critical business/security impact).
2. Add OAuth state handling and sanitize callback redirects.
3. Enforce strict admin authorization on Spotify token mutation path.
4. Verify persisted payment/tip amount server-side against gateway response/order record.
5. Escape/sanitize user-provided HTML content in mail templates.
6. Reduce lint errors in core admin/client files to stabilize CI and maintainability.
7. Upgrade dependencies (`next` to `16.1.6` and apply audit remediations).

Appendix A - Complete ESLint Findings

Total findings: 126

A.1 Rule Counts

- @typescript-eslint/no-explicit-any: 52
- @typescript-eslint/no-unused-vars: 37
- @next/next/no-img-element: 17
- react/jsx-no-comment-textnodes: 6
- @typescript-eslint/no-non-null-asserted-optional-chain: 5
- react/no-unescaped-entities: 4
- jsx-a11y/alt-text: 2
- react-hooks/exhaustive-deps: 2
- react-hooks/set-state-in-effect: 1

A.2 File-by-file Findings

1. [ERROR] src\app\actions\cloud.ts:36:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
2. [ERROR] src\app\actions\cupcake.ts:27:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
3. [WARNING] src\app\actions\docs.ts:69:13 | @typescript-eslint/no-unused-vars | 'id' is assigned a value but never used.
4. [ERROR] src\app\actions\r2.ts:45:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
5. [ERROR] src\app\actions\r2.ts:60:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
6. [WARNING] src\app\actions\r2.ts:64:83 | @typescript-eslint/no-unused-vars | 'oldUrl' is defined but never used.
7. [ERROR] src\app\actions\r2.ts:92:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
8. [ERROR] src\app\actions\status.ts:68:51 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
9. [ERROR] src\app\actions\status.ts:95:48 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
10. [ERROR] src\app\actions\status.ts:117:45 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
11. [WARNING] src\app\actions\status.ts:153:14 | @typescript-eslint/no-unused-vars | 'error' is defined but never used.
12. [ERROR] src\app\actions\youtube.ts:26:38 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
13. [ERROR] src\app\actions\youtube.ts:32:19 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
14. [WARNING] src\app\api\contact\route.ts:45:17 | @typescript-eslint/no-unused-vars | 'sheetSuccess' is assigned a value but never used.
15. [WARNING] src\app\api\contact\route.ts:95:31 | @typescript-eslint/no-unused-vars | 'request' is defined but never used.
16. [WARNING] src\app\api\subscribe\route.ts:58:14 | @typescript-eslint/no-unused-vars | 'e' is defined but never used.
17. [ERROR] src\app\api\subscribe\route.ts:208:21 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.
18. [WARNING] src\app\auth\callback\route.ts:6:27 | @typescript-eslint/no-unused-vars | 'origin' is assigned a value but never used.

19. [WARNING] src\app\auth\login\page.tsx:6:18 | @typescript-eslint/no-unused-vars | 'Disc' is defined but never used.

20. [ERROR] src\app\cloud\[service]\BookingForm.tsx:11:61 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

21. [ERROR] src\app\cloud\[service]\BookingForm.tsx:18:35 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

22. [ERROR] src\app\cloud\[service]\BookingForm.tsx:58:27 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

23. [ERROR] src\app\cloud\[service]\BookingForm.tsx:92:43 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

24. [ERROR] src\app\cloud\[service]\BookingForm.tsx:115:35 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

25. [ERROR] src\app\cloud\[service]\BookingForm.tsx:125:40 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

26. [ERROR] src\app\cloud\[service]\BookingForm.tsx:127:25 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

27. [ERROR] src\app\cloud\[service]\BookingForm.tsx:148:59 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

28. [WARNING] src\app\cloud\[service]\page.tsx:6:42 | @typescript-eslint/no-unused-vars | 'Laptop' is defined but never used.

29. [ERROR] src\app\cloud\[service]\page.tsx:8:31 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

30. [ERROR] src\app\cloud\[service]\page.tsx:60:105 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

31. [WARNING] src\app\cloud\page.tsx:2:29 | @typescript-eslint/no-unused-vars | 'Smartphone' is defined but never used.

32. [ERROR] src\app\cloud\page.tsx:76:31 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

33. [ERROR] src\app\cloud\page.tsx:140:80 | react/no-unescaped-entities | `` can be escaped with `'`, `‘`, `'`, `’`.

34. [ERROR] src\app\cloud\success\page.tsx:24:91 | react/no-unescaped-entities | `` can be escaped with `'`, `‘`, `'`, `’`.

35. [WARNING] src\app\contact\page.tsx:5:35 | @typescript-eslint/no-unused-vars | 'Menu' is defined but never used.

36. [ERROR] src\app\contact\page.tsx:51:77 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

37. [WARNING] src\app\cupcake\CupcakeForm.tsx:8:26 | @typescript-eslint/no-unused-vars | 'Send' is defined but never used.

38. [ERROR] src\app\cupcake\CupcakeForm.tsx:53:43 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

39. [ERROR] src\app\cupcake\CupcakeForm.tsx:68:35 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

40. [ERROR] src\app\cupcake\CupcakeForm.tsx:78:40 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

41. [ERROR] src\app\cupcake\CupcakeForm.tsx:80:25 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

42. [WARNING] src\app\cupcake\page.tsx:5:10 | @typescript-eslint/no-unused-vars | 'Coffee' is defined but never used.

43. [ERROR] src\app\cupcake\page.tsx:53:54 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

44. [ERROR] src\app\cupcake\page.tsx:54:86 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

45. [ERROR] src\app\cupcake\page.tsx:72:100 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

46. [WARNING] src\app\docs\[slug]\page.tsx:3:31 | @typescript-eslint/no-unused-vars | 'FileText' is defined but never used.

47. [WARNING] src\app\docs\admin\AdminClient.tsx:29:11 | @typescript-eslint/no-unused-vars | 'router' is assigned a value but never used.

48. [WARNING] src\app\docs\admin\AdminClient.tsx:66:18 | @typescript-eslint/no-unused-vars | 'e' is defined but never used.

49. [ERROR] src\app\docs\admin\AdminClient.tsx:177:81 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

50. [ERROR] src\app\docs\admin\AdminClient.tsx:319:124 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

51. [WARNING] src\app\gallery\page.tsx:56:21 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

52. [WARNING] src\app\gallery\page.tsx:97:33 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

53. [WARNING] src\app\guestbook\GuestbookClient.tsx:6:10 | @typescript-eslint/no-unused-vars | 'signInWithGithub' is defined but never used.

54. [WARNING] src\app\guestbook\GuestbookClient.tsx:7:10 | @typescript-eslint/no-unused-vars | 'cn' is defined but never used.

55. [WARNING] src\app\guestbook\GuestbookClient.tsx:19:22 | @typescript-eslint/no-unused-vars | 'setMessages' is assigned a value but never used.

56. [WARNING] src\app\guestbook\GuestbookClient.tsx:88:29 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

57. [WARNING] src\app\guestbook\GuestbookClient.tsx:88:29 | jsx-a11y/alt-text | img elements must have an alt prop, either with meaningful text, or an empty string for decorative images.

58. [WARNING] src\app\guestbook\GuestbookClient.tsx:128:33 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

59. [WARNING] src\app\guestbook\page.tsx:4:8 | @typescript-eslint/no-unused-vars | 'Navbar' is defined but never used.

60. [WARNING] src\app\guestbook\page.tsx:5:8 | @typescript-eslint/no-unused-vars | 'Footer' is defined but never used.

61. [ERROR] src\app\guestbook\page.tsx:16:68 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

62. [ERROR] src\app\hireme\page.tsx:78:96 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

63. [WARNING] src\app\me\MeClient.tsx:8:53 | @typescript-eslint/no-unused-vars | 'Activity' is defined but never used.

64. [WARNING] src\app\me\MeClient.tsx:9:17 | @typescript-eslint/no-unused-vars | 'Thermometer' is defined but never used.

65. [ERROR] src\app\me\MeClient.tsx:15:31 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

66. [ERROR] src\app\me\MeClient.tsx:112:44 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

67. [WARNING] src\app\me\MeClient.tsx:175:22 | @typescript-eslint/no-unused-vars | 'error' is defined but never used.

68. [ERROR] src\app\me\MeClient.tsx:194:52 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

69. [WARNING] src\app\me\MeClient.tsx:195:12 | @typescript-eslint/no-unused-vars | 'isSpotifyLive' is assigned a value but never used.

70. [WARNING] src\app\me\MeClient.tsx:195:27 | @typescript-eslint/no-unused-vars | 'setIsSpotifyLive' is assigned a value but never used.

71. [ERROR] src\app\me\MeClient.tsx:216:54 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

72. [ERROR] src\app\me\MeClient.tsx:227:32 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

73. [ERROR] src\app\me\MeClient.tsx:305:56 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

74. [ERROR] src\app\me\MeClient.tsx:306:51 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

75. [ERROR] src\app\me\MeClient.tsx:341:68 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

76. [ERROR] src\app\me\MeClient.tsx:354:64 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

77. [ERROR] src\app\me\MeClient.tsx:365:35 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

78. [WARNING] src\app\me\MeClient.tsx:440:25 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

79. [WARNING] src\app\me\MeClient.tsx:514:50 | @typescript-eslint/no-unused-vars | 'idx' is defined but never used.

80. [WARNING] src\app\me\MeClient.tsx:531:41 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

81. [ERROR] src\app\me\MeClient.tsx:548:33 | react/no-unescaped-entities | `` can be escaped with `"`, `“`, `"`, `”`.

82. [ERROR] src\app\me\MeClient.tsx:548:51 | react/no-unescaped-entities | `` can be escaped with `"`, `“`, `"`, `”`.

83. [WARNING] src\app\me\MeClient.tsx:583:29 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

84. [WARNING] src\app\me\MeClient.tsx:727:29 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

85. [WARNING] src\app\me\MeClient.tsx:764:41 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

86. [WARNING] src\app\me\MeClient.tsx:819:41 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `` from `next/image` or a custom image loader to automatically optimize images. This may incur additional usage or cost from your provider. See: <https://nextjs.org/docs/messages/no-img-element>

87. [ERROR] src\app\me\MeClient.tsx:843:117 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

88. [WARNING] src\app\me\admin\MeAdminClient.tsx:6:5 | @typescript-eslint/no-unused-vars | 'Plus' is defined but never used.

89. [WARNING] src\app\me\admin\MeAdminClient.tsx:19:10 | @typescript-eslint/no-unused-vars | 'uploadTor2Action' is defined but never used.

90. [ERROR] src\app\me\admin\MeAdminClient.tsx:29:48 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

91. [WARNING] src\app\me\admin\MeAdminClient.tsx:56:8 | react-hooks/exhaustive-deps | React Hook useEffect has a missing dependency: 'config.profile.presence?.discordId'. Either include it or remove the dependency array.

92. [ERROR] src\app\me\admin\MeAdminClient.tsx:123:34 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

93. [ERROR] src\app\me\admin\MeAdminClient.tsx:158:25 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

94. [ERROR] src\app\me\admin\MeAdminClient.tsx:184:25 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

95. [ERROR] src\app\me\admin\MeAdminClient.tsx:236:114 | react/jsx-no-comment-textnodes | Comments inside children section of tag should be placed inside braces

96. [WARNING] src\app\me\admin\MeAdminClient.tsx:237:29 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

97. [WARNING] src\app\me\admin\MeAdminClient.tsx:358:62 | @typescript-eslint/no-unused-vars | 'e' is defined but never used.

98. [ERROR] src\app\me\admin\MeAdminClient.tsx:528:86 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

99. [ERROR] src\app\me\admin\MeAdminClient.tsx:627:77 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

100. [ERROR] src\app\me\admin\MeAdminClient.tsx:640:73 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

101. [WARNING] src\app\me\admin\MeAdminClient.tsx:679:57 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

102. [WARNING] src\app\me\admin\MeAdminClient.tsx:701:53 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

103. [ERROR] src\app\me\admin\MeAdminClient.tsx:753:59 | @typescript-eslint/no-non-null-asserted-optional-chain | Optional chain expressions can return undefined by design - using a non-null assertion is unsafe and wrong.

104. [ERROR] src\app\me\admin\MeAdminClient.tsx:774:63 | @typescript-eslint/no-non-null-asserted-optional-chain | Optional chain expressions can return undefined by design - using a non-null assertion is unsafe and wrong.

105. [ERROR] src\app\me\admin\MeAdminClient.tsx:794:60 | @typescript-eslint/no-non-null-asserted-optional-chain | Optional chain expressions can return undefined by design - using a non-null assertion is unsafe and wrong.

106. [ERROR] src\app\me\admin\MeAdminClient.tsx:813:68 | @typescript-eslint/no-non-null-asserted-optional-chain | Optional chain expressions can return undefined by design - using a non-null assertion is unsafe and wrong.

107. [ERROR] src\app\me\admin\MeAdminClient.tsx:828:68 | @typescript-eslint/no-non-null-asserted-optional-chain | Optional chain expressions can return undefined by design - using a non-null assertion is unsafe and wrong.

108. [ERROR] src\app\me\admin\MeAdminClient.tsx:1030:117 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

109. [WARNING] src\app\me\admin\MeAdminClient.tsx:1154:49 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

110. [WARNING] src\app\me\admin\MeAdminClient.tsx:1154:49 | jsx-a11y/alt-text | img elements must have an alt prop, either with meaningful text, or an empty string for decorative images.

111. [ERROR] src\app\not-found.tsx:12:13 | react-hooks/set-state-in-effect | Error: Calling setState synchronously within an effect can trigger cascading renders Effects are intended to synchronize state between React and external systems such as manually updating the DOM, state management libraries, or other platform APIs. In general, the body of an effect should do one or both of the following: * Update external systems with the latest state from React. * Subscribe for updates from some external system, calling setState in a callback function when external state changes. Calling setState synchronously within an effect body causes cascading renders that can hurt performance, and is not recommended. (<https://react.dev/learn/you-might-not-need-an-effect>).
C:\Users\Administrator\Documents\Playground\avrxt-in\src\app\not-found.tsx:12:13 10 | useEffect(()
=> { 11 | if (typeof window !== 'undefined') { > 12 | setPath(window.location.pathname); | ^^^^^^^
Avoid calling setState() directly within an effect 13 | const chars = '0123456789ABCDEF'; 14 | let id
= ''; 15 | for (let i = 0; i < 12; i++) {

112. [WARNING] src\app\not-found.tsx:31:25 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

113. [WARNING] src\app\subscribe\page.tsx:4:10 | @typescript-eslint/no-unused-vars | 'Mail' is defined but never used.

114. [WARNING] src\app\subscribe\page.tsx:35:18 | @typescript-eslint/no-unused-vars | 'error' is defined but never used.

115. [WARNING] src\components\DocWrapper.tsx:5:10 | @typescript-eslint/no-unused-vars | 'cn' is defined but never used.

116. [WARNING] src\components\DocWrapper.tsx:20:25 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

117. [WARNING] src\components\Footer.tsx:5:10 | @typescript-eslint/no-unused-vars | 'Github' is defined but never used.

118. [WARNING] src\components\Footer.tsx:5:18 | @typescript-eslint/no-unused-vars | 'Mail' is defined but never used.

119. [WARNING] src\components\Footer.tsx:5:24 | @typescript-eslint/no-unused-vars | 'Instagram' is defined but never used.

120. [WARNING] src\components\Navbar.tsx:31:21 | @next/next/no-img-element | Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element

121. [WARNING] src\components\Reveal.tsx:42:40 | react-hooks/exhaustive-deps | The ref value 'ref.current' will likely have changed by the time this effect cleanup function runs. If this ref points to a node rendered by React, copy 'ref.current' to a variable inside the effect, and use that variable in the cleanup function.

122. [ERROR] src\lib\spotify.ts:78:53 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

123. [ERROR] src\lib\spotify.ts:87:49 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

124. [ERROR] src\lib\spotify.ts:115:42 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

125. [ERROR] src\lib\spotify.ts:118:39 | @typescript-eslint/no-explicit-any | Unexpected any. Specify a different type.

126. [WARNING] src\utils\supabase\middleware.ts:18:58 | @typescript-eslint/no-unused-vars | 'options' is defined but never used.

Appendix B - npm audit Vulnerability Inventory

Total=24, Critical=1, High=21, Moderate=1, Low=1

- @aws-sdk/client-sesv2 | severity=high | direct=False | range=3.894.0 - 3.978.0
- @aws-sdk/client-sso | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/core | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-env | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-http | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-ini | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-login | severity=high | direct=False | range=<=3.972.0
- @aws-sdk/credential-provider-node | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-process | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-sso | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/credential-provider-web-identity | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/middleware-sdk-s3 | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/middleware-user-agent | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/nested-clients | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/signature-v4-multi-region | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/token-providers | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/util-user-agent-node | severity=high | direct=False | range=3.894.0 - 3.972.0
- @aws-sdk/xml-builder | severity=high | direct=False | range=3.894.0 - 3.972.8
- ajv | severity=moderate | direct=False | range=<6.14.0
- axios | severity=high | direct=False | range=1.0.0 - 1.13.4
- fast-xml-parser | severity=critical | direct=False | range=5.0.0 - 5.3.7
- minimatch | severity=high | direct=False | range=<=3.1.3 || 9.0.0 - 9.0.6
- next | severity=high | direct=True | range=15.6.0-canary.0 - 16.1.4
- qs | severity=low | direct=False | range=6.7.0 - 6.14.1