The OS/App Inversion: escaping POSIX to bring Git to the datacentre QCon New York Mini talk

Anil Madhavapeddy (speaker) with Thomas Gazagnaire and Benjamin Farinier University of Cambridge Computer Laboratory

June 7, 2015

Common features every distributed system needs

- Persistence for fault tolerance and scaling
- Scheduling of communication between nodes
- Tracing across nodes for debugging and profiling

Most distributed systems run over an operating system, and so are stuck with the OS kernel exerting control. We use *unikernels*, which are application VMs that have complete control over their resources.

What if we just used Git?

Persistence

- git clone of a shared repository across nodes
- git commit of local operations in the node

Scheduling

- git pull to receive events from other nodes
- git push to publish events to other nodes

Tracing and Debugging


- git log to see global operations
- git checkout to roll back time to a snapshot
- git bisect to locate problem messages

New Problems


- git rebase needed for distributed garbage collection
- Shelling out to git is slow and lacks control

Irmin, large-scale, immutable, branch-consistent storage

- Irmin is a library to persist and synchronise distributed data structures both on-disk and in-memory
- It enables a style of programming very similar to the **Git workflow**, where distributed nodes fork, fetch, merge and push data between each other
- The general idea is that you want every active node to get a local (partial) copy of a global database and always be very explicit about how and when data is shared and migrated



```
type t = \dots
(** User-defined contents. *)
type result = [ 'Ok of t |
    'Conflict of string ]
val merge: old:t \rightarrow t \rightarrow t \rightarrow
   result
(** 3-way merge functions. *)
```



Irmin Features

- Still pre 1.0, but several useful datastructures such as distributed gueues and efficient ropes.
- HTTP REST for remote clients, or library via OCaml.
- JavaScript compilation for pure browser operation.
- Bidirectional operation, so git commits map to Irmin commits from any direction.
- Open source at https://irmin.io
- Want to know more? I'm giving a full talk on this on Friday at 1015 titled "Functional Distributed Programming with Irmin"!

Teaser: Xen Toolstack using Irmin

https://www.youtube.com/watch?v=DSzvFwIVm5s