

ANNEXURE 7

Particulars of Loans, Guarantees or Investments

Amount Outstanding as on March 31, 2026

Particulars	(₹ crore)
Loans Given	-
Guarantees Given [®]	84.91
Investments Made	94,528.54

Loans, Guarantees given or Investments made during the financial year 2025-26

Name of the Entity	Relation	Amount (₹ crore)	Particulars of Loans, Guarantees given or Investments made	Purpose for which the loans, guarantees and investments are proposed to be utilised
Tata Steel Downstream Products Limited [®]	Subsidiary	80.00	Loans given	Business Purpose
Subarnarekha Port Private Limited [^]		81.15		
T Steel Holdings Pte. Ltd.		22,398.70		
Tata Steel Advanced Materials Limited		12.50	Investments in Equity Shares	Acquisition of additional stake
Tata Steel Colors Private limited		1,100.14		
Thriveni Pellets Private Limited		635.22		
Neelachal Ispat Nigam Limited		18.13		
Medica TS Hospital [*]		0.00		
Medica TS Hospital		1.49	Investment in Preference Shares	
TP Parivart Limited	Associate	26.05	Investments in Equity Shares	
Indian Foundation for Quality Management	Others	12.50		

[®]guarantees of ₹82.59 crore renewed during the year.

[^]Loans have been repaid during the year

[^]Includes ₹50.95 crore on account of rollout of loan and interest thereon.

^{*}Investment Value less than ₹1,00,000

On behalf of the Board of Directors

sd/-

N. CHANDRASEKARAN

Chairman

DIN: 00121863

May 15, 2026

Mumbai

ANNEXURE 8

Particulars of Energy Conservation, Technology Absorption and Foreign Exchange Earnings and Outgo

[Pursuant to Companies (Accounts) Rules, 2014]

A) Conservation Of Energy

i) Steps taken or impact on conservation of energy:

Jamshedpur

Sl. No.	Achievements	Enablers
1	Achieved plant specific energy consumption 5.390 Gcal/tcs.	Higher scrap consumption at LD shops
2	Achieved Highest Ever Monthly LD Gas Recovery 1,19,073 Nm ³ /hr. (Previous best 1,16,246 nm ³ /hr in FY2021-22).	Increased LD Gas injection in network, impacted higher LD Gas recovery and reduction in fuel rate at production plants and higher power generation.
3	Maximise oxygen requirement to TSJ works and minimise Liquid Oxygen Pumping after Startup of 1,800 TPD.	Implementation of 95% Purity logic in Medium Pressure Oxygen ('MPO') supplies in All Air Separation Unit ('ASU') plants to minimise Liquid Oxygen Pumping during plant trip and start up.
4	Reduction in BFG Flaring from earlier FY2024-25 – 43,975Nm ³ /hr, FY2025-26 – 6,852 Nm ³ /hr.	Higher Availability of Boiler and Turbo-Generators/Turbine Generators ('TGs') Relining of G Blast Furnace ('GBF') leading to shortage of BF Gas.
5	Reduction in COG Flaring from earlier FY2024-25 – 785 Nm ³ /hr, FY2025-26 – 354 Nm ³ /hr.	Improvement in Daily Management activities at Energy Management Centre ('EMC').
6	Achieved Best ever green power generation of 23.65 MW. (Previous best 22.9 MW in FY2024-25).	Driven by improvement in condenser vacuum, Higher Coke Dry Quenching ('CDQ') utilisation, and reduction in TG shutdown days and boiler connection time.
7	Lowest Ever specific Freshwater consumption of 1.30 m ³ /tcs. (Previous best 1.37 m ³ /tcs in FY2024-25).	Higher clarified water consumption by the departments.
8	Tata Steel Jamshedpur honoured with the 26 th National Award for Excellence in Energy Management 2025 by CII and recognised as an Excellent Energy Efficient Unit among all metal sector companies in India.	Excellence in Daily Management and Policy Management ideas and its implementation along with Shikhar Unit.

Kalinganagar

Sl. No.	Achievements	Enablers
1	Best Specific water consumption of 2.60 m ³ /tcs in FY2025-26 (Previous best 2.72 m ³ /tcs in FY2024-25).	Highest storm water recovery quantity: FY2024-25: 27,37,525 m ³ , FY2025-26: 40,12,102 m ³ . Increase in treated wastewater consumption at SMS fire pump house
2	Highest Ever Power generation of 172.09 MW captive Power Plant (Previous best 137.69 MW in FY2022-23).	FY2024-25: 48,71,009 m ³ , FY2025-26: 57,30,282 m ³ .
3	First of its Kind WHRB Integration in India: Successfully commissioned WHRB integrated with HSM reheating furnaces (Furnaces 3).	Increased availability of Boiler and TG by optimising shutdowns. Commissioning of CDQ-2&3 Boilers & hookup steam line with CPP TG Engineering and execution of WHRB coupled with Hot Strip Mill reheating furnaces which is First in Tata Steel India optimising energy.

Meramandali

Sl. No.	Achievements	Enablers
1	Reduce COG flaring from 11.6 % (FY2024-25) to 4.2%	Maximise COG Utilisation at CPP CFBC 5
2	Increase in LD Gas Recovery by 15 %	Enhanced the LD Booster Fan performance by 5K Nm ³ /Hr & Reduction in Gas recovery interruptions from BOF

(ii) Steps taken by the Company for utilising alternate sources of energy:

- › Consumption of renewable power in overall consumption reached to 2.36% in FY2025-26 compared to 0.83% in FY2024-25 across Tata Steel locations.
- › Horizontal deployment of energy efficient fans in cooling towers completed for 64 nos. out of 103 at TSJ. This has resulted in reduction of power consumption by 20%.
- › Pilot Project for utilisation of low-grade waste heat using Organic Rankine Cycle ~50 KW at TSJ is under progress.
- › Enhancement of power generation by waste heat recovery at TSJ by Process optimisation at CDQ facility by 1 MW.
- › Increased Power Generation at Power Houses 3,4,5 by micro-TG – 12,115 MWH.

(iii) Capital investment on energy conservation equipment:

Sl. No.	Particulars	(₹ crore)
Jamshedpur		
1	LD Gas Holder Rubber Seal Replacement & Export Gas Network Strengthening at TSJ.	30.00
Meramandali		
2	Conversion of CFBC-5 boiler (TSM-CPP) to dual-fuel firing for utilisation of Coke Oven Gas ('COG')	45.00
3	Installation of 470 Kw Microturbine for recovery of process steam energy loss	2.97

(B) Technology Absorption

1. Efforts made towards technology absorption.

(i) Projects under Research and Development

Project Title	Benefits
In-Situ Heat Treatment in Transmission Electron Microscope (TEM)	• Tata steel acquired the facility to perform in-situ heating experiments in TEM, which is capable of monitoring real-time microstructural changes during heating or cooling of material. • Efficiently determine microstructural transformation temperatures to accelerate new product development
Development of Cold Rolled Advanced High Strength Steel grades (AHSS)	• Tata Steel has successfully developed Cold Rolled AHSS—specifically Dual Phase ('CRDP') 980 and 1180 grades—at the Kalinganagar Continuous Annealing Line. This involved optimising compositions and the complete process, from steelmaking to continuous annealing, by in-house mathematical models, laboratory/ pilot scale simulations and precise microstructural engineering. • Supports 'Atmanirbhar Bharat' by substituting imports, and strengthens Tata Steel's market leadership in AHSS
Indigenous Nickel Pig Iron (NPI) Production	• Tata Steel has produced NPI from nickel containing low grade chromite overburden for the first time for use in stainless steel and alloy steel production. Product validation trials of NPI were carried out wherein about 200 tonnes of NPI was used in actual stainless steel and alloy steel production. • The trials have established the melting-refining and billet casting process parameters for NPI route stainless steel production process.
Oily Bubble Flotation of Coal	• Patented, in-house developed OBF at Tata Steel's Washery is a plant-scale installation, significantly improving fine coal flotation recovery by strengthening bubble-particle attachment, making flotation circuits future ready for lower floatability domestic coals. • OBF delivered a ~0.7% yield improvement on raw coal basis.

Project Title	Benefits
Systematic weld process parameter identification for coil-to-coil joining of FHCR grades	- Developed analytical models to predict laser welding power and temperature profiles for FHCR IF coils across diverse thickness/speed combinations. - Enable accurate prediction of process parameters for defect-free coil-to-coil joining, eliminating weld failure and reducing mill shutdowns.
Ultra-Violet (UV) discoloration resistant GFRP composites for roofing application	- The developed composites were subjected to accelerated UVA weathering to evaluate their aesthetic behaviour (colour stability) and mechanical performance. - The developed UV resistant GFRP composites exhibited significantly improved colour stability (~62%), higher retention of mechanical properties (~91%) after 1,000 hours of UVA exposure.
Online crawler based inspection system to enable condition monitoring of LD converter hood tubes	- Tata Steel has developed an automated crawler-based non-destructive sensing system, capable of stable movement on curved/vertical/inclined tube surfaces, crossing stiffeners, and performing lateral tube to tube shifting for real time defect detection and marking them under extreme conditions. - Early detection of in-service defects, significantly reducing unplanned stoppages and maintenance costs.
High Temperature Confocal Laser Microscope facility	- The High-Temperature Confocal Laser Scanning Microscope, a state-of-the-art facility, seamlessly integrates depth-selective confocal imaging with a furnace, enabling real-time, in-situ observation of materials up to 1,700°C. This powerful equipment is crucial for visualising inclusions in liquid steel, understanding microstructure evolution, analysing slag crystallisation, and developing advanced mold powders and synthetic slags. - Enabling capabilities vital for achieving clean steel, driving new product development, and optimising processes.

Process Area

Mining: Vibro-Ripper technology in blast restricted area at Joda East Iron Mine	At Joda East Iron Ore Mine, controlled blasting technique is in practice at 400 m distance from Banspani ledge area which limits the ground vibration less than 2 mm/sec. However, there are complaints with respect to blast vibration from nearby villages. This restricts mining in this area and as a result, huge quantity of iron ore (~3 MT) is rendered unminable. To mine locked up ore in this area i.e. blasting restricted area, Vibro-Ripper has been explored as a viable solution and deployed in the Banspani area. This is first of its kind operation for mining in hard rock having high uniaxial compressive strength up to 180 MPa. The field results are found encouraging to enable 0.5 MTPA additional iron ore excavation from Joda East Iron Mine.
Coal Beneficiation: Dry Beneficiation of Coal Rejects	Coal beneficiation in washeries produces clean coal along with by-products e.g. tailings, middlings and rejects. At West Bokaro coal washery, approximately 1 MTPA of coal rejects with an average ash content of 60% are generated. Management of rejects pose a considerable challenge as market demand for these materials is diminishing both in terms of economic value and volume. Dry beneficiation offers a viable solution for extract value from these rejects. Pilot-scale testing with one of the dry beneficiation technologies (i.e. dry density separator) has proven effective. It bifurcates rejects into two products i.e. a valuable coal product with a GCV of 3,500-4,000 kcal/kg that can be marketed to power plants and other a low-GCV product (<1,500 kcal/kg) which can be safely landfilled in compliance with regulatory frameworks. Thus, use of dry beneficiation transforms coal rejects into a valuable commodity, addressing both economic and environmental concerns for captive operations.
Iron Ore Beneficiation: Air-knife Technology for reducing Conveyor carry-back deposition at Khondbond plant	Carry back accumulation at critical conveyors necessitated daily cleaning and primary circuit downtime of 3-4 hours daily at the Khondbond Plant. To enhance operational efficiency, Air Knife technology was tested to address persistent conveyor carry-back. The successful trial and absorption of Air Knife technology at the Khondbond wet plant have effectively mitigated perennial conveyor carry-back issues, resulting in 70% reduction in material carry-back during dry periods and a 16% reduction in high-moisture conditions. This intervention has decreased monthly maintenance downtime by approximately 10 hours, significantly boosting operational productivity and improving safety standards by migrating risks from yellow to green. Besides, this technology has potential of cost reduction over ₹10 crore through enterprise-wide horizontal deployment.

(ii) Process Improvement:

Jamshedpur

Ferroalloys

Sustainable Utilisation of Silico Manganese Slag in Cement Manufacturing: A Waste-to-Wealth Initiative:

Silico Manganese (SiMn) slag, a byproduct of SiMn production, currently lacks utilisation and is accumulated within plant premises. Recognising its potential, we

proposed a multi-faceted approach and successfully demonstrated a novel approach for its sustainable integration into cement manufacturing. A comprehensive plant trial was conducted at NOVOCO, where SiMn slag was incorporated into cement production. The resulting cement product consistently met the Bureau of Indian Standards ('BIS') specifications. This initiative represents a significant step towards a 'Waste to Wealth' strategy, transforming an unutilised byproduct into a valuable resource for the cement industry.

Kalinganagar

Coke making

First-Time Imported Pet Coke Integration at TSK: Boosting Domestic Coal Use and Reducing Coke Making Costs:

TSK has successfully initiated the integration of imported petroleum coke (pet coke) into its coal blend for coke making, a first for Tata Steel. This strategic move aims to optimise raw material costs and maximise the utilisation of domestic coal sources. Operational trials have demonstrated no adverse effects on critical parameters, including Coke quality (CSR >67%), Hot metal sulphur levels (<0.035%), Coke oven health.

Preliminary financial projections indicate significant annual savings: ~₹50 crore with a 3% pet coke inclusion replacing PCI and potential savings of up to ₹120 crore with further optimisation of domestic coal utilisation. The immediate next steps involve stabilising the 5% pet coke usage in Coke Oven Batteries #1 and #2, with plans to extend this implementation to Battery #3 following the commissioning of the Sulphur Recovery Unit.

Meramandali

DRI Kilns

Enhanced Thermal Efficiency in DRI Kilns at TSM through INSULAIRR Coating:

To significantly improve thermal efficiency and reduce specific coal consumption, Tata Steel Meramandali ('TSM') has successfully implemented INSULAIRR high-performance refractory coating on its Direct Reduced Iron ('DRI') kilns. This innovative coating is specifically engineered to minimise both radiative and convective heat losses from the kiln shell. Following the successful application of the insulation layer, controlled process trials were initiated in FY2024-25. The initial phase of implementation on Kiln 1, observed over a period exceeding 200 days, demonstrated a substantial reduction of approximately 50°C in kiln shell temperature. This led to a notable decrease in specific coal consumption by approximately 13 kg per tonne of DRI produced. Building on this success, the INSULAIRR coating has now been applied to Kiln 6 as part of the second implementation phase. This initiative has potential coal consumption savings of ~₹23 crore per annum and ~42kt of CO₂ emission per annum.

(iii) Product Development

Jamshedpur

• Specialty Rebar

- › 8-12mm 550D SDCR in coil for Coastal Retail Segment
- › 32mm 550D SDCR for Coastal Retail Segment
- › 6mm 550D Air-cooled CRS (Smartfab)
- › 6mm 550D Air-cooled Smartfab
- › 36/40mm Fe550D (IS 13920) for Coupler application
- › 36/40mm Fe550D CRS (IS 13290) for Coupler application

• Non-Alloy Wire Rods

- › 11mm HC80BCr [HT] for LRPC WRM E
- › 12.5mm HC80BCr [HT] for LRPC WRME
- › 11mm HC82BCrX for UMIL for LRPC WRME

• Wire Rods/Wires

- › 5.5mm 1050[B] near fully pearlite for crimping wire – FII
- › 5.5mm 1038[B] for direct drawing to 0.965mm tyre bead wire - FII
- › 5.5mm 62A[D] for direct drawing to 1mm clutch wire - FII
- › 5.5mm Gr1 [Ultra Low Carbon] for coaxial wire - FII
- › 16.5mm SAE8625M for high tensile chain - FII
- › 7.95mm SCM435 wire for door lock striker shaft
- › 12mm EN8ACr for shocker bar
- › 13mm 16CrNi4H for compressor shaft
- › 14mm HC78BX for rope

• Special Bars

- › 42mm 46S20 for bullet shell – FII
- › 44mm 51CrV4 for stabiliser bar
- › 80mm F22 for Boiler pipe
- › 60mm 20MnCr5 for gear and pinion
- › 62mm 41Cr4 for long stud
- › 60mm SCR420H for transmission gear & shaft critical Jominy
- › New sizes from combi mill: 36, 38, 52, 54, 62, 64, 67, 72 mm

Kalinganagar

- **Cold Rolled and Coated Steels:**

TSK CAL and CGL1 have been instrumental in taking significant strides in grade development needed by all market segments, with specific focus on automotive requirements. Some key highlights mentioned below:

- › Successful Development of Bake Hardening (BH220) cold rolled skin panel steels with excellent formability, superior surface finish and improved dent resistance.
- › Apart from mild steel approvals (IF, CQ, DQ), successfully obtained PV automotive approvals from multiple customers for both cold rolled and galvanized high strength steels like HSLA340, C-Mn440 and IFHS340.
- › Developed cold rolled CQ590 grade from TSK CAL. This is a key offering for improved crash resistance.
- › In a notable first for Tata Steel, the Dual phase AHSS family (transformation strengthened steels), namely DP590, DP780, DP980 have been developed from the TSK-CAL line and approved at multiple automotive customers. Typically used in reinforcement, impact beams and chassis parts, these steels provide perfect combination of strength and formability through low yield ratio, high strain hardening behaviour and provide superior impact resistance and energy absorption.
- › Developed RoHS compliant functional secondary coated products (Cr-free and Cr3+) as well, for all segments including CV/PV, 2-wheelers and branded products supplied to white goods and panels applications.
- › Development of GP350 Class-1 GI Z275 steel which is used in Purlins and solar structurals.
- › Development of IF, high strength IF, HSLA 350, C,Mn 440 in Galvanized substrate.

- **Hot Rolled:**

- › There was a thrust to develop steel grades for shipbuilding applications from the Hot Strip Mill, Kalinganagar, with stringent requirement of strength and toughness at low temperature, post strain-aging. Approvals received from American Bureau of Shipping (ABS) for 4 grades - Grade B, Grade D, AH36 and DH36 with commercial supplies initiated with major Shipbuilding customers.
- › Tata Steel has successfully demonstrated making of X65Sour grade for Petroleum Directorate of Oman and commercially supplied large quantities of X52 Sour grade for ERW application at GIPI, Oman for Daleel Petroleum, Oman. This makes Tata Steel's first ever commercial supplies of API sour grades to overseas countries.
- › The new product development in linepipe steel for Oil & Gas segment took a significant leap with commercial supplies of HSAW and LSAW/X60 grade steel for Naptha pipeline application with stringent fracture toughness requirements at -25°C and -29°C, augmenting capability build-up towards making of linepipe steel for sub-critical temperature applications.
- › Tata Steel Khopopli LDP plant has successfully demonstrated its capability to produce API X65Sour and API X65 grade for 100% hydrogen transportation at 200 bar pressure. In the high strength, high toughness domain, Tata Steel has developed S700MC grade with impact guarantee at -40°C for hanging platform application for arctic countries.

Meramandali

First-in-India offering called Polysteel (CR + secondary coating) developed for refrigerator door panels. This innovation provides ability to bypass metal coating line and save in colour coating passivation and cleaning section.

2. Benefits derived from key projects like product improvement, cost reduction, product development or import substitution

Project title	Benefits
Jamshedpur	
Implementation Of Oxygen Enrichment (REBOX -HLL) to maximise Reheating Furnace Performance at Merchant Mill	Savings of ₹22 crore
HCWR Grades Product Basket Optimisation to minimise Co-Products Generation at LD1	Savings of ₹10 crore
Rolling of Fe550SD using lean Chemistry (0.1% Mn less) at NBM	Savings of ₹8 crore
9 NPD developed with following highlights: Development of Fe550D SDCR (High strength, Seismic resistant and Corrosion resistant) 8mm – 12mm rebar coils Development of HC80BCr [HT] wire rod for LRPC application	First in India Enhanced drawability
57 NPD developed with following key highlights: Development of 5.5mm 1050[B] near fully pearlitic wire rod for high ductility crimping wire Development of 42mm 46S20 for defence segment	First in India First in India
Increasing Productivity By Elimination Of Downtime Due To High Chrome Iron Work Roll Failure At Tscr-Jsr	Savings of ₹7 crore
Kalinganagar	
Optimisation Of Corten Grade Design at Tsk	Savings of ₹6.7 crore
Meramandali	
Enhancement Of Bof Vessel from Life From 6363 To 8000 Heats	Savings of ₹9.24 crore

3. Information regarding imported technology (last three years)

SN	Technology Imported	Financial Year of Import	Status
	Jamshedpur		
	Air Separation Unit (Process)		
1)	Adsorbents for Mol Sieve Adsorber ('MSA')		
2)	MSA valves		
3)	MSA drain Bekomat assembly		
4)	Expansion Turbine with Booster compressor		
5)	Dense Fluid Expander turbine		
6)	Brake Generator		
7)	LOX Internal Compression Pumps		
8)	LIN Internal Compression Pumps	2023-24	
9)	Argon Transfer Pumps		
10)	LAR Internal Compression Pumps		
11)	Cold box equipment		
12)	Cold box internal piping (AI & SS)		
13)	Turbine Ducts internal piping		
14)	Coldbox pump ducts internal piping		
15)	Cold box inside and surrounding drain, vent, purge control valves		Commissioned
16)	Cold box, Turbine & pump ducts Manual Valves		
17)	Cold box, Turbine & pump ducts Safety Valves		
18)	Turbine Ducts, Pump Ducts control Valves		
19)	Cold box inside PT100		
20)	Cold box RTD JB		
21)	Total Vaporiser		
22)	Coldbox Condenser LT Purge assembly		
23)	LOX Back-up pumps		
24)	LIN Back up pumps	2024-25	
25)	LAR Back-up pumps		
1)	Main Air Compressor and Booster Air Compressor ('MAN')		
2)	HT motors – 25 MW and 13 MW (ABB)		
3)	Oxygen valves for product oxygen pipelines of 1X1800 TPD ASU, TSJ		
	Air Separation Unit (Balance of Plant)		
	MAC Accessories & Instruments		

SN	Technology Imported	Financial Year of Import	Status
2.	Installation of F7 Stand in LD#3 & TSCR 1) Machinery piping F-6 (1 Set) 2) Machinery piping F-7 (1 Set) 3) Mill Housing F7, Wear Parts (1 Set)	2023-24	Commissioned
	Installation of F7 Stand in LD#3 & TSCR (Balance item) 1) Cylinders for F7 Stand in LD#3 & TSCR 2) Main Equipment for F7 Stand in LD#3 & TSCR 3) Mill housing for F7 Stand in LD#3 & TSCR 4) Motors for F7 Stand in LD#3 & TSCR 5) Rolls for F7 Stand in LD#3 & TSCR Transformers for F7 Stand in LD#3 & TSCR	2024-25	
3.	Battery 6A/6B 1) Equipment (Suction head, Reinforcement pipe, bend in waste gas flue) Refractory (Silica Bricks) - 510.5 MT (288 Pellets)	2023-24	Yet to be Commissioned
4.	Tertiary Treatment Plant 1) Design, Engineering Manufacturing Supply of Membrane Bio-Reactor Design, Engineering Manufacturing Supply of Mechanical Vapour Re-compressor	2023-24	Commissioned
5.	Overhauling of pickling tank at PLTCM: 1) Tension meter roll before pickling tank (Deflector roll) 2) Entry wringers roll stand (Screw jack) 3) Steering wringers roll stand (Screw jack) 4) Rinse wringers roll stand (Screw jack)	2023-24	Commissioned
	Overhauling of pickling tank at PLTCM (Balance of Plant) 1) Air Supply System (1 No) 2) FUME EXHAUST SYSTEM (1 No) 3) Pickling Tank Instrument & Piping. (1 No) 4) Pickling Tank Rolls & Stand. (9 No) 5) Pickling Tank Solution Heating (1 No)	2024-25	
6.	50 TPH Extruded Briquette Plant for BF: 1) Even Feeder (one set) 2) Pug Mixer (one set) 3) Pug Sealer (one set) 4) Pug Extruder (one set) 5) Vacuum Pump (one set) Spare parts (one set)	2023-24	Commissioned
7.	IBF PCI Enhancement Project: 1) PC for Coal flow measurement device (1 no.) 2) Automatic on/off valve metal seated valves (4 Nos) 3) Coal flow measurement device (34 nos.) 4) DN 25 GRITZKO Coal flow control valve (34 nos.) Spare parts for commissioning (1 set)	2023-24	Commissioned
8.	LD 1 Secondary Emission 1) Expansion module (36 PC) Filter control unit (26 PC)	2023-24	Commissioned
9.	LD 1 Secondary Emission Rico Controllers 16 Channel (18 PC)	2023-24	Commissioned
10.	AUT [Auto Ultrasound Testing] for faster detection of internal defects	2024-25	Commissioned
11.	Automatic billet grinding and shot blasting machine	2024-25	Commissioned
12.	Revamping of pot equipment and air knife at CGL2 Design, manufacturing of Pot Equipment & Jet Wiping	2024-25	Yet to be Commissioned
13.	Revamping of Furnace # 2 Skid System at HSM 1) Beams 2) Prefabricated shells 3) Refractory concrete Riders and clips	2024-25	Commissioned
14.	Replacement of old hot metal charging crane1 at LD1 Hydraulic Buffer	2024-25	Commissioned

SN	Technology Imported	Financial Year of Import	Status
15.	100 KTPA Structural Tube Mill in Tubes Division 1) Double Uncoiler 2) External scarfing unit 3) Loading coil car 4) Main Machine 5) Main Machine & spares 6) Profiling unit 7) Roller way 8) Rolls 9) Sizing stands 10) Stacker 11) Welding machine Welding stand	2024-25	Commissioned
16.	0.5 mtpa Combi Mill 1) Kocks Block 2) Main Mill including guide, Dryer, Motor, Valve 3) MFLT Machine 0.5 mtpa Combi Mill (Balance Items) 4) Wheel Conveyor & Coil Compacter 5) Straightener machine	2024-25 2025-26	Commissioned
17.	Relining of G BF at TSJ 1) Refractory Bricks 2) Cast Iron Staves 3) Copper Staves 4) Heat Recovery System 5) Material hopper weighing System 6) Mortar 7) Refractory, chamber & Blocks 8) TMT Machines Valves	2024-25	Commissioned
18.	Installation of Sub Lance System for BOF- #1 at LD#1 1) DIRC Ancilliary Equipment & assembly Pneumatic Cabinet	2024-25	Commissioned
19.	Installation of new 4th Stove at H-Blast Furnace Dense bricks for burner	2024-25	Commissioned
20.	Relining of Hot Stoves (#1, #2 and #3) at G BF 1) Ceramic-burner 2) Checker support system 3) Insulating-bricks 4) Metallic Expansion Joint Refractory Bricks	2024-25	Yet to be Commissioned
21.	Replacement of converter shell of Vessel #3 at LD#2 Emergency tilt drive system	2024-25	Commissioned
22.	Replacement of converter shell of Vessel #2 at LD#1 1) Bearing system 2) Converter suspension system Pneumatic emergency drive	2024-25	Commissioned
23.	Upgradation of Gas Recovery System (GRS) for Vessel # 1, 2 & 3 at LD#2 & SC 1) BYPASS PP GRS 1 LD2V3 2) GD PP GRS 1 LD2V3, 3) PCD ACT GRS 1 LD2V3 4) PCD PP GRS 1 LD2V3, 5) WSCV ACT GRS 1 LD2V3, WSCV PP GRS 1 LD2V3,	2024-25	Yet to be Commissioned
24.	TCIL Expansion Project 1) M/C, Hook, etc	2025-26	Yet to be Commissioned

SN	Technology Imported	Financial Year of Import	Status
25.	Replacement of Converter Shell of Vessel#1 at LD#2 at TSJ 1) Trunnion Ring Field Devices etc.	2025-26	Yet to be Commissioned
26.	Sub-lance system in BOF vessels of LD-1 for real-time monitoring and measurement of the steel bath (temperature, carbon content, oxygen activity, and bath level)	2025-26	Commissioned
Kalinganagar			
27.	Continuous Annealing Line -1	2023-24	Commissioned
28.	Re-Coiling Line-1	2023-24	Commissioned
29.	Coil Packaging Line -1	2023-24	Commissioned
30.	Automatic Storage and Retrieval System (ASRS)-2	2023-24	Commissioned
31.	Slitter (CR-Downstream)	2023-24	Commissioned
32.	WCTL (CR-Downstream)	2023-24	Commissioned
33.	NCTL (CR-Downstream)	2023-24	Commissioned
34.	Internal Logistics & YMS-PESMEL-CR-Downstream	2023-24	Yet to be Commissioned
35.	BOF#3 & Dry GCP	2023-24	Commissioned
36.	HMDS #3	2023-24	Commissioned
37.	Re-heating Furnace #3 & 4	2023-24	Commissioned
38.	Pulverised Coal Injection System for TSK BF#2	2023-24	Commissioned
39.	Battery 3A/3B	2024-25	Commissioned
40.	By-Product	2024-25	Commissioned
41.	Machine	2024-25	Commissioned
42.	Coke Dry Quenching	2024-25	Commissioned
43.	Continuous Galvanising Line (CGL) -1	2024-25	Commissioned
44.	Re-Coiling Line-3	2024-25	Commissioned
45.	Coil Packaging Line -2	2024-25	Yet to be Commissioned
46.	CGL1-Minispangle	2024-25	Yet to be Commissioned
47.	Automatic Storage and Retrieval System (ASRS)-3	2024-25	Commissioned
48.	Rubber seal installation and commissioning for CO Gas Holder - First time use of rubber seal technology for COG Holders in Tata Steel, after TSM (earlier in Bhushan steel it was commissioned during 2021). Technology from Altrade Motherwell Bridge Ltd., U.K.	2024-25	Commissioned
49.	3rd Caster	2024-25	Commissioned
50.	Coil Dividing Line #5	2024-25	Yet to be Commissioned
51.	SMS & Caster Laboratory	2025-26	Yet to be Commissioned
52.	Continuous Galvanising Line (CGL) -2	2025-26	Commissioned
Meramandali			
53.	Coke Dry Quenching for Coke Oven#1 at TSM	2023-24	Commissioned
54.	Coke transporting Locomotives 2Nos CO#1 Battery to CDQ#1 TSM	2023-24	Commissioned
55.	Pulse Generator of EDT Machine	2023-24	Commissioned
56.	3rd Wet type Dedusting Car in Coke Oven#1	2023-24	Commissioned
57.	Slitting Shear & Automation Systems at CRS#4	2024-25	Commissioned
58.	Slag Detection System at SMS#2	2024-25	Commissioned