



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Site: <https://10.42.3.169>

Generated on lun., 30 mars 2026 09:54:46

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Niveau de risque	Number of Alerts
Haut	0
Moyen	3

Alertes

Nom	Niveau de risque	Number of Instances
Content Security Policy (CSP) Header Not Set	Moyen	5
Missing Anti-clickjacking Header	Moyen	4
Sub Resource Integrity Attribute Missing	Moyen	Systemic

Alert Detail

Moyen	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://10.42.3.169/
Node Name	https://10.42.3.169/
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/forgot-password
Node	

Name	https://10.42.3.169/forgot-password
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/login
Node Name	https://10.42.3.169/login
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/reset-password
Node Name	https://10.42.3.169/reset-password
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/sitemap.xml
Node Name	https://10.42.3.169/sitemap.xml
Méthode	GET
Attaquer	
Evidence	
Other Info	
Instances	5
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Moyen	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

URL	https://10.42.3.169/
Node Name	https://10.42.3.169/
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/forgot-password
Node Name	https://10.42.3.169/forgot-password
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/login
Node Name	https://10.42.3.169/login
Méthode	GET
Attaquer	
Evidence	
Other Info	
URL	https://10.42.3.169/reset-password
Node Name	https://10.42.3.169/reset-password
Méthode	GET
Attaquer	
Evidence	
Other Info	
Instances	4
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Moyen	Sub Resource Integrity Attribute Missing

Description	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.
URL	https://10.42.3.169/
Node Name	https://10.42.3.169/
Méthode	GET
Attaquer	
Evidence	<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Baskerville:ital,wght@0,400;1,400&display=swap">
Other Info	
URL	https://10.42.3.169/
Node Name	https://10.42.3.169/
Méthode	GET
Attaquer	
Evidence	<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap">
Other Info	
URL	https://10.42.3.169/forgot-password
Node Name	https://10.42.3.169/forgot-password
Méthode	GET
Attaquer	
Evidence	<link href="https://cdn.jsdelivr.net/npm/remixicon@4.0.0/fonts/remixicon.css" rel="stylesheet">
Other Info	
URL	https://10.42.3.169/forgot-password
Node Name	https://10.42.3.169/forgot-password
Méthode	GET
Attaquer	
Evidence	<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Baskerville:ital,wght@0,400;1,400&display=swap">
Other Info	
URL	https://10.42.3.169/forgot-password
Node Name	https://10.42.3.169/forgot-password
Méthode	GET
Attaquer	
Evidence	<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap">
Other Info	

Instances	Systemic
Solution	Provide a valid integrity attribute to the tag.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity
CWE Id	345
WASC Id	15
Plugin Id	90003