RefID: 1, There and Back Again: A Review of Residency and Return Migrations in Sharks, with Implications for Population Structure and Management. Chapman DD, Feldheim KA, Papastamatiou Y, Hueter RE

The overexploitation of sharks has become a global environmental issue in need of a comprehensive and multifaceted management response. Tracking studies are beginning to elucidate how shark movements shape the internal dynamics and structure of populations, which determine the most appropriate scale of these management efforts.

Tracked sharks frequently either remain in a restricted geographic area for an extended period of time (residency) or return to a previously resided-in area after making long-distance movements (site fidelity). Genetic studies have shown that some individuals of certain species preferentially return to their exact birthplaces (natal philopatry) or birth regions (regional philopatry) for either parturition or mating, even though they make long-distance movements that would allow them to breed elsewhere. More than 80 peer-reviewed articles, constituting the majority of published shark tracking and population genetic studies, provide evidence of at least one of these behaviors in a combined 31 shark species from six of the eight extant orders.

Residency, site fidelity, and philopatry can alone or in combination structure many coastal shark populations on finer geographic scales than expected based on their potential for dispersal. This information should therefore be used to scale and inform assessment, management, and conservation activities intended to restore depleted shark populations. Expected final online publication date for the Annual Review of Marine Science Volume 7 is January 03, 2015.

Risk Factors / Covariates Form

Article reported risk factor data separately by strata: ...

If yes, enter strata_id

If no, enter "no"

Risk Factor	Value	Source of data if reported elsewhere	Comment
GNI per capita	...	...	...
Proportion of population living in urban area	(%) ...	...	...
Proportion of adult females in the study population who are literate	(%) ...	...	...
Proportion of completing primary education (both sex)	(%) ...	...	...
School life expectancy, primary to tertiary, female	(years) ...	...	...
School life expectancy, primary to tertiary, male	(years) ...	...	...
School life expectancy, primary to tertiary, both sex	(years) ...	...	...

Education index	...	...	...
Gross intake ratio to the last grade of primary education, both sexes	(%) ...	...	...
Average Years of Total Schooling, Female	(years) ...	...	...
Average Years of Total Schooling, Male	(years) ...	...	...
Average Years of Total Schooling, both sex	(years) ...	...	...
Alcohol consumption per capita (15+ years)	(in litres of pure alcohol) ...	...	...
Proportion of study children using improved water	(%) ...	...	...
Proportion of study children using improved sanitation facilities	(%) ...	...	...
Proportion of births by skilled birth attendant	(%) ...	...	...
Proportion of birth delivery at health facility	(%) ...	...	...
Age-specific (15-19) fertility rates (births per 1,000 women)	(%) ...	...	...

Prevalence of cannabis type drug use amongst young people, female	(%) ...	...	...
Prevalence of cannabis type drug use amongst young people, male	(%) ...	...	...
Prevalence of cannabis type drug use amongst young people, both sex	(%) ...	...	...
Prevalence of tobacco smoking, female	(%) ...	...	...
Prevalence of tobacco smoking, male	(%) ...	...	...
Prevalence of tobacco smoking, both sex	(%) ...	...	...
Average age of mothers at the birth of their children	(years) ...	...	...
Condom use at last high-risk sex, female	(%) ...	...	...
Condom use at last high-risk sex, male	(%) ...	...	...
Percentage of married women currently using any modern method of contraception	(%) ...	...	...

Women unmet need for family planning	(%) ...	...	...
Thinness (BMI<-2 SD), female	(%) ...	...	...
Thinness (BMI<-2 SD), male	(%) ...	...	...
Thinness (BMI<-2 SD), both sex	(%) ...	...	...
Overweight (BMI>+1 SD), female	(%) ...	...	...
Overweight (BMI>+1 SD), male	(%) ...	...	...
Overweight (BMI>+1 SD), both sex	(%) ...	...	...
Obese (BMI>+2 SD), female	(%) ...	...	...
Obese (BMI>+2 SD), male	(%) ...	...	...
Obese (BMI>+2 SD), both sex	(%) ...	...	...
Proportion of study children who are moderate/ severe wasted: (<-2 SD)	(%) ...	...	...
Proportion of study children who are moderate/ severe stunted: (<-2 SDs)	(%) ...	...	...

Proportion of study children who are moderate/ severe underweight: (<-2 SDs)	(%) ...	...	...
Proportion of study children with diarrhea receiving oral rehydration	Type: ◯ Oral rehydration solution ◯ Oral rehydration therapy ◯ Home-made solution ◯ Cannot be determined **Clear Response ()** (%) ...	...	...
Meningitis epidemic occurred during study period	(Y/N) ◯ Yes ◯ No **Clear Response ()**	...	...
Bacille Calmette-Gueri vaccine coverage	(%) ...	...	...
Measles vaccine coverage	(%) ...	...	...
Hib3 vaccine coverage	(%) ...	...	...
Pneumococcal vaccine coverage	(%) ...	...	...
Corruption perception index	...	...	...
Prevalence of Depressive disorders, female	(%) ...	...	...

Prevalence of Depressive disorders, male	(%) ...	...	...
Prevalence of Depressive disorders, both sex	(%) ...	...	...
Domestic general government health expenditure (GGHE-D) per capita in US$	...	...	...
Mean height at age 18, female	(cm) ...	...	...
Mean height at age 18, male	(cm) ...	...	...
Comprehensive correct knowledge about AIDS, female	(%) ...	...	...
Comprehensive correct knowledge about AIDS, male	(%) ...	...	...
Labor force participation rate, female	(%) ...	...	...
Labor force participation rate, male	(%) ...	...	...
Labor force participation rate, both sex	(%) ...	...	...
Population in the lowest wealth quintile	(%) ...	...	...
Under-5 mortality rate	per 1,000 lb ...	...	...

Population ages 15+, female	(%) ...	...	...
Population ages 15+, male	(%) ...	...	...
Population ages 15+, both sexes	(%) ...	...	...

Comments

Copyright © 2008-2026 DistillerSR Inc., All Rights Reserved. Patent Pending.