DSA LAB

Assignment :2

Name: Syed Awais Haider

Reg no. :090

Program:BSET-B

Answer:1

```cpp
#include <iostream>

#include <stack>

using namespace std;


int main() {

    stack<int> marksStack;

    int n, value;


    cout << "How many marks do you want to enter? ";

    cin >> n;
```

```cpp
    cout << "Enter the marks:\n";
    for (int i = 0; i < n; i++) {
        cin >> value;
        marksStack.push(value);
    }

    int highest = -1;

    cout << "\nEven values popped from the
stack:\n";
    while (!marksStack.empty()) {
        int topValue = marksStack.top();
        marksStack.pop();

        if (topValue > highest) {
            highest = topValue;
```

```cpp
        }


        if (topValue % 2 == 0) {

            cout << topValue << " ";

        }

    }


    cout << "\n\nHighest marks: " << highest << endl;


    return 0;

}
```
Answer:2

```cpp
#include <iostream>

#include <stack>

#include <string>

using namespace std;
```

```cpp
int precedence(char op) {
    if (op == '+' || op == '-') return 1;
    if (op == '*' || op == '/') return 2;
    return 0;
}


string infixToPostfix(string infix) {
    stack<char> s;
    string postfix = "";

    for (int i = 0; i < infix.length(); i++) {
        char ch = infix[i];


        if ((ch >= 'a' && ch <= 'z') || (ch >= 'A' &&
ch <= 'Z') || (ch >= '0' && ch <= '9')) {
```

```cpp
            postfix += ch;
        }

        else if (ch == '(') {
            s.push(ch);
        }

        else if (ch == ')') {
            while (!s.empty() && s.top() != '(') {
                postfix += s.top();
                s.pop();
            }
            if (!s.empty()) s.pop();
        }
        else {
            while (!s.empty() &&
precedence(s.top()) >= precedence(ch)) {
```

```cpp
            postfix += s.top();

            s.pop();

        }

        s.push(ch);

    }

}

while (!s.empty()) {

    postfix += s.top();

    s.pop();

}

return postfix;

}

int main() {

    string infix;
```

```cpp
    cout << "Enter infix expression: ";
    cin >> infix;

    string postfix = infixToPostfix(infix);
    cout << "Postfix expression: " << postfix <<
endl;

    return 0;
}
```