




Muhammad Awais

Task 4

Milestone 1 — Installation & Setup (00:00 – 16:56)



New Project




We have now successfully installed SSIS and created a new project with Visual Studio 2022. Now we can start working with SSIS.

Milestone 2 — (16:56 – 26:50) – Components of SSIS + Control Flow


Control Flow:

A control flow defines the flow of instructions.




I added lots of different tasks, then connected them using arrows to create a control flow.

Milestone 3 — Data Flow & Transformations (26:50 – 1:51:15)



V2 Multicast and Conditional Dataflow/Copy Column/Derived Column/Column Transformation



	season	match_id	match_date	team	opponent	player	batting_pos	runs	balls	dismissal	country
1	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
2	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
3	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
4	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
5	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
6	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
7	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
8	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
9	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
10	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
11	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
12	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
13	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
14	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
15	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
16	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
17	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
18	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
19	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore

A lot of things happening here, first we get the source file psl_matches from SSIS_Demo Database.

Then we create a country column, by using the opponent column.

Derived Column Name	Derived Column	Expression	Data Type	Length
Country	<add as new column>	LEFT(opponent,FINDSTRING(opponent," ",1) - 1)	Unicode string [DT_WS...	10

Then we copy the country column and create another same column just for the sake of practice.

Available Input Columns ☒ Name ☒ season ☐ match_id ☐ match_date ☐ team ☐ opponent ☐ player ☐ batting_pos	
Input Column	Output Alias
Country	Copy of Country

Then I do Column Transformation, to capitalize the Dismissal Column

Configure the properties used to apply string operations to columns with character data. Use the operation result in a new column or update an existing column.

Available Input Colu...

☒ Name

☐ season

☐ match_id


☐ match_date

☐ team

☐ opponent

Input Column	Destination	Operation	Output Alias
dismissal	In-place change	Uppercase	dismissal

Finally sorting is done, and by using multi cast, we send the data to two different databases, and with conditional split, we store only the rows where country is Lahore to another TEST Database.



SQLQuery11.sql - ...Q6HFL\Rehman (77))* SQLQuery10.sql - ...Q6HFL\Rehman (70))* SQLQuery9.sql - D...6HFL\Rehman (85))*

Select * FROM Test_Database.dbo.psl_batting

109 %


Results Messages

	season	match_id	match_date	team	opponent	player	batting_pos	runs	balls	dismissal	country
1	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
2	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
3	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
4	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
5	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
6	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
7	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
8	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
9	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
10	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
11	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
12	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
13	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
14	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore
15	2023	953	2023-03-18	Peshawar Zalmi	Lahore Qalandars	J. Khan	3	18	15	CAUGHT	Lahore

Running SecondDatabase Query:


10	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
11	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
12	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
13	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
14	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
15	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
16	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
17	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
18	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
19	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
20	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
21	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
22	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
23	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
24	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
25	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
26	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
27	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
28	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
29	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
30	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
31	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
32	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi
33	2025	1101	2025-02-14	Lahore Qalandars	Karachi Kings	B. Ali	4	11	8	BOWLED	Karachi

UNION ALL



	CustomerID	Name	City
1	1	Alice	Lahore
2	2	Bob	Karachi
3	3	Charlie	ISB
4	2	Bob	Karachi
5	3	Charlie	ISB
6	4	Diana	Quetta
7	3	Charlie	ISB
8	4	Diana	Quetta
9	5	Ehsan	Peshawar
10	1	Alice	Lahore
11	2	Bob	Karachi
12	3	Charlie	ISB
13	2	Bob	Karachi
14	3	Charlie	ISB
15	4	Diana	Quetta
16	3	Charlie	ISB
17	4	Diana	Quetta
18	5	Ehsan	Peshawar
19	2	Bob	Karachi

Merge Join




Performed INNER JOIN Based on CustomerID


Results		Messages			
	CustomerID	CustomerName	City	OrderID	OrderAmount
1	1	Ali	Lahore	101	250.00
2	2	Ayesha	Karachi	102	300.00
3	4	Sana	Lahore	103	150.00
4	1	Ali	Lahore	101	250.00
5	2	Ayesha	Karachi	102	300.00
6	4	Sana	Lahore	103	150.00

This query performs inner join based on a customer ID column.


Merge



DB TO DB Transfer



Data Flow File: Multiple Transformations



```
Select * FROM SecondDatabase.dbo.psl_batting
```

	season	match_id	match_date	team	opponent	player	batting_pos	runs	balls	dismissal	country
1	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
2	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
3	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
4	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
5	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
6	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
7	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
8	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
9	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
10	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
11	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
12	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
13	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
14	2025	1103	2025-02-22	Islamabad United	Lahore Qalandars	E. Ahmed	1	6	7	BOWLED	Lahore
15	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
16	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
17	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
18	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
19	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
20	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta
21	2023	952	2023-03-15	Islamabad United	Quetta Gladiators	H. Akram	5	9	7	LBW	Quetta


In this part, I focused on building SSIS Data Flow tasks that move and reshape data before loading it into SQL Server. I began by creating a table named psl_batting with properly defined column types such as int, date, and nvarchar and then designed a

Data Flow that pulled records from flat file CSV sources. Much of the effort went into resolving metadata mismatches especially the Unicode versus non Unicode string issue by setting my Flat File Source outputs to DT_WSTR and ensuring the OLE DB destination columns used matching NVARCHAR types. I experimented with Derived Column transformations to create new fields such as extracting the city name from an opponent string or trimming data and used Data Conversion when a downstream component required a specific type.

I also practiced combining and filtering data using key transformations. Union All allowed me to append rows from multiple CSVs while Merge and Merge Join demonstrated how sorted inputs enable ordered merges and SQL style joins inside SSIS. To prepare for these joins I added Sort transformations and defined key columns so that inner joins could match rows correctly. By the end of this milestone I had a repeatable flow from source to transformation to destination.

Milestone 4 (1:51:15 – 2:22:52) – Control Flow Tasks & Variables

Control Flow:



Loading Stored Procedure that changes Islamabad to ISB

The screenshot shows the SQL Server Enterprise Manager interface. On the left, the Object Explorer displays the database structure for 'DESKTOP-TQ06HFL (SQL Server 16.0.1000.6 - DESKTOP-TQ06HFL)'. The 'Tables' folder is expanded, showing a table named 'dbo.psl_batting' with columns: season (int, null), match_id (int, null), match_date (date, null), team (nvarchar(200), null), opponent (nvarchar(200), null), player (nvarchar(200), null), batting_pos (tinyint, null), runs (smallint, null), balls (smallint, null), and dismissal (nvarchar(100), null). The 'Columns' folder is also expanded, showing the same columns. The 'Messages' pane at the bottom shows the completion time: 2025-09-27T23:19:41.7003140+05:00.

```
USE Test_Database;
GO

SET ANSI_NULLS ON;
GO
SET QUOTED_IDENTIFIER ON;
GO

CREATE PROCEDURE dbo.usp_UpdateCityToISB
AS
BEGIN
    SET NOCOUNT ON;

    UPDATE dbo.Customers
    SET City = 'ISB'
    WHERE City = 'Islamabad';
END
GO
```

Calling Stored Procedure to change Islamabad to ISB

The screenshot shows the 'Execute SQL Task Editor' dialog box. The 'General' tab is selected, showing the following properties:

Property	Value
Name	Change Islamabad to ISB
Description	Execute SQL Task
Options	
Timeout	0
CodePage	1252
TypeConversionMode	Allowed
Result Set	None
SQL Statement	
ConnectionType	OLE DB
Connection	localhost.Test_Database
SQLSourceType	Direct input
SQLStatement	exec dbo.usp_GetDistinctCustomers;
IsQueryStoredProcedure	False
BypassPrepare	True

The 'Name' field is empty, with a hint: 'Specifies the name of the task.' Below the fields are buttons for 'Browse...', 'Build Query...', and 'Parse Query'. At the bottom are 'OK', 'Cancel', and 'Help' buttons.

To the right of the dialog box, a flowchart shows a task named 'Change Islamabad to ISB' with a green arrow pointing down to it.

Result


```
Select * FROM Test_Database.dbo.Customers
```

109 %


Results Messages

	CustomerID	Name	City
1	1	Alice	Lahore
2	2	Bob	Karachi
3	3	Charlie	ISB
4	3	Charlie	ISB
5	4	Diana	Quetta
6	5	Ehsan	Peshawar
7	2	Bob	Karachi
8	3	Charlie	ISB
9	4	Diana	Quetta

Deleting a folder with “File System Task”



Name	Date modified	Type	Size
Temp 1	9/28/2025 1:10 AM	File folder	
Temp2	9/28/2025 1:10 AM	File folder	
Temp3	9/28/2025 1:11 AM	File folder	



Deleted Successfully

Copying with “File System Task”

File System Task Editor

Configure the properties required to perform file system operations, such as creating, moving, or deleting files or directories.

General

Expressions

▼ Destination Connection

IsDestinationPathVariable False

DestinationConnection Customer2

OverwriteDestination True

▼ General

Name Copy

Description File System Task


▼ Operation

Operation Copy file

▼ Source Connection

IsSourcePathVariable False

SourceConnection customer1.csv



Customer	Name	City	
1	Alice	Lahore	
2	Bob	Karachi	
3	Charlie	Islamabad	

Copied Successfully

Execute Process Task

Execute Process Task Editor

Configure the properties used to run a Win32 executable or a batch file as part of the package.

General

Process

Expressions

Process


RequireFullFileNameTrue

Executablecalc.exe


Arguments

WorkingDirectory


StandardInputVariable



Precedence Constraints




Let's try to fail this




After failing, exe executes, and calculator opens.


Precedence Constraints with Expression



This runs the execute process task only if Date is greater than 25.





Using Variables with Expressions





A screenshot of the SQL Server Enterprise Manager interface. At the top, a query is executed: `Select count(1) cnt FROM SSISDemo.dbo.pslbatting`. Below the query, the 'Results' tab is active, showing a single row with the column 'cnt' and the value '532'.

cnt
532



A screenshot of the 'Variables' window in SQL Server Data Tools. It displays a list of variables defined in the package.

Name	Scope	Data type	Value	Expression
datepart	Variables and ...	Int32	25	
matchcount	Variables and ...	Int32	100	




Here a condition is set, by storing the psl matches count in matchcount variable.

Total rows in PSL Matches ==532

If pslmatches count > 100


Then the rest of the container would also execute.

Milestone 5 (2:22:52 – 2:38:45) – Containers





Containers contain lots of tasks, that are related to each other. Containers help with user experience, and easy managability.

Using Foreach loop container



We will loop through each file and store them in database

DataFlow:



Foreach Loop Editor

The Foreach Loop container allows execution iteration over an enumeration.

General
Collection
Variable Mappings
Expressions

Foreach Loop Editor

Enumerator: **Foreach File Enumerator**

Expressions

Enumerator
Specifies the enumerator type.

Enumerator configuration

Folder:
C:\Users\Rehman\Desktop\Files

Files:
*.csv

Retrieve file name
☐ Name and extension ☒ Fully qualified ☐ Name only

☐ Traverse subfolders

OK Cancel Help


The Foreach Loop container allows execution iteration over an enumeration.

General
Collection
Variable Mappings
Expressions

Select variables to map to the collection value.

Variable	Index
User::FileFullPath	0

Variables				
Name	Scope	Data type	Value	Expression
FileFullPath	Foreachloop C...	String	C:\Users\Rehman\Desкто...	...



SQLQuery12.sql - C:\Users\Rehman (81) - SQLQuery11.sql - C:\Users\Rehman (77)

SELECT * FROM foreachcontainer.dbo.CustomerData

109 %

Results	Messages	
CustomerID	Name	City
1	Imran	Sialkot
2	Alice	Multan
3	Farah	Peshawar
4	Alice	Hyderabad
5	Alice	Quetta
6	Ehsan	Sialkot
7	Ehsan	Quetta
8	Hina	Karachi
9	Farah	Islamabad
10	Diana	Peshawar
11	Gul	Islamabad
12	Imran	Islamabad
13	Alice	Hyderabad
14	Gul	Islamabad
15	Ehsan	Peshawar
16	Ehsan	Peshawar
17	Ehsan	Lahore
18	Diana	Quetta
19	Alice	Peshawar
20	Diana	Multan
21	Alice	Quetta
22	Gul	Hyderabad
23	Imran	Karachi
24	Char...	Karachi
25	Imran	Quetta
26	Javed	Islamabad
27	Gul	Hyderabad
28	Javed	Multan
29	Alice	Hyderabad
30	Farah	Peshawar
31	Alice	Karachi
32	Farah	Hyderabad
33	Diana	Quetta
34	Gul	Sialkot
35	Imran	Hyderabad

We have successfully looped through all the files by running our foreach container.

To see filepaths too, we do this

The screenshot shows a data flow in SQL Server Data Tools. A 'Flat File Source' connects to a 'Derived Column' transformation, which then connects to an 'OLE DB Destination'. The 'Derived Column Transformation Editor' is open, showing a list of functions on the right: Variables and Parameters, Columns, Mathematical Functions, String Functions, Date/Time Functions, NULL Functions, Type Casts, and Operators. The 'Derived Column Name' is 'Fullname', the 'Derived Column' is '<add as new column>', and the 'Expression' is '(DT_WSTR,255)@[User::FileFullPath]'. The 'Data Type' is 'Unicode string [DT_WS...]'.

Derived Column Name	Derived Column	Expression	Data Type	Level
Fullname	<add as new column>	(DT_WSTR,255)@[User::FileFullPath]	Unicode string [DT_WS...	2

SQLQuery12.sql -...Q6HFL\Rehman (81))* SQLQuery11.sql -...Q6HFL\Rehman (77))

SELECT * FROM foreachcontainer.dbo.CustomerData

20 %

Results Messages

	CustomerID	Name	City	FileFullPath
1	1	Ehsan	Peshawar	C:\Users\Rehman\Desktop\Files\ssis_csv_6.csv
2	2	Ehsan	Lahore	C:\Users\Rehman\Desktop\Files\ssis_csv_6.csv
3	3	Diana	Quetta	C:\Users\Rehman\Desktop\Files\ssis_csv_6.csv
4	4	Alice	Peshawar	C:\Users\Rehman\Desktop\Files\ssis_csv_6.csv
5	5	Diana	Multan	C:\Users\Rehman\Desktop\Files\ssis_csv_6.csv
6	1	Imran	Sialkot	C:\Users\Rehman\Desktop\Files\ssis_csv_1.csv
7	2	Alice	Multan	C:\Users\Rehman\Desktop\Files\ssis_csv_1.csv
8	3	Farah	Peshawar	C:\Users\Rehman\Desktop\Files\ssis_csv_1.csv
9	4	Alice	Hyderabad	C:\Users\Rehman\Desktop\Files\ssis_csv_1.csv
10	5	Alice	Quetta	C:\Users\Rehman\Desktop\Files\ssis_csv_1.csv
11	1	Ehsan	Sialkot	C:\Users\Rehman\Desktop\Files\ssis_csv_5.csv
12	2	Ehsan	Quetta	C:\Users\Rehman\Desktop\Files\ssis_csv_5.csv
13	3	Hina	Karachi	C:\Users\Rehman\Desktop\Files\ssis_csv_5.csv
14	4	Farah	Islamabad	C:\Users\Rehman\Desktop\Files\ssis_csv_5.csv
15	5	Diana	Peshawar	C:\Users\Rehman\Desktop\Files\ssis_csv_5.csv
16	1	Gul	Hyderabad	C:\Users\Rehman\Desktop\Files\ssis_csv_8.csv
17	2	Gul	Hyderabad	C:\Users\Rehman\Desktop\Files\ssis_csv_8.csv
18	3	Bob	Islamabad	C:\Users\Rehman\Desktop\Files\ssis_csv_8.csv
19	4	Diana	Multan	C:\Users\Rehman\Desktop\Files\ssis_csv_8.csv
20	5	Ehsan	Multan	C:\Users\Rehman\Desktop\Files\ssis_csv_8.csv
21	1	Hina	Islamabad	C:\Users\Rehman\Desktop\Files\ssis_csv_4.csv

Milestone 6 (2:38:45 – 3:22:58) – Event Handlers