




HHO2.0-突破技术与远景畅想

Smart Engine For Smart Vehicle To Smart World



Yull Brown

HHO 又叫布朗气，俗称氢氧气，由布朗教授多年钻研在上世纪60年代初发现。

尤尔.布朗 (1922~1998)教授保加利亚人，毕业于机电工程专业，大学毕业后前往莫斯科并获得了莫斯科大学颁发的物理学学位。在1958年布朗教授作为电气工程师前往澳大利亚，从此便开始了他的研究生涯。他深信Jules Verne的“水中有火”理论是可以实现的，经过多年钻研，布朗教授发现，如果将氢和氧按特定比例混合不仅能够安全燃烧，而且整个燃烧过程无污染。1970年初他发明了一项专利方法，用水电解产生防爆的氢氧混合气体，便是今天所说的布朗气体。Brown（布朗）教授在1989年来到中国并工作了3年，先后多次到52研究所讲授布朗气技术，引起了所领导及广大科技人员的高度重视，科技人员对Brown教授科学而精确的电解结构设计进行了研究，最后终于成功研制出了用以产生安全环保的布朗气体。

HHO 特性

变温特性

布朗气体燃烧时，火焰温度随被加热物体材料的不同具有不同的燃烧温度，我们称其为“变温特性”。国外有文献报道称布朗气的火焰温度在**125°C ~ 6000°C之间**。

内爆特性

布朗气是严格按照水分子结构中氢氧摩尔当量配比的氢氧混合气体，具有其它所有燃气都无法实现的内爆特性，当燃烧或爆炸发生后，布朗气按1:1860体积比形成真空和负压。



This November is the Wikipedia Asian Month. [Come join us.](#)

Oxyhydrogen

From Wikipedia, the free encyclopedia

"Knallgas" redirects here. For bacteria which oxidize hydrogen, see [Knallgas-bacteria](#).

Oxyhydrogen is a mixture of [hydrogen](#) (H₂) and [oxygen](#) (O₂) gases. This gaseous mixture is used for torches to process [refractory](#) materials and was the first^[1] gaseous mixture used for [welding](#). Theoretically, a ratio of 2:1 hydrogen:oxygen is enough to achieve maximum efficiency; in practice a ratio 4:1 or 5:1 is needed to avoid an [oxidizing flame](#).^[2]

This mixture may also be referred to as ***Knallgas*** (Scandinavian and German [Knallgas](#): "bang-gas"), although some authors define knallgas to be a generic term for the mixture of fuel with the precise amount of oxygen required for complete combustion, thus 2:1 oxyhydrogen would be called "hydrogen-knallgas".^[3]

The term **Brown's gas** refers to oxyhydrogen with a 2:1 [molar ratio](#) of H₂ and O₂ gases, the same proportion as in [water](#). It was named after its Bulgarian inventor Yull Brown (born Iliya Valkov, [Bulgarian](#): Илия Георгиев Вълков), who suggested it to be produced by the [electrolysis](#) of water to be used as a fuel for the [internal combustion engine](#).^[4] Later "Brown's gas" and **HHO** has become a [fringe science](#) term for a 2:1 mixture of oxyhydrogen obtained under certain special conditions; its proponents claim that it has special properties.^[5]

Contents [hide]

- 1

Properties
- 2

Production
- 3

Applications

3.1

Lighting

3.2

Oxyhydrogen blowpipe

3.3

Oxyhydrogen torch
- 4

Fringe science
- 5


References

Properties [edit]

Oxyhydrogen will [combust](#) when brought to its [autoignition temperature](#). For the [stoichiometric](#) mixture, 2:1 hydrogen:oxygen, at normal [atmospheric pressure](#), autoignition occurs at about 570 °C (1065 °F).^[6] The minimum energy required to ignite such a mixture with a spark is about 20 [microjoules](#).^[6] At [standard temperature and pressure](#), oxyhydrogen can burn when it is between about 4% and 95% hydrogen by volume.^[7]^[6]

When ignited, the gas mixture converts to [water vapor](#) and [releases energy](#), which sustains the reaction: 241.8 [kJ](#) of energy (LHV) for every [mole](#) of H₂ burned. The amount of heat energy released is independent of the mode of combustion, but the [temperature of the flame](#) varies.^[8] The maximum temperature of about 2,800 °C (5,100 °F) is achieved with an exact [stoichiometric](#) mixture, about 700 °C (1,300 °F) hotter than a hydrogen flame in air.^[9]^[10]^[11] When either of the gases are mixed in excess of this ratio, or when mixed with an [inert gas](#) like nitrogen, the heat must spread throughout a greater quantity of matter and the temperature will be lower.^[8]

WIKIPEDIA，认为HHO，也叫做布朗气（Brown’s gas）就是2：1氢氧气。按照2：1氢氧气来描述特性，但是布朗先生本人不承认HHO是常规2：1氢氧混合气，因为很多理化特性有差异，比如常规氢气与氧气是不允许混合加压储存的。



Nineteenth-century electrolytic cell for producing oxyhydrogen.

[首页](#)[探索百科](#)[用户](#)[任务](#)[合作](#)[知识商城](#)[帮助中心](#)[+ 添加义项](#) [?](#)

HHO

[免费编辑](#)[添加义项名](#)



所属类别：元素

HHO在中国还没有得到广泛认识和利用，在外国HHO是节能减排的有效方法，在增强发动机动力，供暖等方面有非常显著的节能效果，HHO项目在中国有很大的市场潜力。

以上回答并不专业，以下是实验处理的真知:



HHO装置反应实际不仅仅是电解出氢气和氧气，里面有包含冷核聚变反应，就是在几乎0电流或者说低功率电解的过程中，产生了游离的氢原子，一般是氢的同位素，然后经过了纳米晶笼处理的负极或者用钯金属或者铅汞齐合金就可以把这个H"锁"住在金属晶格里面，这时候电解释放大量能量，因为有些氢变成了氢气，有的变成了氦气等等。所以聚变产生大量能量，这时候cop就远远大于1了。

百度百科，Sogou百科，360百科对HHO解释雷同，言简意赅，反而比较具有见地，既表明了技术可信，又说明了认知不到位造成推广受阻，同时表明了电解有特殊现象，留下无限遐想。



The water electrolysis to H₂ and O₂

H₂+O₂ VS HHO



The water electrolysis to HHO

Definition 1 (https://en.wikipedia.org/wiki/Oxyhydrogen#HHO_gas)

Wikipedia explain that the HHO (oxyhydrogen or the Brown's gas) is a mixture with 2:1 molar ration of H₂ and O₂ gases, the same proportion as in the water. It is a mixture gases (2H₂ + 1O₂).

Definition 2 (<http://tophogascar.com/what-is-hho-gas/>)

HHO gas is a newer form of gas that is created by using 'pules electrolysis' equipment. Being made up of magneclules that contain hydrogen gas, HHO is connected to lone atoms that are oxygen atoms, by "magneclular bonds".





Which one is correct?

Conclusion 1

HHO is a poorly defined term, it is not exactly (2H₂+O₂) 🙄

电解



学术界





研发界






产业界

电离 / 极化



What is HHO?



OHMASA-GASの分析データー



Adobe Acrobat Document



Adobe Acrobat Document



Adobe Acrobat Document

Conclusion 1


HHO is a poorly defined term, it is not exactly (2H₂+O₂)




3 Different Theories on Brown's Gas (HHO)

Microsoft
Paint 97-2003 Pres

Monatomic Theory






Water Magnecule Theory



Plasma Orbital Expansion Theory

"Normal" water has electron density similar to this.



Conclusion 1

HHO is a poorly defined term, it is not exactly (2H₂+O₂)





1960年		Brown Gas	HHO GAS
1975年	Stanley Meyer	Water powered car	
2002年	Denny Klein	Klein Gas	HHO GAS
2011年	Ryushin OMASA	OMASA Gas	MHHO GAS

Oxyhydrogen Klein Gas
Brown Gas MHHO GAS
2H₂(g)+O₂(g)
HHO GAS



Adobe Acrobat
Document



耶尔-布朗在电解水时发现：正常的情况是2个水分子被电解生成2个氢气分子和1个氧气分子，如果是1升水，在正常情况下电解出的氢气和氧气在标准状态下就会有2401.667升(24.5L，温度25℃，气压101KPa)。但是，他却发现1升水生成了1866.6升的气体，假设HHO是水的同分异构体成立，且电解电离后生成HHO，H₂，O₂三种气体，则可以推断出各占比为 (HHO：H₂：O₂)=(18.9%:54%:27%)=(**2:6:3**)

2016论文offenlegungsschrift里面的比例似乎是 (HHO：H₂：O₂)= (**5:6:3**)，也符合我以前的一个猜想：即现在所谓的HHO主要是HHO H₂ O₂的混合体，比例不是恒定，以前的技术HHO含量低，现在的技术HHO含量高。而MHHO接近于纯HHO。Klein Gas可能也很纯，因为很清晰的表述了液化点信息。

而科技界对于HHO一直没有统一的定论，原因也是因为对象不纯，没有恒定的研究目标，大家不能对着一个确定的东西展开研究，所以研究结果彼此有出入。




Denny Klein

2002年9月美国人**Denny Klein** 提出了一种采用新式电极器**电极化（电离化）**水（区别于电解水）获得新型燃气的专利申请，已于2004年2月获得美国专利（附件三）。这种燃气不同于Brown Gas，它的分子量和水的分子量相同，是水的同分异构体，Klein称之为HHO GAS或**Klein Gas**，它不是氢气和氧气的混合气体。

研究表明，KLEIN的燃气发生器产生的HHO燃气，其中含有大量**水的同分异构基团**，这种基团的水分子不同于常规水分子的地方在于，其氧原子外围的两个氢原子不是成正交分布的，而是平行分布的。这种被称之为HHO的水分子具有优越的可燃性，如下：

1. 在开放的空气环境中，HHO GAS的燃烧温度低于150° C；
2. 作用于不同的物质时产生不同的温度，最高达6000° C；切割不同厚度钢板的速度比氧-乙炔燃气快30%，且切口平滑，不生锈；
3. 优越的表面吸附性，极易与汽油及其他燃气相混合（应用于汽车燃油添加剂）；
4. **优越的低压液化性能（与民用液化气相近）；**
5. 零污染燃气：燃烧排放物仅为水；
6. 优越的现制现用性能和安全的存储运输性能；
7. 广泛的应用领域：

民用炉具、所有工业燃气的替代产品（切割和焊接）、超高温超洁净焊接熔融燃气、天然能源的替代品、混合汽车燃料。




2005年8月第一次拜访KLEIN和他在佛罗里达的公司（HTA）



2005年10月将国内专家提供的测试样品提交KLEIN先生试熔




2005年12月再次拜访KLEIN，拍摄了用HHO GAS熔融专家提供的另一组相同材料的样品




2006年3月对HTA的第六次访问



MHHO Is Ideal Fuel to ICE



HHO VS H₂ VS MHHO



	Liquefied temperature	Energy consuming
H2	-253℃	40 MJ/kg (11.1KWh)
N2	-196℃	877KJ/Kg (0.24KWh)
O2	-183℃	3.6-4.5MJ/Kg (1KWh)
HHO	-178℃	0.5~1KWh*
LNG	-162℃	510KJ/Kg (0.14KWh)


COMPANY NAME:
JAPAN TECHNO CO., LTD.
Address:
2-14-10 Kugahara ,Ota-Ku,Tokyo,146-0085,Japan
tel.81-3-3754-1661
fax.81-3-3754-7175
Contact Person
President Ryushin Omasa



Video MHHO introduce

Conclusion 2

HHO gas is already in widely use



- 1) 1989年，澳大利亚科学家Yull Brown教授应中国北方工业公司(NORINCO)邀请来中国兵器工业第52研究所考察和技术交流；
- 2) 1990年2月，中国兵器工业第52研究所布朗气项目组成立；
- 3) 1991年5月，BN系列布朗气样机研制成功,并于第二年获国家级新产品奖；
- 4) 1994年12月，布朗气发生器通过内蒙古自治区科学技术成果鉴定；
- 5) 1995年，H1200布朗气发生器获国家级新产品奖、中国专利新技术产品博览会金奖；
- 6) 1996年，韩国B.E.S.T COREA CO.,LTD 公司金相南主席来公司考察；
- 7) 1998年12月，布朗气发生器通过GB/T19001-1994标准质量体系认证；
- 8) 1999年11月，H250B白金熔焊机获国家重点新产品奖（发证机关：中华人民共和国科学技术部、国家税务总局、中华人民共和国对外贸易经济合作部、国家质量技术监督局、国际环境保护总局）；
- 9) 2000年，布朗气项目被列为国家火炬计划项目；同年10月H3000型布朗气发生器正式上市销售；
- 10) 2002年，布朗气（氢氧气）产品被国家经贸委和国家税务总局列为第二批环保项目目录，享受相关优惠政策；我单位被科技局批准为《国家科技成果重点推广计划》项目“氢氧气发生器”的技术依托单位。
- 11) 2003年3月，布朗气项目进入中国兵器科学研究院宁波分院；
- 12) 2003年5月，推出采用布朗气技术的新型环保医用焚烧炉；
- 13) 2004年3月，新一代T80型火焰抛光机上市销售；
- 14) 2005年2月，宁波和利氢能科技有限公司成立，布朗气项目由和利公司进行完全市场化运作；
- 15) 2005年3月，公司与南京净之杰固体废物处理有限公司签订合作协议，将布朗气催化燃烧技术应用于QNK-15型控气式热裂解焚烧炉中进行生产性试验，获得突破性成果。
- 16) 2005年10月，采用专利技术的布朗气复合燃料燃烧器上市；
- 17) 2005年10月，氢氧气燃烧器荣获中国宁波科技创业大赛新秀奖；
- 18) 2006年5月，开展布朗气技术在大功率柴油发动机上的应用研究工作；
- 19) 2006年8月，布朗气燃油燃烧器系统通过宁波市科技局技术成果鉴定；
- 20) 2006年9月，公司总经理作为特邀嘉宾参加在北京人民大会堂举行的“第五届中国科学家论坛”；同年11月受邀参加第七届全国氢能学术会议，发表了学术论文并做了专题报告；
- 21) 2006年12月，新一代采用全封闭一体化电解槽结构的布朗气发生器正式上市；
- 22) 2007年3月，T1000型布朗气发生器批量投产；同年5月，T5000型布朗气发生器试制成功；
- 23) 2007年5月，公司作为特约嘉宾受邀参加我国第一届氢能展；
- 24) 2007年6月，T600型布朗气发生器批量投产；
- 25) 2007年9月，与扬子江药业签订合同，布朗气发生器首次应用在制药行业；
- 26) 2007年10月，公司参加上海国际广告机械展览，获得同行业高度好评；
- 27) 2007年11月，参加全国药品机械展，受到水针剂制药企业的普遍关注；
- 28) 2008年1月，与宝山钢铁集团公司达成连铸坯切割合作意向；
- 29) 2008年7月，在连铸坯切割领域与上海振华焊割公司签署长期战略合作协议；
- 30) 2008年9月，世界最大布朗气发生器T20000型试制成功，并通过宝山钢铁集团验收；
- 31) 2008年10月，通过了在大功率柴油发动机上的应用试验，并得到专家认可；
- 32) 2008年11月，与天津铜业合作，布朗气发生器T12500正式应用于冶金熔炼行业；
- 33) 2009年1月，T1500、T3000型布朗气发生器批量投产；
- 34) 2009年5月，产品出口英国，与英国DELICATE.ECO公司建立贸易合作关系，打开了欧洲市场；
- 35) 2009年10月，在汽车除碳技术上取得新突破，为产品拓展了一个全新领域；
- 36) 2009年11月，受国家氢能协会、标准化委员会委托，起草“氢氧发生器”国家标准；
- 37) 2010年9月，T系列产品通过欧盟CE认证，获得了欧盟国家的安检通行证；
- 38) 2011年1月，我公司先后主持起草《氢氧发生器安全技术规范》等4项国家标准的制定工作；
- 39) 2012年1月，产品通过交通部公路科学研究院检测认证，T1500系列产品开始应用于汽车领域；
- 40) 2012年4月，成为中国医药设备工程协会会员；
- 41) 2012年8月，我公司总工程师（研究员）成为全国氢能标准化技术委员会委员
- 42) 2013.5 入选中国汽车工业协会及中国汽保协会会员
- 43) 2014.2 布朗气分子除碳机获得北京汽保国际展览会特别推荐产品奖
- 44) 2015.1 三元催化养护机获得中国汽保协会技术贡献奖
- 45) 2015.2 通过ISO9001-2008质量体系认证
- 46) 2015.11 在中国新三板挂牌成功，股票代码：834311
- 47) 2016.10 获得宁波国家高新技术企业资质；
- 48) 2017.1 主持制定的国家标准《氢氧发生器安全技术要求》GB/T34539-2017正式发布实施；
- 49) 2018.6 喷油嘴清洗机HD10 获得年度全国“20佳维修工具”优秀奖。



T2K氢氧焰焊机

型号T2K (RMB15000)


简介：
T2K氢氧焰焊接机，可以焊接漆包线（引出线40平方以下）、铜管，2针手工石英玻璃焊接等等



浙江和利氢能科技股份有限公司
地址：浙江省宁波市国家高新区凌云路199号 邮编:315103
电 话：(86) 574—87902271/87902261 18157475745 传 真：
(86) 574—87902271
<http://www.browngas.cn>

HHO Is Widely Use in Engine Carbon Cleaning

HHO is widely use as Carbon Cleaner (auxiliary combustion)





Video-Engine Carbon Clean



HHO act as a combustion improver to make the original fuel combustion more completely and cleanly.

HHO Is Widely Use As Fuel Saver



NISSAN 370Z HYDROMOVING SYSTEM

Hydromoving compact System 6 cells on 3700cc engine.



BMW HYDROMOVING SYSTEM

HydroC4, four cells Compact model mounted on a 3 liters turbo diesel engine



SMART

Hydro3C, compact model installed on a Smart 1liter gas engine



NISSAN Z

HydroP6, Professional prototype model 6 cells installed on a 3.7 liters Nissan engine in USA.



NISSAN NV 200

Hydromoving compact system on 2000cc engine



Evoluzione GT

New installation and partner - Evoluzione GT




Mercedes ML

Hydromoving Compact System on Diesel 3.200cc Engine

The company HydroMoving Srl was founded through the efforts of the engineer Lorenzo Errico who, with his passion for cars, electronics and innovation with regard to "green technologies", involved enthusiasts in his own field giving life to the project HydroMoving.

Why Choose Us

We are the only ones in the world to have a patented technology, tested and certified for the production of oxyhydrogen gas (gas produced from distilled water) on board and on-demand, with electronic injection in the combustion chamber of any type of ICE (gasoline / Diesel etc ..) that reduces polluting emissions by 90%. The system guarantees a reduction of CO2 one the GHG gas > = 30%.



<https://www.hydromoving.com>

HHO Is Widely Use As Fuel Saver

“十二五”（2011-2015）期第一批全国重点推广公路水路交通运输节能产品（技术）目录

序号	产品名称 (型号 / 商标)	应用范围	生产或经销单位名称	法人代表	联系人及电话传真	地址及邮编	备注 (试验检测结果)
6	导流式汽车节能排气尾管 (STL050/圣天利)	汽油车	山东圣天利节能器有限公司	张 岩	李学军 Tel: 15949924676 Fax: 0534-5232996	山东宁津经济开发区 邮编: 253400	整车道路对比检测: 市区运行模式节油率 3.0%
7	生物复合纳米自组装燃油添加剂 (一鑫宝牌)	车用 柴油机	山东鑫海汽车配件有限公司	杜文军	张克民 Tel: 0635-3982268 Fax: 0635-3982269	山东省高唐县经济开发区鼓楼西路 邮编: 252800	发动机台架对比检测: 快速运行模式节油率 1.7%
8	HHO 车载氢氧机 (MCW-2000/MCW)	车用 柴油机	东莞市鑫亚塑胶制品有限公司	张晓青	陈秋亭 Tel: 13829130090 Fax: 0769-85331810	广东省东莞市长安镇上角红棉路 6 号 邮编: 523878	发动机台架对比检测: 市区运行模式节油率 1.6%
9	原子自组装纳米球固体润滑剂 (WZ-QYCL-F-0.8-4.0L/—)	车用 汽油机	山东万众科技有限公司	官志利	官志利 Tel: 0533-6989601 Fax: 0533-6989621	山东省高青县经济开发区 邮编: 256300	整车道路对比检测: 市区运行模式节油率 3.1% 城间运行模式节油率 3.1% 快速运行模式节油率 3.0%
10	MD 环保节油剂 (MD-D/MD 图形)	车用、船用 柴油机	海南明德能源投资有限公司	徐德锋	康 明 Tel: 13647549818 Fax: 0898-68583617	海口市世贸东路 2 号世贸中心 F 栋 903 室 邮编: 570100	发动机台架对比检测 (车用): 快速运行模式节油率 1.7% 发动机台架对比检测 (船用): 推进特性平均节油率 1.5%
11	车用电子燃油优化处理器 (SPF-D ₃ /军丰)	车用 柴油机	广州市军丰节能科技有限公司	王伟林	王伟林 Tel: 020-87248950 Fax: 020-87248950	广东省广州市白云区京溪中路 17 号南 33 号 邮编: 510510	发动机台架对比检测: 市区运行模式节油率 2.0%




without hho, the fuel mileage: 12.04km/liter



with hho, the fuel mileage: 14.23km/liter

Car No.	Fuel consumption	Mileage	Fuel mileage rate
京都200-432	11.73Liters	141.3Km	12.04Km/Liter
With HHO	10.83Liters	154.2Km	14.23Km/Liter



技术优缺点

GB/T 34539—2017

前 言

本标准按照 GB/T 1.1—2009 给出的规则起草。
本标准由全国氢能标准化技术委员会(SAC/TC 309)提出并归口。
本标准起草单位:浙江和利氢能科技股份有限公司、中冶建筑研究总院有限公司、浙江大学化工机械研究所、北京和源天利科技有限公司、合肥工业大学。
本标准主要起草人:梁宝明、蔡云龙、聂祯华、郑津洋、王昌建、高崧。

3 术语和定义

GB/T 24499 和 GB/T 29411—2012 界定的以及下列术语和定义适用于本文件。

3.1

氢氧混合气 hydrogen-oxygen mixed gas

通过水电解氢氧发生器制取的比例为 2 : 1 的氢气、氧气的混合气体,亦称布朗气。

4.2 风险控制

4.2.1 在使用氢氧发生器时,应即产即用,禁止储存、压缩氢氧混合气。

4.2.2 在满足需求的前提下,控制氢氧混合气的使用量。

HL

例可能不纯,这会制约后面的使用效果,建议你们研究一下mhho,看看能否做到比他们还好

2018年11月3日 21:52

HHO ICE
-20181101-persen...
6.6M



2018年11月3日 22:50



这个技术有四个层次,现在只是试着看有么有好的路径来实现第二个层次

13:04

你们起草氢氧发生器国家安全标准,在没有权威检测文件支持下武断表述为2:1氢氧气,禁止储存。会阻碍这一技术的发展,建议去考察纯hho生产工艺,也就是日本人取名MHHO,液化点-178度,可以像液化天然气一样液化储存,也可以安全加压储存。身为国家标准起草者,如此不究甚解就说禁止这个禁止那个非常怀疑动机。




13:12

你比我们专业

没有,我们作为HHO下游产业,需要安全用好用足这个技术,需要更加明确的理化性能指标分析,才有机会标准化,产业化,现在那个安全标准会成为我们推广这个技术的绊脚石。



HHO提纯设想



	Liquefied temperature	Energy consuming
H_2	-253°C	40 MJ/kg (11.1KWh)
N_2	-196°C	877KJ/Kg (0.24KWh)
O_2	-183°C	3.6-4.5MJ/Kg (1KWh)
HHO	-178°C	2MJ/Kg (0.2~1KWh) ?
LNG	-162°C	510KJ/Kg(0.14KWh)



TOKYO
METROPOLITAN
UNIVERSITY





HHO 零排放发动机 攻坚组 (4)

2018年9月15日 21:03

9 : 1 是指HHO 比汽油9 : 1吗

是液化还是压力型

2018年9月15日 21:14

HHO常态是气体，成为液态才能和汽油混合。加压的可能性大。

这个技术认知度比较低，在国内推广需要机会，我找正统的院校也是这个意图。

这有两面性，如果认知度高，也就没有技术壁垒了。

现在有个关键怀疑点，国内hho与他的mhho是否是一个东西，这个要理化分析对比

如果mhho与hho不一样，有可能还有Ahho Bhho

那怎么玩

肯定有其独特的地方，他觉得才有必要到中国来申请专利。

2018年9月15日 21:21


hho也没有清晰定义，所以不知道这两者是否是一个东西，hho已经公开化很多年了，专利已经失效了

孙总，日本的那位博士一次性转让，有没有透露大概的标价。

30亿

一个多亿人民币



正常的液化提纯需要专业部门协助，在上海比如法国液化空气公司这类研发企业可以帮助分析HHO气体标准大气压下的液化点测量，液化提纯后气体成分分析，安全存储条件制定，重新气化后理化性能测试。



Protium

Deuterium

Tritium





同济大学
TONGJI UNIVERSITY

同济大学汽车学院
汽车发动机设计研究所所长

楼狄明 博士 教授
博士生导师

中国·上海市嘉定区曹安公路4800号
邮编: 201804
电话: 021-69589207
传真: 021-69589207
手机: 13901759430
邮箱: loudiming@tongji.edu.cn



同济大学
TONGJI UNIVERSITY

成员简介 | Staff Introduction

教授》



李理光 / Li Liguang

同济大学特聘教授、动力机械及工程学科责任教授
Tongji Extraordinary Professor, Leading Professor in Power Machinery & Engineering
研究方向: 内燃机喷雾、燃烧与排放控制, 替代燃料, 混合动力系统等
Research Area: internal combustion engine spray, combustion and emission control, alternative fuel, hybrid system

SAE Fellow
中国汽车工程学会常务理事 Executive Board member of SAE China
中国内燃机学会常务理事 Executive Board member of Chinese Society for Internal Combustion Engine(CICE)
中国机械工业教育协会常务理事 Executive Board member of Chinese Automobile Talents Studies
中国内燃机学会汽油机与燃气机分会副主任委员 Vice Director of Gasoline Engine Sub-committee, CICE
中国内燃机学会油品与清洁燃料分会委员 Member of Oil and Clean Fuels Sub-committee, CICE
教育部机械与设计教学指导委员会委员
Member of Advisor Committee of Mechanical Engineering, Ministry of Education, China
教育部工程硕士车辆工程领域副主任委员 Vice Director of Vehicle Engineering Master Education Committee, China
中国机械工业协会车辆工程分会副主任委员 Vice Director of Vehicle Engineering Sub-Committee, CMIF, China



楼狄明 / Lou Diming

动力机械及工程学科骨干教授
Key Professor in Power Machinery & Engineering
研究方向: 发动机现代设计技术、代用燃料技术等
Research Area: modern engine design technology, alternative fuels

中国内燃机学会理事
Board member of CICE
中国内燃机学会油品与清洁燃料分会副主任委员
Vice Director of Oil and Clean Fuel Sub-committee, CICE
中国内燃机学会中小功率柴油机分会副主任委员
Vice Director of Small and Medium Power Diesel Engines Sub-committee, CICE
中国内燃机学会大功率柴油机分会委员
Member of Large Power Diesel Engines Sub-committee, CICE
中国内燃机工业协会理事
Board member of CICEIA



许思传 / Xu Sichuan

动力机械及工程学科骨干教授
Key Professor in Power Machinery & Engineering
研究方向: 新能源动力系统
Research Area: power systems of clean energy.



倪计民 / Ni Jimin

研究方向: 汽车动力传动系统优化匹配、内燃机排放控制、代用燃料、试验和测试技术等
Research Area: vehicle powertrain optimization match the internal combustion engine emission control, alternative fuels

中国内燃机学会测试技术分会副主任委员
Vice Director of Testing Technology Sub-committee, CICE
中国内燃机学会基础件分会委员
Member of Foundation Parts Sub-committee, CICEIA
全国内燃机标准化技术委员会委员和专家委员会副主任委员
Vice Director of the Technical Committee on Engine Standardization of China



吴志军 / Wu Zhijun

研究方向: 内燃机燃烧与排放控制、燃烧及喷雾光学诊断、湍流燃烧、混合动力汽车动力系统等
Research Area: internal combustion engine combustion and emission control, combustion and spray optical diagnostics, turbulent combustion, hybrid system

中国机械工业教育协会理事
Board member of Chinese Automobile Talents Study
中国汽车工程学会代用燃料汽车分会副主任委员
Vice Director of Alternative Fuel Sub-committee, SAE China
中国内燃机学会燃烧、节能、净化分会委员
Member of Combustion, Energy saving, Clean Sub-committee, CICE



Congress 13
Shanghai

中国联通 下午12:18

< 微信 楼狄明

但是没有涉及液化储存与纯hho驱动汽车

2018年10月10日 上午9:20

HHO实验计划.pdf
95K

楼教授您好, 休假在外地没有及时把试验清单发给您。十分抱歉, 这个是我初步设立的试验清单, 应该还很不成熟, 请您指点, 请问我有机会在同济大学参加相关试验吗? 如果可以的话我将全力以赴。

2018年10月10日 下午1:28

楼教授, 不知道有没有机会做这些基础研究, 需要我过来再做说明吗?

可以想办法做试验








Conclusion 3

HHO Is Ideal Fuel to ICE




Hydrogen Energy Industry Old Chain

(Expensive, Energy Consumption, No Mature, No Durable)




Hydrogen Energy Industry New Chain

(Safe, Low Cost, Mature, Durable, Emission Free)



Finding the right hydrogen fuel for the ICE is finding the right hydrogen industry chain for the vehicle.
(找对适合内燃机的氢燃料才能正确打通汽车用氢产业)



HHO-发动机



C2基于C1成功的情况下，跑全工况，记录相关转速，输出功率，扭矩，燃料消耗量，实际功率与排放温度和湿度的情况。

期待的结果是：1汽车零排放，2低成本、低温、高效率(>50%)，3燃料易取易存易加注。

HHO液化提纯



HHO 实验路径清单

A1: 通过高速摄像机, 观察极板间HHO的生成规律。

A2: 测量HHO的产气率与极板间隔, 面积, 与电脉冲参数的关系, 实验不同脉冲电环境下的产气效率 (纯度)。



B1: HHO气体摩尔称重 (测量HHO液化提纯后再汽化状态)

B2: HHO气体标准大气压下的液化点 (如果实验条件许可, 测试加压液化)

B3: 测试HHO气体拉曼光谱吸收 (对比氢气与氧气2: 1成分的光谱吸收)

B4: 测试HHO2: 1摩尔比下面的压燃 (压爆) 参数, 与安全压力储存参数

B5: 测试HHO火焰传播速度, 燃烧过程压力变化与温度变化情况




C1: 纯HHO供发动机运行的调校实验 (两冲程/四冲程)

C2: 基于C1成功的情况下, 跑全工况, 记录相关转速, 输出功率, 扭矩, 燃料消耗量, 实际功率与排放温度和湿度的情况。

C3: 研究内爆现象对发动机功率提升或者获取环境能路径探索。

C4: 根据以上假设实验成功收集信息充分的情况下, 推导出HHO内燃机关键参数。指导下一步纯HHO发动机研发方向。

HHO 技术商业化的四个技术层次

HHO技术层次	HHO技术层次内容	时间轴	汽车相关
HHO 1.0	含有一定HHO比例的燃烧产品：HHO助燃机，HHO切割机，HHO焊接机，HHO除碳机，车用HHO Kit用于省油增程，节能减排。	技术现状 0y	
HHO 2.0	纯HHO液化储存成功，纯HHO发动机研制成功，零排放高效率内燃机在汽车等各大行业中推广流行起来。	近期商机 5y	
HHO 3.0	HHO内爆并生成液态水，使气缸内产生负压，提取大气压势能成功，发动机效率COP>1。发动机可以自运行，加水汽车出现，极大变革社会能源使用结构。	技术突破 5+y	《HHO2.0-突破技术与远景畅想》
HHO 4.0	水在电离（电极化）过程中，实现卡西米尔效应，成功提取真空零点能，超一效率电离水生成HHO成功，自由能大功率汽车出现，车成为主要能源站，承担分布式清洁能源重要一环。经济发展成本与环境友好性得到质的飞跃。	远景畅想 10+y	





俾斯麦说：真理只在大炮射程之内。

知识算真理吗？


商场如战场，知识就是情报。干扰传递，阻扰判断，
误导方向在知识竞争领域同样存在。

HHO知识就是在这样的环境下发展的。


流言Discovery



Video-流言终结者的表演



Video-Discovery的表演



Video-2W Solar Cell Real Effect


第一个是编剧没编好，把一个课本知识编成了伪科学，演戏不错，可惜走错了舞台。
第二个视频把福特几年才能研发成功的事情，分分钟就表演成功了，功力太强了。

In order to fix the H₂ Fuel Cell Cost issue, Ford solution is to develop the H₂-ICE:

1997, Ford Motor Company Scientific Research Laboratory started the project to design and develop a practical, low-cost hydrogen fueled internal combustion engine (H₂ICE) vehicle.

2001, Ford introduced P2000 H₂ICE uses a modified version of the Zetec 2.0-liter gasoline engine. The engine's efficiency is improved by 25 to 30 percent over its gasoline counterpart.

2006, Although Ford's work on the new HySeries fuel-cell hybrid continues to gather momentum, teams within the company have made great strides to bring hydrogen fuels to internal combustion engines—specifically, the Tri-Flex fueling 6.8-liter Triton V10.



网红Showtime



Video-网红的表演


- 19  **FREE ENERGY FROM MAGNETS EXPLAINED AND DEBUNKED!!**
46:10 Skeptical Open-mind
- 20  **13 year old Invents Free Energy Device for 14 bucks AHAHHHAHAHA :)**
10:50 Skeptical Open-mind
- 21  **FREE ENERGY GENERATOR ABHA COIL RODIN VORTEX MATHEMATICS**
21:02 Skeptical Open-mind
- 22  **Free - energy Made In Pakistan AHAHHHAHAHAH**
10:32 Skeptical Open-mind
- 23  **Tesla's Secret finally understood (Gerard Morin) DEBUNKED!!**
14:16 Skeptical Open-mind
- 24  **FINALLY FREE ENERGY from INDUCTION WHEEL (not gravity)**
7:31 Skeptical Open-mind

而这位是演戏演得太投入了，也是把我们梦寐以求的HHO2.0的目标分分钟搞成了，要给演员加鸡腿了。



HHO


Emission Free ICE Car



Emission Free New EV Car



HHO




Emission Free Hybrid Car



Video-HHO维持汽车怠速





Video-Scooter running on 100% HHO
but vehicle runs on 1:1 (HHO:LPG)



Video-Car running on HHO
@80km/h



Adobe Acrobat
Document



HHO Vacuum Theory

罕见的气体内爆和骤聚特性（HHO3.0核心原理）

将水电解生成气，体积比按1：1859倍增大，如果气体通过内爆突然变回水时，体积比按1859：1急速骤聚成真空负压。

内爆如果控制在密封容器里发生，就会形成高度的真空，如果把一罐子布朗气体点燃，罐子内燃烧虽然也有爆炸声，但是罐子不会受任何影响！如果把罐子冷却到零下20℃，就可以获得1/1000个大气压的真空，如果把罐子冷却到零下60℃，就可以获得百万分之一的一个大气压的真空，即使只是把罐子冷却到室温，也可以获得1/30（97%）个大气压的真空。工业上、医疗上经常需要快速制造真空，布朗气体只需一个电火花，再加上几分钟的冷却，就可以制造出合适的真空，而且所需成本很低。据说，只有布朗气体才具有内爆这一特性，而直到1990年，这一特性及其应用才通过专利的承认和批准。


美国西南混凝土制品公司(SCP)就此演示了布朗气体内爆的特性。他们向设有电火塞，装满水的密封容器注入布朗气体，水从容器底部的水管排出，流入一个大水箱。等气体完全充满容器后，用高频9000伏的电压通过电火塞放电，引发气体内爆，爆炸声音很小。在瞬间之内，容器内减为高度真空，水立即通过水管重新流入容器。由此可见，布朗气体内爆特性的最直接应用是代替水泵来抽水。

据SCP公司的计算，耗费1度电而产生的布朗气体，内爆后借助大气的压力可以提升340公升的水，这比用电泵提取同样容量的水省电几十倍。因此，SCP公司设想用一系列布朗气体真空泵抽取至一定高度后，再放水下去推动水轮机发电，得到的能源将大大超过生产布朗气体所耗费的电源。因为用布朗气体内爆后造成的真空抽水是借助了大气的压力，所以以上的设想并没有违反能量守恒定律。

HHO Vacuum Theory




Video-the atmosphere pressure (cool the water vapor)




Video-HHO explosion & implosion effect

左边视频我们可以看到大气压强可以直接把油桶给压扁掉。这个还不是高真空。右边视频可以清晰的看到HHO点燃后瞬间变成了水汽。这个直接推导出高真空。

HHO Vacuum Theory



Recent study shows that the HHO explosion and implosion will happen in a complete burning process, which will make the atmosphere pressure can to generate power and will cause the COP (efficiency) of the HHO engine higher than 100%, it will make the engine self-running to be reality. **(need verification)**





4 Videos-HHO explosion-implosion effect

HHO Vacuum Theory

HHO VS H₂ VS Gasoline

More evidence shows that the HHO could be the ideal fuel for 2-strokes engine, which will get more output in lower engine speed and meet the emission free at same time. Or get the same output in small volume engine, which the Hydrogen fuel can not do it. (need verification)

	Gasoline	Hydrogen	HHO
4 strokes -ICE	YYY	YYYY	YYYYY
2 strokes-ICE	YY	YYYY	YYYYY
Stirling Engine	YY	YYYY	YYYYY
Turbojet engine	YY	YYYY	YYYYY



International Journal of Engineering Trends and Technology (IJETT) - Volume 8 Number 2- Dec 2013

Performance Characteristics of Oxy Hydrogen Gas on Two Stroke Petrol Engine

G. Ajay Kumar¹, G. Vinodkumar Rao²

¹PG Student (M.Tech - IT), Dept of ME, Bannam Venkata Chaitanyaiah College of Engineering & Technology, Chittoor, AP, India

²Assistant Professor, Dept of ME, Bannam Venkata Chaitanyaiah College of Engineering & Technology, Chittoor, AP, India

Abstract: In order to conserve petroleum fuels for future and to eliminate the above limitations, there is a need of alternative and innovative fuel. Amongst many alternative fuels available, oxy hydrogen gas and producer gas are under study in this research work. Electrolysis of water can give us hydrogen in form of Blower's gas (HHO) gas or oxy-hydrogen gas, which can be used as an alternative fuel for any internal combustion engine. Various methods for the generation of oxy-hydrogen gas are discussed in the coming paragraphs. An agricultural waste like rice husk, wood dust, and dried coconut leaves etc can also be used as an alternative fuel. An attempt has been made in this work to use alternative fuel in two stroke petrol engine. Our first aim was to select the proper fuel to use in conventional fuel against conventional fuel which is becoming scarce and costly now days. The combustion of a hydrocarbon fuel with air produces mainly carbon dioxide (CO₂) and Water (H₂O). However, internal combustion engines are not perfectly efficient, so some of the fuel is not burned, which results in the presence of hydrocarbons (HC), other organic compounds, carbon monoxide (CO) and forming mainly nitric oxide (NO). **Keywords:** Two Stroke Petrol engine, Electrolysis, Oxygen Enriched hydrogen(HHO) gas, emission characteristics.

1. Introduction

Decreasing supplies of fossil fuels and steadily rising concentrations of atmospheric carbon dioxide concentrations and levels of atmospheric pollutants are some of major challenges to the modern society. The scientific community is addressing these problems by an attempt to replace fossil fuels with cleaner and renewable sources of energy. The research conducted so far indicates the biomass-based fuels to be the best option because they do not require changes in the existing technologies in use. Probably the best alcohol that can be an alternative to petroleum is ethanol. Thus a new path has been opened for bio-fuel engines, i.e. engines that can operate with gasoline blended with anhydrous ethanol (15-20% vol/vol), 100% hydrous ethanol (4.0-4.9% vol/vol) of water or any blend of these fuels (Shin et al., 2012). The goal of this study was to elucidate the hypothetical synergistic combustion effects of various fuel mixtures including gasoline, ethanol,

ISSN: 2231-5381 <http://www.ijettjournal.org> Page 358

2 Stroke-(from 4) HHO Vacuum Theory Animation

HHO Vacuum Theory



Video-喝水的小鸟



Video- Japan another COP>1 System



Video-E-battery---HHO Gas---ICE---negative pressure---motor



Videos-Europe HHO Technical Seminar



Video-HHO engine self-running



Video-1000 watt Genset without fuel The Philippine military do the verification.



Video-2500 watt Genset without fuel The Russia



Video- Ryushin OMASA talk about the COP>1





Microsoft Excel
Worksheet



Microsoft Excel
Worksheet



Microsoft Excel
Worksheet



Microsoft Excel
Worksheet

我们查阅了与HHO相关的1600项专利，没有发现类似专利，基于我们自己团队的一些实验，我们有信心证明这个发现是真实靠谱的，所以我申请了这个技术的发明专利。Pending中。




申请这个专利



COP 》 1 自运行



运用到汽车行业




Emission Free New EV Car






HH04.0


HH0的超效率，超纯电解技术，
是整个HH0整个产业顶端技术，技术皇冠。
可以有效解决人类能源困局。
可以确保HH0产业长久健康发展。




Das Komplex
Don Komarechka




Piano note = A2




B2




C#2




D#2




F2



G2




A#2




C2




D2



E2







F#2





G#2





CYMASCOPE.COM







Q. Brosseau and P. M. Vlahovska, Phys. Rev. Lett. (2017)






Videos-Melting Salt Explore with water



融化的盐倒入水中会发生**剧烈爆炸**，超高速影像告诉我们这个**不是化学反应**，对比实验也证明不是钠与水生成NaOH放出氢气那种情形，水的酸碱性也没有改变。



Videos- Super high temperate Salt water burning

水の燃焼実験

卤水通过过热环境，就可以充当燃料燃烧，
就可以自循环。

Water powered vehicle Level 2 (Water Fuel Car)





John S. Kanzius

March 1, 1944 – February 18, 2009
American inventor, radio and TV engineer



Adobe Acrobat
Document




a) 0.3 % NaCl (Pyrex test tube)
b) 3.0 % NaCl (Pyrex test tube)
c) 30 % NaCl (Pyrex test tube)
d) 3.0% NaCl in PTFE test tube
e) 3.0% NaCl in Silica glass tube
f) Delonized water does not burn

RF frequency
13.56 MHz

Video 13.56MHZ RF Frequency make the water burn

Water powered vehicle Level 2 (Water Fuel Car)



Petros Zografos

In Athens, Physicist Petros Zografos spent 30 years trying to work out how, using minimal energy, he could break down the water molecule, H_2O , into its component parts, hydrogen and oxygen.



800W electricity output



Water powered vehicle Level 2 (Water Fuel Car)



Video-E-battery---COP>1---HHO Gas---ICE---motor
Water Fuel-ICE-Motorcycle



Circuit board



Resonant cavity



No electricity



With the 5V electricity




water

Nutrol metal



Water powered vehicle Level 2 (Water Fuel Car)



Video-Japan Water Fuel



Video-Japan Water Fuel Car

June 2008, **Japanese** company Genepax unveiled a **car** which it claims runs on only **water** and air








Herman P. ANDERSON
(1918-2004)

Herman P. Anderson Technologies, LLC
PO Box 2014
Brentwood, TN 37024-2014



Herman and his water-powered Chevy Cavalier.



by James Allen

He could drive it, but he was not allowed to sell any, or manufacture his discovery in the State of Tennessee. Why not?

Herman's special patented sparkplugs, similar to Stan Meyer's plugs.

Herman has consulted with Nasa and the US Airforce on some of our country's most important Top Secret Projects including the first US satellite in space, the SR-71 Blackbird, the Stealth Fighter/Bomber and Starwars. Herman worked closely with Dr. Wernher von Braun testing hydrogen powered rocket engines, and he also worked with engineers at the now famous Skunk Works, the Jet Propulsion Laboratory, JPL, and Cal Tech. While in the Air Force during WWII, Herman served as a fighter pilot, a flight instructor and bombardier trainer. He was certified in and flew 23 different airplanes during this period. **Yes there is a car that "runs on water." The car is now parked in the research facilities at MTSU.**



← → ↺ | waterpoweredcar.com/nz.html

WATERpoweredcar.com

New Zealanders Water Cars & Water Motorcycles

Stan Meyer's Dune Buggy

1978 Camaro runs on water

Herman's Green Machine

Archie's 3 Cell Design

Hydrogen Garage LLC

Tesla's Electric Pierce Arrow

Heal the Ozone

Do it Yourself Hydro-booster

Fuel Cell Folly

Hydrogen Store

Water Fuel Museum

Index Page

Great Links

Contact WPC

Meet the Sponsor





Download the video of the Motorcycle that runs on water! 10/05

[42.15 mb • Window's Media File](#)
or
[123.8mb • Quicktime File](#)



Download the video of the Car that runs on water! 3/03

[5.24mb • Window's Media File](#)
or
[13.99mb • Quicktime File](#)

Just when you think it is not true a few more guys make a water powered car and now motorcycle!
The future is here! Think different. Imagine no gasoline, no gas bills, just plain water.
Trust the Kiwi's from down under to show the rest of the world the reality.

Water Cars Answering The Call
[Water Power](#)
[Answering The Call](#)
[Answering Service Los Angeles](#)
[Service Providers](#)
[Los Angeles Hydro](#)
[LA Call](#)

Australian Water Car



Australian Water Car • 2/06
20.9MB Window's Media Player



See Water Burn?? • 2/06
20.9MB Window's Media Player

BNE • [Byron New Energy](#) makes Joe Cells work. Go read what they are up too

Sponsored by the [Hydrogen Garage Store](#)

[Take me back to the index page Bucko.](#)



Denny Klein



Denny Klein and his water powered car – is it for real?

<http://waterpoweredcar.com/nz.html>



光加水就能开1000公里！浙江青年汽车诞生首辆水氢燃料汽车
加水就能开车？这已经成为现实。2017年8月21日，在青年汽车集团下线了一辆水氢燃料汽车，据悉这也是全球第一辆商用水氢燃料汽车。近两年来，新能源汽车的发展突飞猛进，青年汽车发明制造的水氢燃料汽车，站在了新能源科技的前沿，结合青年汽车控股的南通百应能源有限公司生产的氢燃料电池，将是新能源汽车的一次颠覆性的革命创新。青年汽车集团董事长庞青年介绍说，青年水氢燃料车不用加油，也不用充电，只加水，续航里程超过500公里，轿车可达1000公里。“青年水氢燃料车的车顶安置一个蓄水箱，车内的特殊的转换设置可以将水转换为氢气，再输入氢燃料反应堆，产生电能，然后驱动车载电机和引擎，使得汽车行驶。


需要派技术团队去实地证实真伪性，我估计国内没有这么快



Video-Eye witness accounts to Meyer's invention that transforms water into a source of fuel



Video-Stanley Meyer and his Car



House Meeting in New Zealand 1989

-
Video improved
Audio improved & resynchronized

Video- 1989 Stanley A Meyer –
House Meeting in New Zealand




Video- Eye witness accounts to
Meyer's invention that transforms
water into a source of fuel



Video- 1992 Stanley Meyer Interview



Video- 1993 Speech Stan Meyer Exposes
One World Government



Video- 1997 Stanley Meyer

Water powered vehicle (Water Fuel Car)








FIGURE 1-4: APPLIED VOLTAGE TO RESONANT CAVITY



Water powered vehicle (Water Fuel Car)



Stanley Meyer update his innovation into a water nozzle and succeed.



By JANE WARREN

 CONTROLLING
COMPUTER

GENERATOR

FUEL INPUT
Power and supplies about
100% of total cost.

AIR

WATER

HYDROGEN



ENGINE
Conventional engine
available for most models.

098

WORLD DOMINATION: Meyer's invention, if it had any substance, could have been adopted from his own customised dance supply to solve the world's energy problems forever.

OCEANIC, Mayor a former physician, had himself elected to serve to earn \$9 million from his work, enough to fund and distribute new Bible to every person in the world. Says another friend, "Mayor attended to his own best bit of cause, but he wanted to use the much better for sale for the good of the world."

Certainly he did himself and his family. Says Dr. Eugene Martin, "He got himself elected, making his name


the single glass window and screen. Sand and gravel fill the sand where his
Andrew Riley killed a *Phyllis* by an
been, Larchwood, many times. She
and in 1996, Dr. Andrew

Case Body Received	Time Body Rec'd (M/T)	Admission Person	Impoundment Name
03/23/98	10:25:00	POKORNIK	#13528, no property.

Decedent supposedly at lunch with N.A.T.O. officials at a Cracker Barrel diner. The group made an opening toast with cranberry juice, immediately after which, decedent ran outside followed by his brother, then vomited violently & told his brother that he had been poisoned.

Pathology	Date Rec'd	Time Body Viewed (MT)	Where Body Viewed	Height	Weight
GRIT	05/22/86	11:00:	MORQUE	75	220
	Sex	Hair		Eyes	
	MALE	BLACK/GRAY		BROWN	
	Build			BROWN	
	Build			Complexion	
	Build				


Water powered vehicle (Water Fuel Car)



Craig Westbrook



Video- the car have been found out and run in water again in 2010



Stanley Meyer Video Collection This Collection includes the following videos: Stephen Meyer Water Fuel Cell Alternative Fuel Sources, Stanley & Stephen Meyer Engineering The GMS Unit, Too Close To The Sun, 1997 Denver Marriott, 1995 & Plans on Water, 1993 International Symposium on Energy Colorado, 1992 Global Science Congress, 1992 Interview, 1991 Extraordinary Science Conference Colorado, 1989 House Meeting in New Zealand, 1989 The Safe Free Energy Conference Einsiedeln Switzerland, Stanley Meyer's Car Running on Water, Estate Water Fuel Cell 1/2, Estate Water Fuel Cell 2/3, Estate Water Fuel Cell 3/3. All videos total: (Downloaded 2422 times)

Please report any broken links to sternwoodk@comcast.net

*Right Click on Link and select "Save Link As" to save file to your computer, otherwise the video will open in Windows Media Player.



[Stephen Meyer - Water Fuel Cell Alternative Fuel Sources](#) (Downloaded 4135 times)



[Stanley & Stephen Meyer Explaining The GMS Unit](#) (Downloaded 2833 times)



[Stanley Meyer - Too Close To The Sun](#) (Downloaded 2304 times)




[Stanley Meyer - 1997 Denver Marriott](#) (Downloaded 2532 times)



[Stanley Meyer - 1997 Workshop Denver Marriott](#) (Downloaded 1800 times)



[Stanley Meyer - 1995 It Runs On Water](#) (Downloaded 2097 times)



[Stanley Meyer - 1993 International Symposium on Energy Colorado](#) (Downloaded 1874 times)



[Stanley Meyer - 1992 Interview](#) (Downloaded 10150 times)



[Stanley Meyer - 1992 Global Science Congress](#) (Downloaded 2227 times)



[Stanley Meyer - 1991 Extraordinary Science Conference Colorado](#) (Downloaded 2280 times)



[Stanley Meyer - 1989 House Meeting in New Zealand](#) (Downloaded 2425 times)



[Stanley Meyer - 1989 The Safe Free Energy Conference Einsiedeln Switzerland](#) (Downloaded 1884 times)



[Stanley Meyer's Car Running on Water](#) (Downloaded 2243 times)



[Stanley Meyer Estate Water Fuel Cell 1](#) (Downloaded 2292 times)



[Stanley Meyer Estate Water Fuel Cell 2](#) (Downloaded 2400 times)



[Stanley Meyer Estate Water Fuel Cell 3](#) (Downloaded 2490 times)

FAIR USE NOTICE: I am making this material available in my efforts to advance understanding of environmental, political, human rights, economic, democracy, scientific, and social justice issues, etc. I believe this constitutes a "fair use" of any such copyrighted material as provided for in section 107 of the US Copyright Law. In accordance with Title 17 U.S.C. Section 107, the material on this site is distributed without profit to those who have expressed a prior interest in receiving the included information for research and educational purposes.



Stanley Meyers WFC Tech.

On this page you will find the my work on Stanley A. Meyers and his Water Fuel Cell technology. Including the EPG, also known as the "Electrical Particle Generator".



Below is a quote from Stanley in his Denver speech in 1997 that can give some insight as to who Stan was and what he was trying to accomplish.

"We can demonstrate the technology. We can say it's here but in actuality it will not be Stan Meyers to bring it in. It will be either you or I, the guy down the street, who will come together to bring it in. Otherwise, I do not believe an alternate energy source, whether water fuel cell or other, would ever come in. It's going to have to be mandated by the people to try to reverse the environmental problems, the environmental damage, that's actually occurring. - Stan Meyers, 1997"



This is the only way! we all need to contribute as this is the only way the technology will come in to the public domain.

Please see the links below to see the different systems of the WFC technology I have been working on. My main focus has been on the EPG, but I have also been working on the HGG or "hydrogen gas gun" as I need to be able to process the gas going in to the EPG so I can create a magnetized gas.

I have been also been working on the VIC and resonant cavity.

EPG "Electrical Particle Generator"

WFC "Water Injector" technology.

HGG "Hydrogen Gas Gun"

WFC "Water Fuel Cell"

"Quenching Disk"

Patents & Documents

Photographic Evidence of Stanley Meyers work

Full Download Stanley Meyer Original Data From Estate

I have recently teamed up with Alex Petty to reverse engineer the WFC tech using some photographic evidence of Stanley's WFC electronics and equipment.

RWG Research



Subscribe to our mailing list

email address

Subscribe

Pages

Contact Me

Donate to RWG Research.com!

Donate Parts!

Thank You!

Events

2018 PMBO Pulse Motor

Build Off

Global BEM

Pulse Motor Build Off 2012

Pulse Motor Build Off 2013

Pulse Motor Build Off 2014

Pulse Motor Build off 2016

PMBO Prize Pool Donations

Page.

Pulse Motor Build Off 2017

PMBO2017

Pulse Motor Build Off pre-

Xmas 2012

Tesla Tech Conference 2014

Files

Browse Files

Forum

Home

Live Stream

Open Projects

"When I was a kid"

(projects)

10,000 Joule RailGun

10,0001 Cap Bank

3D Printing Research

3D Printer Oversize Delta

"RWG-OSD"

Adopt-A-Bot

Adopt-A-Bot forum

Delta 3D Printer "Rostock"

Filament Extruder

Automatic Pulse Fire

Sequence Generator

Redini Charging System

Brushless CNC Spindle Build

3DP


Burn-O-Meter

Cold Fusion / LENR

CR-39 Research, Nuclear

Track Testing

效率8X



8XA Circuit Assembled - This is the same as the above circuit except this circuit is assembled. The circuit will look like the image below. Please allow 3-4 weeks before delivery.

(Connections Diagram)



\$50.00 + S&H

(USA Orders)

Buy Now



(International Orders)

Buy Now



Complete VIC Circuit - Comes with all the components fully assembled. The VIC Circuit includes the following circuits all on one PCB: "Variable Pulse Frequency Generator", "Gated Pulse Frequency Generator", "Phase Lock Circuit", "Resonant Scanning Circuit", "Resonant Feedback", and "Cell Driver Circuit". All you would need is a properly constructed Cell, Transformer, and 12v power source. Please allow 3-4 weeks before delivery.

(Connections Diagram)

International Shipping Rates may apply




\$250.00 + S&H

(USA Orders)

Buy Now



上图是Stanley Meyer完整的一套电路：包括Variable Pulse Frequency Generator（可变脉冲频率发生器），Gated Pulse Frequency Generator（选通脉冲频率发生器），Phase Lock Circuit（锁相电路），Resonant Scanning Circuit（共振扫描电路），Resonant Feedback（谐振反馈）和Cell Driver Circuit电池驱动电路。剩下的只需要constructed Cell（造好的腔单元），Transformer（变压器），and 12v power source（12V电源）



Dave Lawton's Replication of Stan Meyer's Water Fuel Cell. Stanley Meyer of the USA is probably the most famous person in the field of producing hydroxy gas from water. Stan was granted many patents in this and other fields. His earliest work on hydroxy gas was a cell which Stan named his "Water Fuel Cell" in an attempt to indicate that the cell would produce a fuel from water. Stan died some years ago, and recently, Dave Lawton of the UK built a cell intended to be a replication of Stan's Water Fuel Cell. Unlike the cells mentioned earlier in this chapter, the Water Fuel Cell uses distilled water or tap water without any additive. However, like Bob Boyce's electrolyser, a complex waveform is used to drive the cell. The objective here though, is to generate the hydroxy gas while using very little current.



Dave Lawton

The video of Dave Lawton's replication of Stanley Meyer's demonstration electrolyser (not his production electrolyser) seen at <http://www.free-energy-info.com/WFCrep.wmv> has caused several people to ask for more details. The electrolysis shown in that video was driven by an alternator, solely because Dave wanted to try each thing that Stan had done. Dave's alternator and the motor used to drive it are shown here:






The field coil of the alternator is switched on and off by a Field-Effect Transistor (a "FET") which is pulsed by a 555 timer circuit. This produces a composite waveform which produces an impressive rate of electrolysis. The tubes in this replication are made of 316L grade stainless steel, five inches long although Stan's tubes were about sixteen inches long. The outer tubes are 1 inch in diameter and the inner tubes 3/4 inch in diameter. As the wall thickness is 1/16 inch, the gap between them is between 1 mm and 2 mm. The inner pipes are held in place at each end by four rubber strips about one quarter of an inch long.

The container is made from two standard 4 inch diameter plastic drain down-pipe coupler fittings connected to each end of a piece of acrylic tube with PVC solvent cement. The acrylic tube was supplied already cut to size by Wake Plastics, 59 Twickenham Road, Isleworth, Middlesex TW7 6AR Telephone 0208-560-0928. The seamless stainless steel tubing was supplied by: <http://www.metalsontheweb.co.uk/asp/home.asp>

It is not necessary to use an alternator - Dave just did this as he was copying each thing that Stan Meyer did. The circuit without the alternator produces gas at about the same rate and obviously draws less current as there is no drive motor to be powered. A video of the non-alternator operation can be seen at <http://www.free-energy-info.co.uk/WFCrep2.wmv>.

The electrolyser has an acrylic tube section to allow the electrolysis to be watched, as shown here:



效率8X





Video- mine


Video- mine

科幻电影里的终极能源——聚变能

钢铁侠里的方舟反应堆，疑似一个托卡马克



现实版：



2015年11月21日，我国著名国际关系学教授金灿荣先生在上海《双休日讲座》中，首次披露了中国氢弹技术的秘密。

由于氢弹技术比较复杂，当氢弹被制造出来之后，需要大量维护人员和维护设备进行定期维护和保养，这就造成了氢弹的维护和后期保养费用极大，一般核武器的维护只需要在特制的储藏设备中恒温储藏即可，在一定时间内进行定期检查和维护就行了，但氢弹的维护成本极高，特别是由于聚变材料和装药的寿命很短，导致氢弹的储存寿命太短，成本太高，核大国已经逐渐不再发展新的氢弹，转而发展价格比较便宜的原子弹和中子弹。

到2012年，俄罗斯首先销毁了自己所有的氢弹，成为无氢弹核国家，而美国则在2013年销毁了所有氢弹，加上英国和法国已经在上世纪就不再生产氢弹，在已知的五大核国家中，只有中国拥有世界上仅有——30枚可使用的氢弹（印度、以色列和巴基斯坦并无掌握氢弹这种高端技术，今后也不可能）。

中国火箭军装备的氢弹最小的爆炸当量为300万吨TNT，最大的爆炸当量为1500万吨TNT，而这相当于广岛爆炸核弹威力的1000倍。**所以目前五大流氓，只有中国保留氢弹战备。**这是中国无法获取国外先进技术下被迫砥砺前行，闭门造车的结果。这也是东方文明不抛弃自己文明传统的情况下积极靠拢西方物质文明的一个最好例证。






中国磁约束聚变能发展技术路线图




所以基于我国独步天下的核聚变的理论基础和实战经验, 加上我国积极融入全世界可控热核聚变发电研究, 非常有可能中国会是第一个成功实现可控核聚变商业发电的国家。并将以极大的权重与迫使传统发达国家与我们进行技术交换。

这个情形将在未来10年左右出现, 国之重器将支撑中国崛起。




何况还有KESHE这类科学大神主动提供技术给中国，中国作为五大常之一，一直秉持负责任的大国形象在世界上收获了一大批高技术信徒，比老大的开抢模式效果还要好。



Verständnis von nanokristallinen Materialien

Keshe Foundation SSI
Vorbereitet von Renan
27. Juli 2015



GAS im Nanozustand

Eigentlich lösen sich einzelne Moleküle / Atome im Wasser, es positioniert sich auch entsprechend den Feldern in die Umgebung.

(GANS)

- GANS kann für spezielle Eigenschaften verwendet und getrocknet werden.
- sehr kleine Partikel
- Selbstaufladend

Nanobeschichtung








(Lösen einzelner Moleküle / Atome haben Zwischenräume / Supraleiter)
Es benötigt 30.000 bis 50.000 Schichten, um die schwarze Oberfläche des Kupfers zu sehen. Jede Schicht ist voneinander beständig.

Fester Materiezustand

(Kompakte Atome/Moleküle)

Übersetzt und Grafik überarbeitet von
Thomas Lorentz, 13.03.2016






In the **physical matter state**, changes in the environmental *temperature and pressure* result in different states of matter.









东方思维对纳米，甘斯，自由等离子体浅析

Keshe学习团队地球分布图（与公民科学素养成正相关性）

西方科技对keshe纳米技术的诠释







Health Applications

Testimony: Processed Condition

1. Tooth Ache – 3 min

2. Head Ache – 5 min

3. Back Pain

4. Muscle Pain

5. Joint Pains

6. Jaw Pain

7. Itchiness on Skin gone

NHW: How to Use?

WARNING

You can refer on the Hand Reflexology Charts.

You can refer on the Foot Reflexology Charts.

NEW

Gans Bracelet

Plasma liquido

The Flow of Gans

Agua de Gans en un tubo de ensayo de plastico emite energía emite energía saludable.

El tubo tiene forma cilíndrica y la punta esférica hace cómodo aplicar la energía del plasma que fluye del agua de Gans.

Al tocar en la piel la energía entra en el cuerpo con intensidad apropiada y de forma natural. Puede aplicarse en los puntos reflejos del cuerpo, en la mano por ejemplo. Elimina el dolor en poco tiempo y se siente mejoría instantánea.

Plasma Interactions in the Body with NH Pens/Patches

Nano Health Patches a.k.a Pain Relief Patch

Nano Health Pen a.k.a Pain Relief Pen

3 layers of Skin

Blood System = Emotions

Neuro System = Energy Flow

Lymph System = Physicality

Or the Water of the Ganses

CO₂ Gans

CH₃ Gans


CuO Gans

Gadget 5: NWH/Gans Health Cups

Plastic Cups with round bottom are preferable. One cup per person.

Warning: Do not mix your blood, skin, amino acid to the ganses and water. Do not use Copper Gans and other Strong Ganses

Huge impact to the Automotive Industry




The car can be suspended and the airplane no longer need the wings.



A Stable Plasma Ring Has Been Created in Open Air For the First Time Ever

This could be a radical new way to store energy.


"We were told by some colleagues this wasn't even possible. But we can create a stable ring and maintain it for as long as we want, no vacuum or magnetic field or anything," says co-author Francisco Pereira of the Marine Technology Research Institute in Italy, a visiting scholar at Caltech.




A team of engineers at Caltech
has created a stable ring of plasma
using just a jet of water and a plate of crystal.

Caltech




Videos-stable ring of plasma in water





Small Ring: Seed of Water Cluster Gas




When Ignited
Ring Converts to EVO






Water Crystal Ring



Plasmoid



环己烷



Hydrogen Evolution by Plasma Electrolysis in Aqueous Solution

Tadahiko MIZUNO*, Tadashi AKIMOTO, Kazuhisa AZUMI¹, Tadayoshi OHMORI², Yoshiaki AOKI³ and Akito TAKAHASHI⁴

Division of Quantum Energy Engineering, Graduate School of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

¹Division of Molecular Science, Graduate School of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

²Catalysis Research Center, Hokkaido University, Kita 11 Nishi 10, Kita-ku, Sapporo 060, Japan

³Center for Advanced Research of Energy Technology of Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

⁴Department of Nuclear Engineering, Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan

(Received January 26, 2004; accepted October 4, 2004; published January 11, 2005)

Hydrogen has recently attracted attention as a possible solution to environmental and energy problems. If hydrogen should be considered an energy storage medium rather than a natural resource. However, free hydrogen does not exist on earth. Many techniques for obtaining hydrogen have been proposed. It can be reformulated from conventional hydrocarbon fuels, or obtained directly from water by electrolysis or high-temperature pyrolysis with a heat source such as a nuclear reactor. However, the efficiencies of these methods are low. The direct heating of water to sufficiently high temperatures for sustaining pyrolysis is very difficult. Pyrolysis occurs when the temperature exceeds 4000°C. Thus plasma electrolysis may be a better alternative, it is not only easier to achieve than direct heating, but also appears to produce more hydrogen than ordinary electrolysis, as predicted by Faraday's laws, which is indirect evidence that it produces very high temperatures. We also observed large amounts of free oxygen generated at the cathode, which is further evidence of direct decomposition, rather than electrolytic decomposition. To achieve the continuous generation of hydrogen with efficiencies exceeding Faraday efficiency, it is necessary to control the surface conditions of the electrode, plasma electrolysis temperature, current density and input voltage. The minimum input voltage required induce the plasma state depends on the density and temperature of the solution, it was estimated as 120 V in this study. The lowest electrolyte temperature at which plasma forms is ~75°C. We have observed as much as 80 times more hydrogen generated by plasma electrolysis than by conventional electrolysis at 300 V. [DOI: 10.1143/JJAP.44.396]

KEYWORDS: plasma electrolysis, hydrogen generation, current efficiency, pyrolysis

Japanese Journal of Applied Physics
Vol. 44, No. 1A, 2005, pp. 396–401
©2005 The Japan Society of Applied Physics

Hydrogen Evolution by Plasma Electrolysis in Aqueous Solution

Tadahiko MIZUNO*, Tadashi AKIMOTO, Kazuhisa AZUMI¹, Tadayoshi OHMORI², Yoshiaki AOKI³ and Akito TAKAHASHI⁴

Division of Quantum Energy Engineering, Graduate School of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

¹Division of Molecular Science, Graduate School of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

²Catalysis Research Center, Hokkaido University, Kita 11 Nishi 10, Kita-ku, Sapporo 060, Japan

³Center for Advanced Research of Energy Technology of Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo 060-8628, Japan

⁴Department of Nuclear Engineering, Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan

(Received January 26, 2004; accepted October 4, 2004; published January 11, 2005)

Hydrogen has recently attracted attention as a possible solution to environmental and energy problems. If hydrogen should be considered an energy storage medium rather than a natural resource. However, free hydrogen does not exist on earth. Many techniques for obtaining hydrogen have been proposed. It can be reformulated from conventional hydrocarbon fuels, or obtained directly from water by electrolysis or high-temperature pyrolysis with a heat source such as a nuclear reactor. However, the efficiencies of these methods are low. The direct heating of water to sufficiently high temperatures for sustaining pyrolysis is very difficult. Pyrolysis occurs when the temperature exceeds 4000°C. Thus plasma electrolysis may be a better alternative, it is not only easier to achieve than direct heating, but also appears to produce more hydrogen than ordinary electrolysis, as predicted by Faraday's laws, which is indirect evidence that it produces very high temperatures. We also observed large amounts of free oxygen generated at the cathode, which is further evidence of direct decomposition, rather than electrolytic decomposition. To achieve the continuous generation of hydrogen with efficiencies exceeding Faraday efficiency, it is necessary to control the surface conditions of the electrode, plasma electrolysis temperature, current density and input voltage. The minimum input voltage required induce the plasma state depends on the density and temperature of the solution, it was estimated as 120 V in this study. The lowest electrolyte temperature at which plasma forms is ~75°C. We have observed as much as 80 times more hydrogen generated by plasma electrolysis than by conventional electrolysis at 300 V. [DOI: 10.1143/JJAP.44.396]

KEYWORDS: plasma electrolysis, hydrogen generation, current efficiency, pyrolysis

1. Introduction

The amounts of hydrogen and oxygen generated by electrolysis are predicted by Faraday's law. Under standard conditions of 298 K, and 1.013×10^5 Pa, $0.116 \text{ cm}^3/\text{C}^{+1}$ hydrogen and $0.0581 \text{ cm}^3/\text{C}^{+1}$ oxygen are produced. If the temperature exceeds 4000°C, pyrolysis may occur, and the amount of hydrogen generated will exceed the amount predicted by Faraday's law.^{1,2)}

Glow discharge reaction occurs when electrolysis is performed in a solution at a high input voltage (100 V or more).³⁻⁶⁾ Plasma is formed on the surface of the electrode. A layer of mixed hydrogen, oxygen, and steam is formed on the cathode surface. If the temperature and current density are right, hydrogen generation in excess of that predicted by Faraday's law can be observed. However, even when these conditions are met, the control of the amount of the hydrogen generated is still very difficult.

We have developed a method of efficient hydrogen generation. We reported anomalous hydrogen generation and the products of plasma electrolysis. When a voltage higher than 140 V was applied to inert-electrodes in an electrolyte at high temperatures, the plasma state was easily achieved. Many researchers have confirmed the generation of various chemicals by plasma electrolysis.⁷⁻¹¹⁾ There has been extensive discussion about the generation mechanism of the products.^{12,13)} It has been reported that the temperature reaches 9000 K, and the pressure reaches 4000 atm when plasma forms at several hundred volts.¹⁴⁾

It is necessary to estimate heat balance to determine the current efficiency of hydrogen generation. However, input

voltage and current fluctuate considerably, and it is difficult to measure the output heat balance during plasma electrolysis. The measurements of heat loss from the cell and fluid temperature are relatively simple, but that of the enthalpy of the effluent gas, which is a mixture of hydrogen, oxygen, and steam, is very difficult. An accurate measurement had not been performed heretofore. The measurement is complicated by the fact that the amount of gas generated cannot be estimated from input current (as it can with ordinary electrolysis), because the portion produced by pyrolysis must be included. To determine enthalpy, it is necessary to accurately measure the actual amount of hydrogen mixed in a gas stream.

2. Experiment

2.1 Electrolysis cell

Figure 1 shows a schematic of the cell and measurement system. The cell is made of Pyrex glass, and is of diameter 10 cm, 17 cm height, and 1 liter capacity. The cap of the cell is made of Teflon rubber, 7 cm in diameter and with several holes. The largest hole is in the center, where a glass funnel covering the cathode is inserted. There are also a vent for the effluent gas from the anode, inlet and outlet holes for a Tygon tube that carries cooling fluid through the cell, a hole to admit the anode lead wire, and three other holes for platinum resistance temperature detectors (RTDs). The RTDs measure electrolyte temperature. They are placed 3 cm from the cell wall, reaching depths of 3, 6 and 9 cm, to measure temperature at different points in the solution. Temperatures at these depths were continuously measured. No significant temperature difference between the three locations was observed because the solution is well mixed during electrolysis using a magnetic stirrer.

*E-mail address: mizuno@qp.eng.hokkaido.ac.jp

效率80X

Experimental study of glow discharge in light water with W electrodes




D.Y. Chung (1)(2), Y. Aoki (2), F. Senftle (1) and T. Mizuno (2)
(1) Department of Physics, Howard University, Washington, D.C. 20059, USA

(2) Graduate School of Engineering, Hokkaido University, Sapporo 060-8628, Japan

等离子电解水简介-效率80X

等离子电解水技术全文

等离子电解水实验介绍



我近五年时间一直跟踪关注一个欧洲的技术团队，他们的等离子分解水非常成功，且他们的团队有改汽车ECU的能力，自然他们用水驱动汽车是成功的。同时他们还开发了其他产品，比如离网（不插电）取暖器。


Videos-HHO drive an engine



Videos-Plasma 1




Videos-Plasma 2



Videos-workshop & equipment

效率80X

THEWATERENERGY1



Videos-Plasma in water



Videos-Nearly 0 energy produce the HHO

CELL DESIGN SINCE 2008 BY THEWATERENERGY1

Published on May 5, 2011

CHEVY RUN ON HHO TEST 1.2 (THIS CAR RUN ON WATER)
BEFORE COMMENT CLIC ON MY CHANNEL IN THE UPPER RIGHT CORNER THEWATERENERGY1 TO MY OTHER VIDEOS WHIT
THE FLAMMABLE TEST

Published on May 24, 2011

MINICAR RUNS FOR 100% ON WATER HHO, NO GASOLINE; THIS CAR RUNS ON WATER .. !!!

THE FIRST MICROCAR IN THE NETHERLANDS WHICH CAN DRIVE ON WAERSTREAM / WATERGAS, !!!
SINCE 2008 WE ARE THAT DEVELOPING A SYSTEM, TO DEVELOP THAT MAY MAKE IT POSSIBLE;
YOUR FILES AUTO, DIESEL, PETROL, LPG,
DRIVING ON HYDROGEN TELETHES, IN THE MIDDLE OF A LOT OF TESTING
INDICATING THAT IT IS POSSIBLE TO LET YOUR CURRENT BURNING ENGINE DRIVE ON HYDROGEN / WATER GAS ...

15-04-2013

AS ALL IS CONFINED, YOUR CURRENT CAR IS EASILY EQUIPPED WITH A LIQUID SYSTEM, A SO NAMED G3 SYSTEM,
IF YOU TAKE THIS SYSTEM AS AN EXAMPLE, IT MUST BE CLEAR THAT IT IS A MATTER OF TIME !!!
EXPECTED, THIS NEW SYSTEM WILL NOT BE LONGER EXPANDED AS THE CURRENT G3 LPG SYSTEM,
FOR MORE INFORMATION YOU CAN MAIL WITH US,

Published on Oct 11, 2011

RESONATING PLASMA MAGNETIC FIELDS., WATER GASES FUEL CELL
CELL DESIGN BY THEWATERENERGY1 ...SINCE 2008,.....!!!!!! RESONATING PLASMA MAGNETICS FIELDS, FUEL CELLS, THIS CELL
DESIGN, BY THEWATERENERGY1 L E F THIS CELL ALoud THE RESONATING MAGNETIC FIELDS, ... IN PLASMA..WATER...OR ANY
SUBATOMIC MATTER TO INCREASE AND RELEASE ANY QUANTITY OR SUBEXOTIC EXOTIC LEAVES OF FREE ENERGY,AT THE
ZERO PLANE BETWEEN THE ALL BIPOLAR MAGNETIC FIELDS,..... ZERO PLANE ENERGY !!!

Published on Nov 20, 2011

THE RESONANT CAVITY TUBE IN ACTION....60 LPM HHO CAVITYCELL IS COMMING.!!!
Thanks for choosing,Our Tube Channel,THEWATERENERGY1. Here You see Thewaterenergy1 WFC Single Tube in Resonance Produce a
Great a quantity of Hydrogen H2O Ondemand, At 75v. 0.90 Amps, This Cell is driven by our Own design Circuit driver, and Transformer....!!!
We still Testing Those Circuit & drivers,As soon This circuit & Transformer is, Available we will send you a mail and keep you informed About
the Progress, Leave your email adres at : ThewaterEnergy1@hotmail.nl Do'nt Forget to Subscribe at this Channel to Keep Informed, Thanks
for Watching, Be aware that commenteing is moderated, simple rules - stay on topic, be nice to one another, and keep the language clean and
we will approve your comments. Title: Device for the production of H2 and O2 or HHO gas DESCRIPTION Patent Title: Device for the
production of H2 and O2 or HHO gas DESCRIPTION

Published on Mar 8, 2012

A R.E.M.F PowerUnit In development 1.0-A R-electromag-vortexes field,particles at resonance.!!
The R E M F Unit,In development By TheWaterEnergy1.....!! Actually you're looking at a zero energy Field/square, Which is right in front of
you at this moment, ...!! ElectroMagneticsFields In Resonance!!! Subatomic Energy !,At a plasma stage....Right at the centre of Two
Oscillating electro plasma magnetic fields.. Bowl Shaped ... At this central point / field we find,one between two energy fields,...Rotate in the
opposite direction and Fluctuating back and forward...gaining energy and releasing energy in the form of heat/ Emitting electrons/electrons
and atoms gaining more and more energy,during their circular path between those resonating electro magnetic fields. Liberated electrons are
collected as useful Energy!! Why Free ? Because our energy input was in this setup as about plus 0.6A at 12vdc, minus output 15A at
30.000v p 0.5 cubic inches....!!! Now we can develop our own Independent R.e.m.f Powerunit !! Generating electricity and heat form your
own: Macro Plasma Magnetics reactor. We name it;A R.E.M.F Powerunit. This Unit will work on base of H2O and solar light!! Non polluting
harmful,Renewable energy sources!! In able to understand this;<https://www.youtube.com/watch?v=UHQEL...> A compact unit not larger than a
common heating unit. 900x400x300mm Schoon energie zonder emissie... Deze R.e.m.f. unit voorziet uw woning/bedrijf van zowel electriciteit
Als van warmte,na het uittesten van het door ons ontwikkeld Plasma Magnetsche Reactor. Deze reactor werk op basis van H2O en zonne
energy die worden omgezet in brandstof in een gesloten systeem,dus geen emissies/uitstoot. Deze apparaten zullen in de nabije toekomst
uw woning en bedrijven van Schone energie gaan voorzien. Uw eigen energie centrale in huis !! Deze energie centrale zal niet groter zijn dan
uw huidige CV ketel. Techniek: het R.E.M.V.(Resonantie Electro magnetisch Veld) Vind plaats in een geheel afgesloten kamer waarbij geen
straling Vrij komen,het is een proces tussen de wanden van deze kamer. The Base, with the aim to develop The R.E.M.F a energy
generator Cell, By Thewaterenergy1,Dhr J.E.A.F. Following In The Near Future,By Transport Object,Using The Same Basic Principles As
Propulsion,Steering & Directional System,...

Published on Jun 8, 2013



100% ON HYDROGEN ONDEMAND CHEVY..NEW ECU, INJECTERS AND CAVITY ARRAY
With this Computer you are to program your engine in the right way, for lesser fuel, cleaner exhaust,lesser Co2 ,Lesser NOx, Not injecting
more fuel than needed, Not injecting fuel during engine breacking / during slow down, ... and much more, Your Own Independent Car Engine
Computer, Please mail At Thewaterenergy1@hotmail.nl For all information,developments, Corporation And Where To Buy!!! This are
the first steps to be able to run any vehicle for 100% on water, Hydrogen on Demand.....!!!! HHO...On Demand !!! At this stage we are testing
The new ECU , Water fuel Injector plugs, and our new Resonant Cavity Array!!!! Isolating the adams,pluck off the electrons inject them
with photons,link them together, And Now they must start to release all that energy safely safely, without flashBack ignition, With Thanks to
all my friends how works very close to achieve the best we can,.....!!!!

效率80X



Videos-Car powered by the water

THEWATERENERGY1



Videos- 2800Kw H-H-O Burner test..!!!,



Videos- off grid heater

效率80X

Hello Emiliano, long time no see



TheWaterEnergy1 Em-F 2017-12-27 17:28

发至 我

Hello dear Allen,
Please check your other mail box,...
Kind regards,
Emiliano,

RE: 回复:Re:talk time



Emiliano 2014-06-18 03:16

发至 我

Hello Dear Allen,

I will call you soon ,

Regards,

TheWaterEnergy1,....


Emiliano,

HHO Is Ideal Fuel to ICE

Hydrogen Energy Industry Old Chain

(Expensive, Energy Consumption, No Mature, No Durable)

- Crack The Liquid Ammonia, Methanol
- Conversion From Natural Gas & Petrol
- Make From The Coal
- Get Hydrogen From Water Electrolysis




Storage & Transportation of Hydrogen

- High Pressure Storage
- Liquid Hydrogen Storage
- Solid Metal Storage
- Organic Liquid Storage

The Application of the Hydrogen Energy

- Traditional Industrial Hydrogen Consumption
- Hydrogen Fuel Cell (Car, Satellite, Cogeneration)




Hydrogen Energy Industry New Chain

(Safe, Low Cost, Mature, Durable, Emission Free)

Get HHO from water electrolysis
Electricity Power Extension

Preparation of Hydrogen




Storage & Transportation of Hydrogen



Liquid HHO Storage
Use LNG infrastructure

The Application of the Hydrogen Energy



HHO Engine

Low Cost, Mature, Durable, Emission free

Finding the right hydrogen fuel for the ICE is finding the right hydrogen industry chain for the vehicle.

(找对适合内燃机的氢燃料才能正确打通汽车用氢产业)

HHO 实验路径清单

A1: 通过高速摄像机, 观察极板间HHO的生成规律。

A2: 测量HHO的产气率与极板间隔, 面积, 与电脉冲参数的关系, 实验不同脉冲电环境下的产气效率。



B1: HHO气体摩尔称重 (测量HHO的摩尔重量)

B2: HHO气体标准大气压下的液化点 (如果实验条件许可, 测试加压液化)

B3: 测试HHO气体拉曼光谱吸收 (对比氢气与氧气2: 1成分的光谱吸收)

B4: 测试HHO与轻氧气2: 1摩尔比下面的压燃参数和安全压力储存参数

B5: 测试HHO火焰传播速度, 燃烧过程压力变化与温度变化情况




C1: 纯HHO供发动机运行的调校实验 (两冲程/四冲程)

C2: 基于C1成功的情况下, 跑全工况, 记录相关转速, 输出功率, 扭矩, 燃料消耗量, 实际功率与排放温度和湿度的情况。

C3: 研究内爆现象对发动机功率提升或者获取环境能路径探索。

C4: 根据以上假设实验成功收集信息充分的情况下, 推导出HHO内燃机关键参数。指导下一步纯HHO发动机研发方向。



HHO-发动机



C2基于C1成功的情况下，跑全工况，记录相关转速，输出功率，扭矩，燃料消耗量，实际功率与排放温度和湿度的情况。

期待的结果是：1汽车零排放，2低成本、低温、高效率(>50%)，3燃料易取易存易加注。

HHO液化提纯




HHO 技术商业化的四个技术层次

HHO技术层次	HHO技术层次内容	时间轴	汽车相关
HHO 1.0	含有一定HHO比例的燃烧产品：HHO助燃机，HHO切割机，HHO焊接机，HHO除碳机，车用HHO Kit用于省油增程，节能减排。	技术现状 0y	
HHO 2.0	纯HHO液化储存成功，纯HHO发动机研制成功，零排放高效率内燃机在汽车等各大行业中推广流行起来。	近期商机 5y	
HHO 3.0	HHO内爆并生成液态水，使气缸内产生负压，提取大气压势能成功，发动机效率COP>1。发动机可以自运行，加水汽车出现，极大变革社会能源使用结构。	技术突破 5+y	
HHO 4.0	水在电离（电极化）过程中，实现卡西米尔效应，成功提取真空零点能，超一效率电离水生成HHO成功，自由能大功率汽车出现，车成为主要能源站，承担分布式清洁能源重要一环。经济发展成本与环境友好性得到质的飞跃。	远景畅想 10+y	




当大多数人不相信的时候，你已经明白了，这就是机会。但知道了却不行动，机会就会找别人。

2, HHO Engine, 基于HHO液化确实如天然气一般方便, 高效, 安全, 同时纯HHO发动机效率达到40-80%开发成功。低成本零排放内燃机车PK掉燃料电池车PK掉化学电池电动车情形出现, 同时运载火箭大尺度瘦身, 发射成本极大降低。这个是近期非常有可能达到的状况。独角兽爆发之地。



3, HHO Engine, 基于HHO发动机内爆负压现象出现, 使提取大气压势能成功, HHO发动机效率80-100%, 假水燃料发动机（假永动机）出现, 汽车只加注水运行, 燃料加注站可以脱网依靠气压势能生产并液化HHO, 供小区, 学校, 乡村使用。自由能开始真正出现在大众生活中。能源成本将极大降低。



4, HHO Engine效率超100%, 同时HHO电解制成过程成功提取零点能, 使效率也超100%, 假水燃料发动机（假永动机）大功率作业, 脱网独立零排放汽车大功率发电让汽车成为主要能源站, 承担分布式清洁能源重要一环。人类彻底摆脱石化经济束缚, 经济发展成本与环境友好性得到质的飞跃。

