

3x3 Mastermind Waitlist — GHL Build Guide

Generated: April 3, 2026

Overview

The 3x3 Mastermind Waitlist collects name, email, phone, and location from the events page modal. The goal is to reach 100 waitlist members before opening the mastermind. Submissions go through the Netlify serverless proxy (/api/webhook) with source mastermind-waitlist.

STEP 1: Create Custom Field

Create one custom field to store the location data:

Field Name	Object	Type
Mastermind Location	Contact	Single Line Text

Path: Settings → Custom Fields → Contact → Add Field

STEP 2: Create Tag

Tag
mastermind-waitlist

Path: Settings → Tags → Create Tag

STEP 3: Create Pipeline (Optional — for tracking count toward 100)

Pipeline Name	Stage
Mastermind Waitlist	Waitlisted

Path: Opportunities → Pipelines → Create Pipeline

STEP 4: Create Inbound Webhook Workflow

Path: Automations → Create Workflow → Start from Scratch

Trigger

- Type: **Inbound Webhook**
- Copy the webhook URL that GHL generates

Actions (in order)

1. Create / Update Contact

Map the incoming webhook fields:

Webhook Field	GHL Field
full_name	Contact Name
email	Email
phone	Phone
location	Mastermind Location (custom field)

2. Add Tag

- Tag: mastermind-waitlist

3. Add to Pipeline (optional)

- Pipeline: Mastermind Waitlist
- Stage: Waitlisted

4. Send Confirmation Email (recommended)

- Subject: You're on the 3x3 Mastermind waitlist
- Body:

Hi {{contact.first_name}},

You're officially **on the** waitlist **for the 3x3** Mastermind.

We open **the** room **at 100** members. When we hit **that number**, you'll be **the first to** know.

In **the** meantime — **if** you haven't already, take **the** free **3x3** diagnostic **on** our site **to** see **where** your business stands.

— The Paradigm Team

5. Internal Notification (recommended)

- Send an internal email or Slack notification so you can track signups in real time
- Include: {{contact.full_name}}, {{contact.email}}, {{contact.phone}}, {{custom_field.mastermind_location}}

STEP 5: Add Webhook URL to Environment Variables

Once you have the webhook URL from Step 4:

Netlify (production)

Path: Site settings → Environment variables → Add variable

Key	Value
WEBHOOK_MASTERMIND_WAITLIST	your_webhook_trigger_id

Note: Only add the trigger ID portion of the URL, not the full URL. The base URL (<https://services.leadconnectorhq.com/hooks>) is already configured in `webhook.js`.

Local (.env)

Add to your `.env` file:

```
WEBHOOK_MASTERMIND_WAITLIST=your_webhook_trigger_id
```

STEP 6: Create Smart List for Waitlist Count

Path: Contacts → Smart Lists → Create

Filter	Value
Tag	is mastermind-waitlist

Name it **"Mastermind Waitlist"** — the contact count on this list is your live progress toward 100.

Payload Reference

The form sends this JSON to `/api/webhook`:

```
{
  "full_name": "John Smith",
  "email": "john@company.com",
  "phone": "(555) 123-4567",
  "location": "Austin, TX",
  "company_url": "",
  "source": "mastermind-waitlist",
  "lead_source": "mastermind-waitlist",
  "timestamp": "2026-04-03T12:00:00.000Z"
}
```

The `company_url` field is a honeypot — if it contains any value, the server-side proxy silently rejects the submission.

Files Modified

File	Change
events.html	Added waitlist modal with form, searchable location dropdown, and submission handler
netlify/functions/webhook.js	Added mastermind-waitlist to WEBHOOK_MAP
.env.example	Added WEBHOOK_MASTERMIND_WAITLIST placeholder