

Events Speaker Request — GHL Build Guide

paradigmconsulting.io

Conforms to: [paradigm-ghl-workflow-pattern.md](#) (v 2026-05-17). All deviations must be approved as named exceptions in the pattern doc first.

Generated: April 2, 2026 **Updated:** 2026-05-17 (conformed to canonical pattern) **Location:** Paradigm Consulting (toKhUkB5BEHB9Jn52ktG) **Short key:** `spk`

STEP 1 — CREATE CUSTOM FIELDS

Create these custom fields in GHL under Settings > Custom Fields > Contact:

Field	Key	Type
SPK Organization	contact.spk_organization	TEXT
SPK Event Type	contact.spk_event_type	TEXT
SPK Event Date	contact.spk_event_date	DATE
SPK Audience Size	contact.spk_audience_size	TEXT
SPK Additional Details	contact.spk_additional_details	LARGE_TEXT
SPK Business Name	contact.spk_business_name	TEXT
SPK Submitted At	contact.spk_submitted_at	DATE

Note: `spk_business_name` is the prefixed mirror of the organization field (per pattern doc §4). The standard GHL `Company` field gets first-write-wins treatment; `spk_business_name` is written unconditionally on every submission.

STEP 2 — CREATE TAGS

Tag	Purpose
spk-lead	Applied on every form submission
spk-completed	(Reserved — speaker request has no distinct “completed” event today; tag exists for future symmetry with pattern doc §2)
spk-application	Applied manually by ops when the requester escalates to a paid speaking engagement / sales conversation. Triggers the shared “Application Hot Lead” workflow (pattern doc §8).
spk-converted	Applied when the contact pays / books a confirmed speaking engagement

Per pattern doc §2: replaces legacy `applied-3x3os` shared tag. A speaker request typically has no “Apply” CTA in the confirmation email itself — `spk-application` is applied **manually by ops** when the conversation escalates from “interested in having Matt speak” to “actively scoping a paid engagement.”

Shared pre-existing tag:

- `paradigm-welcomed` — welcome-email suppression gate (see pattern doc §5)

STEP 3 — PIPELINE

Per pattern doc §7: speaker requests are a lead-magnet-style intake and do **not** get their own pipeline. Use the existing **Paradigm Leads** pipeline (`mgAoodSdPPjT4sxBokR2`).

Assign new speaker request contacts to stage: **New Lead** (`2f9115b0-0527-4353-b668-a84f36eb15d0`).

Do not move the contact through “Discovery Call” / “Proposal Sent” / “Closed” stages from the intake workflow — those stages apply only after a human sales engagement has begun.

STEP 4 — CREATE WEBHOOK TRIGGER

1. Go to Automation > Workflows > Create Workflow
2. Name: “Speaker Request Intake”
3. Set trigger: Inbound Webhook
4. Copy the trigger ID from the webhook URL

5. Add trigger ID to Netlify env var: `WEBHOOK_EVENTS`

STEP 5 — WEBHOOK PAYLOAD REFERENCE

The site sends this payload through `/api/webhook` with source key `events-speaker-request` :

```
{
  "full_name": "Jane Smith",
  "organization": "Acme Corp",
  "email": "jane@acme.com",
  "phone": "555-123-4567",
  "event_type": "keynote",
  "event_date": "2026-06-15",
  "audience_size": "200",
  "additional_details": "Looking for a 45-minute keynote on operational scaling.",
  "company_url": "",
  "source": "events-speaker-request",
  "lead_source": "speaker-request",
  "timestamp": "2026-04-02T12:00:00.000Z"
}
```

`event_type` values: `keynote` , `panel` , `workshop` , `private` , `other`

`company_url` is a honeypot field — always empty for real submissions. The server-side proxy silently rejects any submission where this field is filled.

WORKFLOW — Speaker Request Intake

Name: Speaker Request Intake **Status:** Publish when complete **Trigger:** Inbound Webhook (from Step 4)

Step 1 — Create or Update Contact

Map from webhook payload:

- `full_name` → First Name + Last Name (split on first space) (**see duplicate-handling rule below**)
- `email` → Email (**dedupe key**)
- `phone` → Phone (**see duplicate-handling rule**)
- `organization` → standard `Company` (first-write-wins) AND `contact.spk_business_name` (always)
- `event_type` → SPK Event Type
- `event_date` → SPK Event Date

- audience_size → SPK Audience Size
- additional_details → SPK Additional Details
- timestamp → SPK Submitted At

Duplicate-handling rule (per pattern doc §4):

- Match on `email`
- If contact exists: update assessment custom fields, but **do not overwrite First Name or Phone if either is already populated**. Preserves earlier-touch identity.
- For the standard `Company` field: write only if currently empty (first-write-wins). Always write to `spk_business_name` regardless.

Step 2 — Add Tag

- Tag: `spk-lead`

Step 3 — Add to Pipeline

- Pipeline: Paradigm Leads
- Stage: New Lead
- Only if contact is NOT already in the pipeline at a more advanced stage

Step 4 — Internal Notification Email

To: `ari@paradigmconsulting.io` , `jay@paradigmconsulting.io`

Subject: `New SPK Lead - {{contact.first_name}}`

Body:

```
SPEAKER REQUEST RECEIVED

Name: {{contact.first_name}} {{contact.last_name}}
Organization: {{contact.spk_business_name}}
Email: {{contact.email}}
Phone: {{contact.phone}}
Event Type: {{contact.spk_event_type}}
Event Date: {{contact.spk_event_date}}
Audience Size: {{contact.spk_audience_size}}

Additional Details:
{{contact.spk_additional_details}}

Submitted: {{contact.spk_submitted_at}}
```

Step 5 — Confirmation Email to Requester

Suppression check (REQUIRED — see [paradigm-ghl-workflow-pattern.md §5](#)):

Before sending this email, check the contact for the `paradigm-welcomed` tag:

- IF contact does NOT have tag `paradigm-welcomed` → send the warm-welcome variant below AND apply tag `paradigm-welcomed`
- ELSE → send the result-only variant (a shortened version without the "intro to Paradigm" paragraphs)

To: {{contact.email}} **From:** Matt | Founder, Paradigm Consulting matt@paradigmconsulting.io

Subject: We received your speaker request **Preview:** Our team will review and follow up within 48 hours.

Body (warm-welcome variant — first touch):

{{contact.first_name}},

Thank you for reaching out about a speaking engagement. We have received your request and our team will review the details.

A quick note on who you're talking to: Paradigm Consulting helps founders install the operational infrastructure — compliance, culture, technology — that lets a business scale without breaking. Speaking engagements are how we share the underlying frameworks with rooms of founders and operators.

Here is what we have on file:

- **Event type:** {{contact.spk_event_type}}
- **Date:** {{contact.spk_event_date}}
- **Organization:** {{contact.spk_business_name}}

You can expect to hear back from us within 48 hours. If your event is time-sensitive, reply to this email and we will prioritize your request.

Matt Founder, Paradigm Consulting

Body (result-only variant — subsequent touch, contact already has `paradigm-welcomed` tag):

{{contact.first_name}},

Thanks for the speaker request. We have it on file:

- **Event type:** {{contact.spk_event_type}}
- **Date:** {{contact.spk_event_date}}
- **Organization:** {{contact.spk_business_name}}

You can expect to hear back from us within 48 hours. If your event is time-sensitive, reply and we'll prioritize.

Matt Founder, Paradigm Consulting

APPLICATION HANDLING

DEPRECATED — Application handling is now performed by the shared “Application Hot Lead” workflow defined in [paradigm-ghl-workflow-pattern.md §8](#).

When ops decides a speaker request has escalated into an active paid-engagement conversation, ops applies the `spk-application` tag manually. That tag triggers the shared workflow, which:

1. Applies `hot-lead`
 2. Pauses any active nurture sequence
 3. Moves the contact into the relevant pipeline at “Application Received” (for SPK, this is the Paradigm Leads pipeline — Paradigm does not yet have a dedicated Speaker Engagements pipeline)
 4. Sends internal alert to ari@ + jay@paradigmconsulting.io
 5. Escalates with SLA reminder if no human contact within 1 business day
-

SMART LIST

Create these saved filters in GHL (per pattern doc §10 naming convention):

List Name	Filter
spk-leads-all	Tag = <code>spk-lead</code>
spk-leads-this-week	Tag = <code>spk-lead</code> AND <code>spk_submitted_at</code> ≥ 7 days ago
spk-application-open	Tag = <code>spk-application</code> AND Tag <code>spk-converted</code> does NOT exist

MANUAL CHECKLIST

- [] Create 7 custom fields (SPK_ prefix, including `spk_business_name` and `spk_submitted_at`) in GHL
- [] Create tags: `spk-lead` , `spk-completed` , `spk-application` , `spk-converted`
- [] Confirm shared tag `paradigm-welcomed` exists
- [] Build Speaker Request Intake workflow with webhook trigger
- [] Copy webhook trigger ID to Netlify env var `WEBHOOK_EVENTS`
- [] Confirm `events-speaker-request` source key exists in `WEBHOOK_MAP` in `webhook.js` (already added)

- [] Configure internal notification email to BOTH ari@paradigmconsulting.io AND jay@paradigmconsulting.io
- [] Configure confirmation email from "Matt | Founder, Paradigm Consulting matt@paradigmconsulting.io" with welcome-suppression branching
- [] Confirm Create-or-Update Contact step uses dedupe-on-email rule and preserves First Name + Phone + Company on update
- [] Confirm shared "Application Hot Lead" workflow (per pattern doc §8) is built and listens for `spk-application` tag
- [] Create smart lists
- [] Submit test lead and confirm:
 - Contact created with all SPK_ fields mapped (including `spk_business_name` and `spk_submitted_at`)
 - Standard `Company` field written only on first submission
 - Tag `spk-lead` applied
 - Pipeline stage set to New Lead in Paradigm Leads
 - Internal notification email received by BOTH ari@ and jay@
 - Confirmation email sent to requester (warm-welcome variant on first touch, result-only on repeat)
 - `paradigm-welcomed` tag applied after first send