

System Architecture Audit — GHL Build Report

paradigmconsulting.io

Conforms to: [paradigm-ghl-workflow-pattern.md](#) (v 2026-05-17). All deviations must be approved as named exceptions in the pattern doc first.

Short key: **saa** (per pattern doc §1).

PHASE 1 — CUSTOM FIELDS (10/10 CREATED VIA API)

Field type rule: all numeric fields should be **NUMBER** (not **NUMERICAL**) — pattern doc §3. GHG accepts both, but standardize on **NUMBER** going forward. Existing fields below are typed **NUMERICAL** historically; rename in GHG UI when convenient.

Field Name	Field Key	Type	GHL ID
SAA Overall Score	<code>contact.saa_overall_score</code>	NUMBER	<code>Jloc5YoQisbMp4uq3ANW</code>
SAA Architecture Tier	<code>contact.saa_architecture_tier</code>	TEXT	<code>0C3c2j0XNcxi3E0xpyx3</code>
SAA Tier Priority	<code>contact.saa_tier_priority</code>	NUMBER	<code>LJmJveLMzSfztvI1I57g</code>
SAA Gap Count	<code>contact.saa_gap_count</code>	NUMBER	<code>v6S0FlegBllrUUveasMZ</code>
SAA Fragile Count	<code>contact.saa_fragile_count</code>	NUMBER	<code>Yz0RbenJbZFo0T9DL5qD</code>
SAA Estimated Cost Low	<code>contact.saa_estimated_cost_low</code>	NUMBER	<code>ejjDk6SMizx2qqqk4QZN</code>
SAA Estimated Cost High	<code>contact.saa_estimated_cost_high</code>	NUMBER	<code>ujh9bhaDGboTAut0x1cr</code>
SAA Submitted At	<code>contact.saa_submitted_at</code>	DATE	<code>iFpb509cJYJNBV0oY34C</code>
SAA Estimated Cost Low Quarterly	<code>contact.saa_estimated_cost_low_quarterly</code>	NUMBER	<code>aekypr06KbWtt1hRQxJN</code>
SAA Estimated Cost High Quarterly	<code>contact.saa_estimated_cost_high_quarterly</code>	NUMBER	<code>UdaqG9TFgp4zrRfk8bz2</code>
SAA Business Name	<code>contact.saa_business_name</code>	TEXT	

PHASE 2 — TAGS

Lifecycle tags (per pattern doc §2):

Tag	When applied	GHL ID
<code>saa-lead</code>	On webhook intake (rename of legacy <code>system-architecture-lead</code>)	<code>prcCV1UySJx0aJN0iHgE</code> (rename in GHL)
<code>saa-completed</code>	Reserved (SAA has no completion-distinct event yet)	
<code>saa-application</code>	When <code>system-architecture-audit-apply</code> fires (replaces legacy <code>applied-3x3os</code>)	
<code>saa-converted</code>	When the contact pays for the related engagement	

Tier tags:

Tag Name	GHL ID
<code>saa-fragmented</code>	<code>SXUxcSKhay0TpLSYoMM4</code>
<code>saa-developing</code>	<code>2CyeNIV6HTYjw0jQbtCr</code>
<code>saa-structured</code>	<code>UxrMNz90fs9IJEics4A8</code>
<code>saa-integrated</code>	<code>ZLinALgAuA1IFE484A8H</code>

PHASE 3 — PIPELINE

Pipeline note (pattern doc §7): SAA is a lead magnet. **Lead-magnet intake does NOT get a pipeline assignment.** Remove any Paradigm Leads pipeline move from the SAA intake workflow. Pipeline references below are kept for the `system-architecture-audit-apply` workflow (which promotes contacts via the shared Application Hot Lead workflow, pattern doc §8).

(Optional later — pattern doc §7) If SAA ever launches a paid productized offer, build a dedicated “System Architecture” pipeline. Until then, applications can flow into Paradigm Leads or be handled tag-only.

Pipeline (kept for reference for `-apply` only): **Paradigm Leads** — `mgAoodSdPPjT4sxBokR2`

Stage	ID	Position
New Lead	2f9115b0-0527-4353-b668-a84f36eb15d0	0
Assessment Submitted	e9a147dd-c45b-4e37-8856-cb64fcd0025e	1
Engaged	4c8a9b45-1acf-488f-8cff-14721de5a874	2
Email Sequence Active	edf79245-7f75-4332-9b39-44b512915a24	3
Application Link Clicked	b7be6a4e-5457-4897-a561-278d92c08084	4
Discovery Call	b9bbf364-73cd-4f84-adca-2c6500fc2999	5
Proposal Sent	80f74b32-a418-454d-9316-ae6313ae2eed	6
Closed	3494c6f4-aeb1-4cda-b1ed-5d02a73cb5ed	7
Lost	288b8a51-6f62-408e-b06d-022ee3f2c629	8
Nurture - Long Term	c64e10c4-a4c6-45a4-8070-fb299b7aa751	9
Nurture - Follow Up	535c1f8b-a6ca-430f-9473-f0acca7dc922	10

Typo fix: Stage 10 was *Nuture - Follow Up* (typo) — corrected to *Nurture - Follow Up* . The actual GHL stage name also needs to be renamed in the UI; the stage ID remains *535c1f8b-a6ca-430f-9473-f0acca7dc922* .

Intake / Create-or-Update Contact rule (applies to Workflow 1):

- Match on *email*
- If contact exists: update assessment custom fields, but **do not overwrite First Name or Phone if either is already populated**. Preserves earlier-touch identity.
- For the standard *Company* field: write only if currently empty (first-write-wins). Always write to *saa_business_name* regardless.

PHASE 4 — WORKFLOWS

Workflow 1: System Architecture Audit (EXISTS — PUBLISHED)

- **ID:** 52576f16-550b-4897-b51a-ef0dacefe017
- **Status:** Published
- **Webhook URL:** Retrieved from GHL workflow trigger — set as *WEBHOOK_SYSTEM_ARCHITECTURE_AUDIT* in Netlify env vars

Required intake actions (verify configured in the existing workflow):

1. Create-or-Update Contact — apply duplicate-handling rule (preserve First Name + Phone if populated; standard `Company` first-write-wins; always write `saa_business_name`).
2. Add tag: `saa-lead` .
3. (No pipeline assignment — SAA is a lead magnet per pattern doc §7.)
4. Enroll in **SAA — Email Sequence**, add tag `email-sequence-active` .
5. Send internal notification:
 - **To:** ari@paradigmconsulting.io, jay@paradigmconsulting.io
 - **Subject:** `New SAA Lead - {{contact.first_name}}`
 - **Body:** Name, Email, SAA Overall Score, SAA Tier, SAA Gap Count, SAA Fragile Count, SAA Estimated Cost Low/High, SAA Submitted At.

Workflow 2: SAA — Email Sequence (BUILD IN GHL UI)

Cannot be created via API. Build manually in GHL:

1. Create workflow: **SAA — Email Sequence**
2. Trigger: Enrolled from another workflow
3. Add Goal Step: Contact clicks tracked link tagged `Apply-3x30S-Link`
 - On goal: Add tag `saa-application` (this triggers the shared Application Hot Lead workflow — pattern doc §8), remove tag `email-sequence-active` , stop workflow. Pipeline stage moves are handled by the shared Application Hot Lead workflow.

Email 1 — Day 0 (Conditional by tier):

Suppression check (REQUIRED — see [paradigm-ghl-workflow-pattern.md §5](#)):

Before sending this email, check the contact for the `paradigm-welcomed` tag:

- IF contact does NOT have tag `paradigm-welcomed` → send the warm-welcome variant below AND apply tag `paradigm-welcomed`
- ELSE → send the result-only variant (a shortened version without the “intro to Paradigm” paragraphs)
- Branch on `saa_tier_priority` :
 - = 1 → Fragmented email
 - = 2 → Developing email
 - = 3 → Structured email
 - = 4 → Integrated email
- All branches send immediately
- See full email copy in the build instructions document

Email 2 — Day 2: "Where the cost actually comes from" (shared) **Email 3 — Day 4:** "Why installation order matters" (shared) **Email 4 — Day 7:** "Quarterly cost of inaction" (shared — uses `saa_estimated_cost_low_quarterly` and `saa_estimated_cost_high_quarterly` fields) **Email 5 — Day 14:** "Final CTA" (shared)

After Email 5: Wait 1 day → Remove `email-sequence-active` → Add `sequence-completed` → If pipeline still at Email Sequence Active, move to Nurture - Long Term

Workflow 3: SAA — Re-Engagement 30 Day (BUILD IN GHL UI)

Cannot be created via API. Build manually in GHL:

1. Create workflow: **SAA — Re-Engagement 30 Day**
2. Trigger: Tag `saa-lead` AND last activity > 30 days AND tag `saa-application` does NOT exist
 - (Removed pipeline-stage trigger conditions since SAA intake no longer assigns to a pipeline.)
3. Step 1: If `multi_assessment_routing_active` = YES → Stop
4. Step 2: Send re-engagement email
5. Step 3: Wait 7 days
6. Step 4: If no apply click → Remove `email-sequence-active`, add `sequence-completed`

Workflow 4: SAA — Application Handler (stub)

DEPRECATED — Application handling is now performed by the shared "Application Hot Lead" workflow defined in [paradigm-ghl-workflow-pattern.md §8](#).

The per-source SAA application workflow only needs to:

1. Update contact from the `system-architecture-audit-apply` webhook payload (apply duplicate-handling rule above — preserve First Name and Phone if populated; write to standard `Company` only if empty; always write to `saa_business_name`)
2. Apply tag `saa-application` (THIS is what triggers the shared Application Hot Lead workflow)
3. Remove tag `email-sequence-active`

~~Per source pipeline moves, internal HOT LEAD notifications, and SLA logic previously documented here have been deleted. They are now centralized in the shared Application Hot Lead workflow which sends to ari@ + jay@paradigmconsulting.io and routes into the appropriate pipeline.~~

PHASE 5 — MULTI-ASSESSMENT PRIORITY ROUTER UPDATE

Open existing **Multi-Assessment Priority Router** workflow. Add:

- `saa_tier_priority` to the worst-score comparison logic
- When `worst_assessment_tool` = SAA → enroll in **SAA — Email Sequence**

PHASE 6 — SMART LISTS (BUILD IN GHL UI)

List Name	Filter
saa-all-leads	Tag = saa-lead
saa-fragmented-priority	Tag = saa-fragmented
saa-active-sequences	Tag = email-sequence-active AND Tag = saa-lead
saa-sequence-completed-no-application	Tag = sequence-completed AND Tag = saa-lead AND Tag saa-application does NOT exist

PHASE 7 — WEBHOOK PAYLOAD UPDATE (COMPLETED)

Added `estimated_cost_low_quarterly` and `estimated_cost_high_quarterly` to the results webhook payload in `system-architecture-audit.html` . Pre-calculated as `Math.round(annualCost / 4)` .

PHASE 8 — SHARED RESOURCES VERIFIED

Resource	Status
<code>assessments_completed_count</code> field	EXISTS — <code>Ik4nj6wrxlijUXjXLWYP</code>
<code>multi_assessment_routing_active</code> field	EXISTS — <code>qQP20HTjFJoJ0svvbSyh</code>
<code>worst_assessment_tool</code> field	EXISTS — <code>XSP1ZBiUaSDP4w0RiT40</code>
<code>worst_assessment_tier_priority</code> field	EXISTS — <code>yXq9ks7DnhhBgqRrSD62</code>
<code>applied-3x3os</code> tag (LEGACY — replaced by per-source <code>*-application</code> tags per pattern doc §2)	EXISTS — <code>aiZSu0ijokIIPearUmVe</code> (keep for backfill; new automations should use <code>saa-application</code>)
<code>paradigm-welcomed</code> tag (welcome-suppression gate — pattern doc §5)	
<code>email-sequence-active</code> tag	EXISTS — <code>tvajBiyQzWpiwRn2QNIY</code>
<code>sequence-completed</code> tag	EXISTS — <code>GZs1T0JnJ8lLkPF348qh</code>
Multi-Assessment Priority Router workflow	NOT FOUND (may be named differently or built in previous session)
Multi-Assessment Re-Engagement 30 Day workflow	NOT FOUND (may be named differently or built in previous session)

FAILURES / SKIPPED

1. **Workflow creation not supported via API** — GHL API does not expose workflow creation endpoints. Workflows 2 and 3 must be built in the GHL UI.
2. **Multi-Assessment Priority Router** — Not found in workflow list by that exact name. May need to be created or may exist under a different name. Check GHL UI.
3. **Multi-Assessment Re-Engagement 30 Day** — Same as above.

MANUAL CHECKLIST — REMAINING STEPS

- [] Confirm SAA intake workflow webhook URL matches `WEBHOOK_SYSTEM_ARCHITECTURE_AUDIT` in Netlify env vars
- [] Build **SAA — Email Sequence** workflow in GHL UI with all 5 emails + conditional Day 0 branching
- [] Build **SAA — Re-Engagement 30 Day** workflow in GHL UI
- [] Apply tracked link trigger (`Apply-3x30S-Link`) to SAA Email Sequence goal step

- [] Update application page URL in all SAA email CTA buttons
- [] Update results page URL in all Day 0 email CTA buttons (link to `paradigmconsulting.io/system-architecture-audit`)
- [] Create 4 smart lists in GHL UI
- [] Update Multi-Assessment Priority Router to include `saa_tier_priority` in comparison logic
- [] Add SAA routing branch: when `worst_assessment_tool` = SAA → enroll in SAA — Email Sequence
- [] Confirm all SAA emails send from “Matt | Founder, Paradigm Consulting”
- [] Deploy updated `system-architecture-audit.html` with quarterly cost fields
- [] Submit test leads for each tier and confirm:
 - Correct field mapping
 - Correct tier tag applied
 - `saa_tier_priority` set correctly
 - `assessments_completed_count` incremented
 - Correct Day 0 email branch fires
- [] Submit same email through a second assessment → confirm Multi-Assessment Priority Router fires
- [] Confirm re-engagement stops for contacts where `multi_assessment_routing_active` = YES