

Catalog ER Diagram

Database entity-relationship diagram and schema reference

Schema	catalog
Exported	August 20, 2026
Tables included	12
View filters	Domain: All tables , Layout: Grouped by domain , Logical links: shown

Contents


- 1 Entity relationship diagram
- 2 Schema reference (12 tables)

Tables in this export

- data_models
 - etl_products
 - etl_tables
 - quality_rules
 - toolkit
 - schema_lineage
- data_teams
 - api
 - product_agreements
 - readmes
 - track
 - etl_validation

Entity relationship diagram

Screenshot of current diagram view



FK Logical

Schema: catalog

data_models

Logical data models with readme refs, resources, and meta columns; domain JSONB lists domain tag names.

Column	Type	Keys	Reference	Example
model_id	uuid NOT NULL	PK	—	019fc53e-9378-762c-aa87-b19b5df6fabe
description	text	—	—	Comprehensive model for managing customer information i...
domain	jsonb	—	—	["Customer", "Data", "Analytics", "Tax"]
extended_descripti on	text	—	—	The Customer Data Model serves as the foundation for al...
maintainer_email	text	—	—	abc@yahoo.com
maintainer_team_i d	text	—	—	Customer Portal
meta_tier	text	—	—	gold
meta_verified	boolean	—	—	False
model_short_name	text	—	—	CUST
name	text	—	—	Customer Data Model
readme_refs	jsonb	—	—	[{"name": "readme", "readme_id": "019e7bd6-05a9-75e5-87...
resources	jsonb	—	—	[{"href": "https://docs.example.com/customer-data-model...
spec_maintainer	text	—	—	Jane Smith
users	jsonb	—	—	["Auth Service", "User Service"]
version	text	—	—	2.1.0
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Incoming relationships

Kind	Relationship
FK	etl_products.model_id -> model_id
FK	etl_products.model_id -> model_id
FK	product_agreements.model_id -> model_id
FK	quality_rules.associated_model_id -> model_id
Logical	readmes, readme_refs
Logical	data_teams, spec_maintainer / maintainer_team_id

data_teams

Data team roster; logically linked to models, quality rules, and product agreements (see ER diagram).

Column	Type	Keys	Reference	Example
team_id	uuid NOT NULL	PK	—	019fc53e-94cc-771f-99bd-cbb65789932d
description	text	—	—	Self-service portal for customers to manage their accou...
email	text	—	—	customer-portal@example.com
link	text	—	—	https://customer-portal.example.com
name	text	—	—	Customer Portal
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Outgoing relationships

Kind	Relationship
Logical	data_models, spec_maintainer / maintainer_team_id
Logical	product_agreements, data_producer / data_consumer / consumer

Incoming relationships

Kind	Relationship
FK	quality_rules.maintainer_id -> team_id

etl_products

Data products exposed to the catalog UI; FK to the logical data model.

Column	Type	Keys	Reference	Example
product_id	uuid NOT NULL	PK	—	019fc53e-93dc-7149-910e-a760b0514aa9
name	text NOT NULL	—	—	Customer Analytics Dashboard
description	text	—	—	Real-time customer behavior analytics and insights for ...
etl_comments	text	—	—	Daily incremental merge from bronze.customer_events int...
status	text	—	—	active
product_delivery_v ersion	text	—	—	2.1.0
tags	jsonb NOT NULL	—	—	["customer", "analytics", "real-time", "dashboard"]
agreement_id	uuid	FK	product_agreements. agreement_id	019fc53e-93ba-77af-b4c7-450cb48b9f97
product_type	text	—	—	Aggregate
source_datasets	jsonb NOT NULL	—	—	[482937, 391746]
s3_location	text	—	—	s3://data-catalog-bucket/products/customer-analytics/v2 ...
expected_periodici ty	text	—	—	Real-time
destination_datase t_id	bigint	—	—	
display_identifier	text	—	—	
network	jsonb	—	—	
relationships	jsonb NOT NULL	—	—	[{"summary": "Segmentation layer for targeted marketing...
model_id	uuid	FK	data_models.model_i d	019fc53e-9378-762c-aa87-b19cf58799f3
api_id	uuid	FK	api.api_id	019fc53e-93dc-7149-910e-a760b0514ab0
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Outgoing relationships

Kind	Relationship
FK	agreement_id -> product_agreements.agreement_id
FK	agreement_id -> product_agreements.agreement_id
FK	model_id -> data_models.model_id
FK	model_id -> data_models.model_id
FK	api_id -> api.api_id

Incoming relationships

Kind	Relationship
FK	etl_tables.product_id -> product_id

api

OpenAPI metadata for a data product (open_api_url, maintainer, description, readme -> readmes).

Column	Type	Keys	Reference	Example
api_id	uuid NOT NULL	PK	—	019fc53e-93dc-7149-910e-a760b0514ab0
description	text	—	—	REST API exposing customer analytics metrics, segments,...
maintainer	text	—	—	Analytics Team
open_api_url	text	—	—	https://api.example.com/customer-analytics/openapi.json
readme	uuid	FK	readmes.readme_id	019fc53e-94da-7010-9e01-71759378a58f
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Outgoing relationships

Kind	Relationship
FK	readme -> readmes.readme_id

Incoming relationships

Kind	Relationship
FK	etl_products.api_id -> api_id

etl_tables

Logical tables published by a data product (schema-lineage scope).

Column	Type	Keys	Reference	Example
table_id	uuid NOT NULL	PK	—	019fc53e-9412-7665-9dbd-939501584050
product_id	uuid NOT NULL	FK	etl_products.product_id	019fc53e-93dc-7149-910e-a760b0514aa9
name	text	—	—	customer_360_curated
layer	text	—	—	gold
description	text	—	—	Published customer analytics grain
row_count	bigint	—	—	500000
column_count	bigint	—	—	12
table_type	text	—	—	iceberg
table_path	text	—	—	s3://data-lake/gold/prod-001/customer_360_curated
languages	jsonb NOT NULL	—	—	["en", "fr", "de"]
countries	jsonb NOT NULL	—	—	["US", "CA", "GB", "DE"]
etl_comments	text	—	—	Daily merge from bronze customer events; partition by e...
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Outgoing relationships

Kind	Relationship
FK	product_id -> etl_products.product_id

Incoming relationships

Kind	Relationship
FK	track.table_id -> table_id
FK	schema_lineage.table_id -> table_id
FK	etl_validation.table_id -> table_id

product_agreements

Product agreements linked to models; producer/consumer/provider parties reference data team names.

Column	Type	Keys	Reference	Example
agreement_id	uuid NOT NULL	PK	—	019fc53e-93bb-73c6-9c33-d4c422dadae7
acceptance_criteria	text	—	—	- All requests pass schema validation. - Error rates be...
consumer	text	—	—	Analytics Dashboard
consuming_systems	jsonb	—	—	
contract_version	text	—	—	1.0.2
data_consumer	jsonb	—	—	["Store", "Jane Smith"]
data_producer	jsonb	—	—	["Auth Service"]
data_validator	jsonb	—	—	["Product Service"]
delivered_version	jsonb	—	—	["1.0.0"]
delivery_frequency	jsonb	—	—	["One-Time", "Feed"]
description	text	—	—	Data Team agreement
end_date	text	—	—	2025-08-15
file_format	text	—	—	JSON
location	jsonb	—	—	[{"bucket": "a", "description": "a"}, {"bucket": "s", "...
model_short_name	text	—	—	ASY
name	text	—	—	Aaron Test
network	jsonb	—	—	["intranet"]
next_update	text	—	—	
restricted	boolean	—	—	True
sensitivity_level	jsonb	—	—	["confidential"]
specification_maintainer	text	—	—	Customers
start_date	text	—	—	2025-08-14
status	text	—	—	active
systems_ingested_from	jsonb	—	—	["Analytics"]
validator	text	—	—	Analytics Dashboard
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text	—	—	catalog_upload

Column	Type	Keys	Reference	Example
	NOT NULL			
model_id	uuid	FK	data_models.model_id	019fc53e-9378-762c-aa87-b19cf58799f3
readme_refs	jsonb NOT NULL	—	—	[{"name": "requirements", "readme_id": "01a01d02-b54b-7...

Outgoing relationships

Kind	Relationship
FK	model_id -> data_models.model_id

Incoming relationships

Kind	Relationship
FK	etl_products.agreement_id -> agreement_id
FK	etl_products.agreement_id -> agreement_id
Logical	readmes, readme_refs
Logical	data_teams, data_producer / data_consumer / consumer

quality_rules

Validation rules (rule_name, stage, severity, validation_type, parameters, message_template, query, rule_status).
Scoped via associated_model_id when set.

Column	Type	Keys	Reference	Example
rule_id	uuid NOT NULL	PK	—	019fc53e-939c-7596-b85e-82182a193cb1
description	text	—	—	Sub-rule: id columns follow parent lowercase policy
associated_model_id	uuid	FK	data_models.model_id	019fc53e-9378-762c-aa87-b19b5df6fabe
rule_name	text	—	—	Identifier lowercase
validation_type	text	—	—	validation
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
stage	text	—	—	bronze
severity	text	—	—	error
parameters	jsonb	—	—	{}
message_template	text	—	—	Field must be lowercase
query	text	—	—	SELECT * FROM t WHERE col <> LOWER(col)
rule_status	text	—	—	active
maintainer_id	uuid	FK	data_teams.team_id	019fc53e-94cc-771f-99bd-cbb65789932d

Outgoing relationships

Kind	Relationship
FK	associated_model_id -> data_models.model_id
FK	maintainer_id -> data_teams.team_id
FK	parent_rule_id -> quality_rules.rule_id

Incoming relationships

Kind	Relationship
FK	etl_validation.rule_id -> rule_id
FK	quality_rules.parent_rule_id -> rule_id

readmes

Shared markdown bodies referenced by UUID from other tables.

Column	Type	Keys	Reference	Example
readme_id	uuid NOT NULL	PK	—	019fc53e-94da-7010-9e01-71759378a58f
readme	text	—	—	# Ø=b€ **Data Product** *A sleek, modern pr doe...
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_by	text NOT NULL	—	—	catalog_upload

Outgoing relationships

Kind	Relationship
Logical	data_models, readme_refs
Logical	product_agreements, readme_refs

Incoming relationships

Kind	Relationship
FK	api.readme -> readme_id

toolkit

Toolkit catalog items (functions, packages, toolkits, ...).

Column	Type	Keys	Reference	Example
toolkit_id	uuid NOT NULL	PK	—	019fc53e-94f1-7601-924f-5b4455e6db10
name	text	—	—	OCR Toolkit
display_name	text	—	—	OCR (Optical Character Recognition)
description	text	—	—	A collection of OCR technologies and libraries for extr...
category	text	—	—	text-extraction
tags	jsonb NOT NULL	—	—	["ocr", "text-extraction", "image-processing", "documen...
ranking_enabled	boolean NOT NULL	—	—	True
multiple_technologies	boolean NOT NULL	—	—	True
version	text	—	—	1.0.0
card_image	text	—	—	
details	jsonb NOT NULL	—	—	{"type": "toolkits", "itemId": "toolkit-ocr"}
created_by	text NOT NULL	—	—	catalog_upload
created_at	timestamp with time zone NOT NULL	—	—	2026-08-03 01:30:40.332577+00:00
updated_at	timestamp with time zone NOT NULL	—	—	2025-01-15 00:00:00+00:00
updated_by	text NOT NULL	—	—	catalog_upload

track

ETL pipeline run history for an etl_tables row.

Column	Type	Keys	Reference	Example
track_id	uuid NOT NULL	PK	—	019fc53e-9401-7001-8001-000000000001
table_id	uuid NOT NULL	FK	etl_tables.table_id	019fc53e-9412-7665-9dbd-939501584050
pipeline_name	text	—	—	customer-analytics-daily
run_status	text NOT NULL	—	—	success
stage	text	—	—	gold
started_at	timestamp with time zone	—	—	2026-08-03 06:00:00+00:00
completed_at	timestamp with time zone	—	—	2026-08-03 06:42:18+00:00
rows_processed	bigint	—	—	1247000

Outgoing relationships

Kind	Relationship
FK	table_id -> etl_tables.table_id

Incoming relationships

Kind	Relationship
FK	etl_validation.track_id -> track_id

schema_lineage

Column-level transforms and added fields for an etl_tables row.

Column	Type	Keys	Reference	Example
column_id	uuid NOT NULL	PK	—	019fc53e-9412-7665-9dbd-939501584051
table_id	uuid NOT NULL	FK	etl_tables.table_id	019fc53e-9412-7665-9dbd-939501584050
schema_lineage_kind	text NOT NULL	—	—	transform
sequence	integer NOT NULL	—	—	1
source_columns	jsonb	—	—	["customer_id", "event_ts"]
target_column	text	—	—	customer_key

Outgoing relationships

Kind	Relationship
FK	table_id -> etl_tables.table_id

etl_validation

Validation outcomes for a pipeline run against quality rules.

Column	Type	Keys	Reference	Example
validation_id	uuid NOT NULL	PK	—	019fc53e-9420-7002-8002-000000000002
track_id	uuid NOT NULL	FK	track.track_id	019fc53e-9401-7001-8001-000000000001
table_id	uuid NOT NULL	FK	etl_tables.table_id	019fc53e-9412-7665-9dbd-939501584050
rule_id	uuid NOT NULL	FK	quality_rules.rule_id	019fc53e-939c-7596-b85e-82182a193cb1
validation_status	text NOT NULL	—	—	pass
detail	text	—	—	All rows satisfied identifier lowercase rule
rows_evaluated	bigint	—	—	1247000
failure_count	bigint	—	—	0
evaluated_at	timestamp with time zone	—	—	2026-08-03 06:41:55+00:00

Outgoing relationships

Kind	Relationship
FK	track_id -> track.track_id
FK	table_id -> etl_tables.table_id
FK	rule_id -> quality_rules.rule_id