Form 19740 (541)

# HISTORICAL COPY Printed in U.S.A. DO NOT REMOVE

LIST

OF

**PARTS** 



FOR FAMILY SHOPS

**MACHINES** Nos. 127-12 and 127-14

### INDEX

	Раде
Accessories	13
Attachment Set	13
Bias Gauge	13
Bobbin Winder (Automatic)	13
Braider	14
Corder Bow	14
Feed Cover Plate	<b>1</b> 5
Feller (Foot)	15
Finger Guard	15
Hemmers (Foot)	15
Machine No. 127-12	7
Machine No. 127-14	11
Needle Threader (Universal)	16
Numerical List of Parts	21
Presser Feet	16
Presser Foot with Graduated Adjustable Guides	16
Quilter	17
Ruffler Shirring Plate	17
Special Attachments	19
Under Dreiden	10

#### INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used When ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

A.A-Buffed and Chromium Plated

A.B-Hardened, Polished, Buffed and Chromium Plated

A.C-Brown Baking Enamel Finish

A.D-Gray Baking Enamel Finish

A.E-Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G-Alumilite, Plain

A.H-Alumilite, Dyed

A.J-Polished, Nickel Plated and Chromium Plated

A.K-Hardened, Polished, Nickel Plated and Chromium Plated

A.L-Heat Treated for Toughness

B-Polished, Nickel Plated and Buffed

C-Hardened Only

C.R-Hardened and Merlized

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

F.J-Hardened, Polished and Nickel Plated

G-Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M-Oxidized

N-Japanned, Dull

P-Japanned, Bright

P.P-Wrinkle Finish

R-Merlized

S-Cadmium Plated

T-Copper Plated

T.A-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B-Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K-Hardened, Copper and Nickel Plated

T.L-Copper and Brass Plated

T.M-Copper Plated and Oxidized

U-Zinc Plated

V-Silver Plated

W-Polished and Nickel Plated

X-Black Oxide, for Iron and Steel

X.C-Hardened and Black Oxide, for Iron or Steel

Y-Black Nickel Plated Only

Z-Chromium Plated

Z.A-Hardened, Polished, Nickel Flated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C-Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.F-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list;

and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000

are Screw Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers 1801 to 2000 and 51801 to 52000 are Roller Numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (\*) are furnished only when repairs are made at factory.

# LIST OF PARTS COMPLETE FOR



# MACHINE No. 127-12 FOR FAMILY USE. VIBRATING SHUTTLE, WITH SHUTTLE EJECTOR.

No.	Plate	Name
*55530PP		Arm with 443A, 8206, 15404 and two 15405.
2002	23453	" Dowel Pin (2)
820 <b>3E</b>	23453	* Rock Shaft with 122E
55518		" " 8203E with 520C and 1520E.
122E	23453	" " Adjusting Screw
8204	23453	" " " Center (upper)
301C	23453	" " Screw Center
55516		" " " " 301C with 1508E
1508E	23453	" " " " Nut
649E	23453	* Screw (3)
8341	23453	* Shaft
55524		<ul> <li>8341 with 2117, 8206 and 55523.</li> </ul>
8206	23453	" " Bushing
443A	23453	" " Set ScreW
125425X	23453	" Side Cover (embossed)
51224B	23453	" " Thumb Screw
2007	23453	* Spool Pin
8879	23453	" " " Washer (cloth)
15282	23453	Balance Wheel, 2 1/4 in. pulley
*8328PP		Bed
55515	23454	<ul> <li>Oil Hole (shuttle) Packing (braided</li> </ul>
		cotton)
256W	23453	Clamp Stop Motion Clamp Screw

Q		
No.	Plate	Name
NO. 248K	23453	Clamp Stop Motion Clamp Stop Screw
2020	23453	" " " Washer
	23453	" " Flanged Bushing with
15313	20400	two 462AL
	07.457	Clamp Stop Motion Flanged Bushing Set
462 <b>A</b> L	23453	Screw (2)
		Clamp Stop Motion complete, Nos. 248K,
15314	23453	Clamp Stop Motion Complete, Nos. 21019
		256W, 2020 and 15313
8210X	23454	Face Plate with 125423
219A	23454	" " Screw (2)
125422	23454	" " Thread Guard
125423		" " " " 125422 with
120125		125424
125424	23454	Face Plate Thread Guard Rivet
	23453	Feed Cam with 1285C
32562		" " Set ScreW
1285C	23453	* Dog,12 teeth (16 teeth to the inch)
8321	23454	4 teeth right of needle (square
		corners) for 8323XC
		Feed Dog Carrier
8437E	23453	
1833	23453	- (0)
315C	23453	greatith
15445		" " " " 315C with
		1519E (2)
1519E	23453	Feed Dog Carrier Screw Center Nut (2)
191C	23454	" " Screw
8348E	23453	" Forked Connection
8349		# # 8348E with 1832
1381C	23453	" " Hinge Screw (ec-
13810	20400	centric)
	07457	Feed Forked Connection Hinge Screw Nut.
1520E	23453	# # Roller with 1085E
1832	23453	Manual Stud
1085 <b>E</b>	23453	
253W	23453	* Regulating Thumb Screw
8216	23453	" Regulator
8217	23453	" Friction Washer
42E	23453	" " Hinge Screw
8334E	23453	* Rock Shaft
307C	23453	" " Screw Center (2)
56814		# # # # 307C with
30014		1513E (2)
16120	23453	Feed Rock Shaft Screw Center Nut (2)
1513E		Machine Hinge Set Screw (2)
51045A		Needle Bar
8221D		" " Cam with 175E
8222	23455	# # 8222 with 1836
55527		" " Clamping Screw
175E		
233E		* * Position Screw
1836	<b>234</b> 55	
8338	23455	* * Thread Guard

No.	Plate	Name
249A	23455	Needle Bar Thread Guard and Needle Stop
22011		Screw
2054	23455	Needle Clamp with 552C
552C	23455	" " Thumb Screw
8224D	23455	Presser Bar
55507	23455	" Guide Bracket with 453AL " Set Screw
453AL	23455	
54503AE	23455	" Lifter
97E	23455	" " ScreW
8225	23455	" " Spring
2070	23455	" " Washer
8337	23455	" Foot
51224B	23455	# # Thumb ScreW
263J	23455	Pressure Regulating Thumb Screw
8444E	23453	out the Doll Crank
54523	23453	# # 8444E WITH 50000E
54523 50036E	23453	" " Hinge Screw
8228	23454	* Bobbin
_	23454	- mongton Regulating Screw
215H	23454	" " Spring
8326	23454	Shuttle complete, Nos.215H,8228 and 8326
54505	23454	* Corrier Willi Cushion Op
54527	23454	guittle Carrier complete, Nos. 50126E,
54507	20404	$\epsilon_{A}\epsilon_{10}$ 54511 and 54527
0717	23454	ghuttle Carrier Screw
231K	23454	# Fiector
54510	23454	# # Hinge Screw
50126E	23454	m m Spring
54511	23453	* Pitman
8232R	23453	" Screw Stud
44C		" " (eccentric)
5200		n n n n Nut
1520E		" " " " " ScreW
2160		* Slide (back)
55503X		" (front)
55504)		m 1 n n n n n (2)
2102	23454	Bomileting Thumb Nut
15600		* Releasing Disc
32572	23454	Lever
55505	23455	" " Hinge Pin
55506	23455	" " » Spring
12329		n Din
54515		Gomes Stud
1274		Gradus
8238		
55520	)	8244, 32572, 54515 and two 2102 Thread Cutter and Holder
26075		m lee up Com
	z	_ * Take-up Cam
<b>*</b> 55523	3	- " " 55523 with two 448AL

No.	Plate	Name
2117		Thread Take-up Cam Pin
448 <b>a</b> L	23453	" " Set Screw (2)
55526	23455	" Lever with 1822 and
		50527c
50527C	23455	Thread Take-up Lever Hinge Screw
1822	23455	" " Roller and Stud
8244	23454	" " Spring
54530	23454	" " Regulator Plate
233R	23454	-bA " " " "
		justing Screw
8323 <b>X</b> C	23454	Throat Plate for 8321
219XC	23454	" " Screw
<b>*</b> 15404		Trade Mark
15405		" " Rivet (2)

### MACHINE No. 127-14

# FOR FAMILY USE. VIBRATING SHUTTLE, WITH SHUTTLE EJECTOR.

THIS MACHINE IS THE SAME AS NO. 127-12 MACHINE WITH THE ADDITION OF THE FOLLOWING:

#### HAND ATTACHMENT PARTS

No.	Plate			Nam	e		
94050	23456	Hand At	tachment	Body.			• • • • •
94027	23456	*	**	Ħ	Bracket		
183E	23456	•	H	Ħ	*	Screw	
94028	23456	"	**	Crank	: Handle	(wood)	
94029	23456	*			#		
94030	23456	Ħ	*		•		
			ose)				
94069	23456	Hand At	tachment				
94031	23456	#	*		Lever.		
94032	23456	**	**			Lock Pi	
94033	23456	#	*	•			'Head
8282	23456	#	#	*			•
			ing				
94034		Hand At	tachment	Cranl	c comple	te, Nos	3.
			028 to 94				
94046	23456	Hand At	tachment	Drive	er	••••	
94036	23456	•	*	=			
94041			*			94036	-
			67E, 940				
94039	23456		ttachment				
			i (rawhid				
94040	23456	Hand A	ttachment	Drive	er Finge	er Driv	ing
			i Plate				
SS567E	23456		ttachment				
			d and Pla				
94044	23456	Hand A	ttachment				
94037	23456	н		*		Late	
\$\$565 <b>E</b>	23456		#				Screw
			ud				
94038	23456		ttachment				
			ring				
94051	23456		ttachment				
			033				
94016	23456		ttachmen				
399 <b>a</b>	23456	•	#	"		Screw	
<b>S</b> S599 <b>F</b>	23456	*	п	"	Screw S	Stud	• • • • • •

No.	Plate	Name
94048	23456	Hand Attachment Pinion
80028	23456	" " Dowel Pin
SS600F	23456	" " Screw Stud
94052	23456	Hand Attachment complete, Nos. SS565E,
		SS566C,SS599F,SS600F,80028,94016,
		94027,94034,94037,94038,94041,94044,
		94046, 94048, 94050, 94051, 94069
		and two each 183E and 399A
SS566C	23456	Hand Attachment Screw

## **ACCESSORIES**

No	Plate	Name
No. 120329 120862	,	Machine Cover Oil Can, contents 1 1/3 fl. oz. (filled with household oil)

## ATTACHMENT SET

Ma	Plate	Name
No. 121461	23457	Binder Folder
121463	23457	# Foot
51104B	23457	* ScreW
120565	23457	Washer
121464	23457	Binder complete, Nos. 51104B, 120565,
121404	207-	121461 and 121463
8228	23457	Bobbin (four)
36865	23457	Edge Stitcher
35931	23457	Hemmer (adjustable)
120842	23457	" (foot) flat bottom, for 5/64 in.
10000		hem
		Needles (six)
121441	23457	Presser Foot (double toe) for gathering.
25537	23457	Screw Driver (machine)
120378	23457	" (shuttle tension)
8879	23457	Spool Pin Washer (cloth)
121900		Attachment Set Nos. 8879, 25537, 35931, 36865,120378,120842,121441,121464,
		four 8228 and six needles
		Ruffler for one, six and twelve stitch
120598	23457	ruffling
		ruffling
121901	23457	121900
		121900

## BIAS GAUGE

No.	Plate	Name
140.		Bias Gauge
25525	23458	Blas Gauge

## BOBBIN WINDER (Automatic)

No.	Plate		мате		
0749	6806	Back	Center		
ladsina	<b>Ø</b> 800	upply.	Head		

No.	Plate	Name			
8343	6806	Back Center Spring			ED COVED DI ATE
55509	6806	Bracket (belt cover)		FE	ED COVER PLATE
158R	6806	" Screw			
*8257	6806	Cam			
50231A	6806	" Screw	No.	Plate	Name
55510	6806	Frame	8 <b>3</b> 35	23458	Feed Cover Plate with 1423B and 8336, for
55512	6806	" Friction Washer	9000	20100	art work
50101B	6806	" Hinge Screw	8336	23458	Feed Cover Plate Position Stud
1718J	6806	" " Nut	1423B	23458	" " Screw
15287	6806	Friction Ring (rubber)	14505	20.00	
15288	6806	Pulley			
50102A	6806	Spindle			
8346	6806	Thread Guide			FELLER (Foot)
92B	6806	" " Hinge Screw			,
8260	6806	" " Spring			
8261	6806	Worm Wheel		Flate	Name
55514	6806	" " 8261 with 8257 and 50231A	No.	23459	Feller (foot)
2749	6806	" " Friction Washer	36835	20409	refret (1000)
50104B	6806	" " Screw Stud (eccentric)			
1718J	6806	" " " Nut			
55511	6806	Bobbin Winder (automatic) complete, Nos.			ENIGED CLIADO
		92B,2749,8256,8260,8342,8343,8346,			FINGER GUARD
		15287,15288,50101B,50102A,50104B,			
, * ·		55509, 55510, 55512, 55514 and two	Ma	Plate	Name
		1718J	No.	23459	Finger Guard
		17100	121725	20403	ringor duard
					•
•					
		DDAIDED			HEMMERS (Foot)
		BRAIDER			,
No.	Plate	Name	No.	Plate	Name .
25510	23459	Braider	36333	23458	Hemmer (foot) 1/16 in. hem for chiffon
289B	23459	" Thumb Screw	00000		and silk
			36469	23458	Hemmer (foot) 1/32 in. hem for chiffon
	ı		30409	20100	and silk, slotted for lace
			25904	23458	Hemmer (foot) 1/16 in. hem for silk ties
		CORDER BOW	25911	23458	" " 3/32 in. hem
		JUNDER DOW	120842	23457	" flat bottom, 5/64 in. hem.
		FOR TOP CORDING	120842 35884	23459	" 3/16 in. hem
				20409 	" Folder
No.	Plate	Nama	6267		" Tongue
26399	23459	Name Corder (bow) complete	25898 N		n ordering Nos. 6267 or 25888, give width
190J	23459	" Screw	; N	oue: whe	m and No. of Hemmer for which it is re-
2000	~~ 100	" Screw		or ne	id dud Mo. Of Housing 101 willou 10 10 10

quired.

## NEEDLE THREADER (Universal)

No.	Plate				ame
121632	23458	Needle	Threader	(un	iversal)
121631	23458	#	m m	Hoo	k
140 <b>1</b> 57J	23458	**	Ħ	#	Screw

# PRESSER FOOT WITH GRADUATED ADJUSTABLE GUIDES

No.	Plate	Name
121717	23458	Presser Foot with 36696
35002	23458	" Extension
35003	23458	" " Graduated Adjustable Guide
		(long, left)
35004	23458	Presser Foot Graduated Adjustable Guide
00001		(long, right)
35005	23458	Presser Foot Graduated Adjustable Guide
00000	20100	(short, right)
35006	23458	Presser Foot Graduated Adjustable Guide
35006	20400	(short, right) flush
BC 185	23458	Presser Foot Graduated Adjustable Guide
35135	20400	Clamp
	05450	Presser Foot Graduated Adjustable Guide
35206	<b>234</b> 58	
		Clamp Lever
337J	<b>234</b> 58	Presser Foot Graduated Adjustable Guide
		Clamp Screw
36696	23458	Presser Foot Graduated Adjustable Guide
		Clamp Steady Pin
121718	23458	Presser Foot with Extension and Gradu-
		ated Adjustable Guides complete, Nos.
		337J,35002 to 35006, 35135, 35206
		and 121717

## PRESSER FEET

No.	Plate	Name
15429	23459	Presser Foot (left toe) for stitching on
		edge and inserting cord
125035	23459	Presser Foot (right toe) for stitching
		on edge and inserting cord

••	Plate	Name
No.	23459	Presser Foot for 121877
121875	23459	" Adjusting Thumb Screw 101
140347W	20403	707077
* 63.000	23459	Program Foot Body for 121877
121876	23459	program Foot (addistable, 101 Sewins
121877	20400	-4+hon on the right or lett side of
		the needle) complete, for cording
		and gipper Work, Nos. 1210/0, 1210/0
		and 140347W
00077	23458	Program Foot for darning
28831	23457	" " (double toe) for gathering.
121441	23459	" " with 51282J and 121615, for
121614	23433	blind stitch braiding, for soutache
		hmodd.
-03.035	23459	Burgan Foot Braid Guide
121615		andoning Nos 121614 or 121615, Send
100	comple	
#1000 T	23459	Program Foot Braid Guide Sciew
51282J	23459	" with 665B and $36059$ , $101$ "
36058	20403	blind stitch cording, to turn small
		OUTIOS
770F0	23459	- Fact Cord Guide
36059	ata. Who	n ordering Nos. 36058 or 36059, send sample
14	006. MILO 01 10	com which it is to be used.
CCET	07450	Process Foot Cord Guide Screw
665E 8321	23459	Road Dog 32 teeth (16 teeth to the Inch)
8521	20100	4 tooth right of needle (Square
36060)	c 23459	mbroot Plate for 8321, for 36058
36067	23459	Program Foot for braiding, for all
30007		work, for braid 1/16 in. to 3/10 in.
		wide
	Note: Wh	en ordering No. 36067, state the size or
•	send	sample of the braid for which it is to be
	used	

## QUILTER

No	Plate	Name
No.		
35932	23459	Quilter

## RUFFLER SHIRRING PLATE

No.	Plate	Name
35934	23459	Ruffler Shirring Plate

#### UNDER BRAIDER

No.	Plate			Name
121547	<b>234</b> 58	Under	Braider	
25637	23458	#		Foot
51395W		*	н	Thumb Screw

SINGER Needles should be used in SINGER Machines.

These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

#### SPECIAL ATTACHMENTS

FOR COMPONENT PARTS OF THESE ATTACHMENTS, REFER TO FORM 19385, LIST OF PARTS FOR SINGER FASHION AIDS.

No.	Plate	Name
121795		Buttonhole Attachment complete
121094		Darning Foot (spring) complete
26538		Embroidery Attachment complete for one
		thread
35505		Embroidery Attachment complete for two
		threads
121387		Hemstitching and Picoting Attachment
		complete
121634		Needle Threader and Seam Ripper complete
121255		Singercraft Fagoter complete
121079		Singercraft Guide complete
35985		Tubular Trimming Attachment complete
121706		Zigzag Attachment (adjustable) complete.

SINGER Needles should be used in SINGER Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO.\*\*"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

NUMERICAL LIST OF PARTS

# NUMERICAL LIST OF PARTS

## NUMERICAL LIST OF PARTS

No.	Plate	Name
42E	23453	Feed Regulator Hinge Screw
440	23453	Shuttle Pitman Screw Stud
92E	6806	Bobbin Winder Thread Guide Hinge Screw
		for 55511
978	23455	Presser Bar Lifter Screw
122E	23453	Arm Rock Shaft Adjusting Screw for 8203E
158F	6806	Bobbin Winder Bracket Screw
175E	23455	Needle Bar Cam Clamping Screw for 8222
1835	23456	Hand Attachment Body Bracket Screw for
		94052 (2)
1900	r 23459	Corder Screw
1910	23454	Feed Dog Screw
215	H 23454	Shuttle Tension Regulating Screw for
		54505
2160	23453	Shuttle Pitman Screw Stud (eccentric)
		Screw
2194	23454	Face Plate Screw (2)
219)	C 23454	Throat Plate Screw
2311		Shuttle Carrier Screw
2331		Needle Bar Cam Position Screw
233i	R 23454	Thread Take-up Spring Regulator Plate
		Adjusting Screw
2481	<b>C</b> 23453	Clamp Stop Motion Clamp Stop Screw for
0.40	07455	15314
2491	A 23455	Needle Bar Thread Guard and Needle Stop
253V	v 23453	ScrewFeed Regulating Thumb Screw
		Clamp Stop Motion Clamp Screw for 15314
256V 263v		Pressure Regulating Thumb Screw
2891		Braider Thumb Screw
		Arm Rock Shaft Screw Center for 55516
3010		Feed Rock Shaft Screw Center for 56814
307	5 60400	(2)
3150	23453	Feed Pog Carrier Screw Center for 15445
9190	, 20400	(2)
337	J 23458	Presser Foot Graduated Adjustable Guide
3076	00400	Clamp Screw for 121718
399	A 23456	Hand Attachment Gear Cover Screw for
000	. 20100	94052 (2)
443.	A 23453	Arm Shaft Bushing Set Screw for 55530PF.
448		Thread Take-up Cam Set Screw for 55521
110.	.2 20100	(2)
453	AL 23455	Presser Bar Guide Bracket Set Screw for
100		55507
462	AL 23453	Clamp Stop Motion Flanged Bushing Set
		Screw for 15313 (2)

No.	Plate	Name		No.	Plate	Name
520C	23453	Shuttle Pitman Screw Stud (eccentric)		6267		Hemmer Folder
		for 55518		Not	e: When	ordering No. 6267, give width of hem and
552C	23455	Needle Clamp Thumb Screw for 2054			No. of	Hemmer for which it is required.
SS565E	23456	Hand Attachment Driver Finger Latch		8203E	23453	Arm Rock Shaft with 122E, for 55518
		Screw Stud for 94052		8204	23453	" " " Center (upper)
SS5660	23456	Hand Attachment Screw for 94052		8206	23453	" Shaft Bushing for 55524 and 55530PP.
SS567E	23456	" " Driver Finger Driving Pad		8210X	23454	Face Plate with 125423
		and Plate Binding Screw for 94041		8216	23453	Feed Regulator
3 <b>5</b> 599F	23456	Hand Attachment Gear Screw Stud for		8217	23453	" Friction Washer
		94.052		8221D	23455	Needle Bar
35600F	23456	Hand Attachment Pinion Screw Stud for		8222	23455	" " Cam with 175E, for 55527
		94052		8224D	23455	Presser Bar
649E	23453	Arm Screw (3)		8225	23455	" " Spring
665B	23459	Presser Foot Cord Guide Screw for 36058.		8228	23457	Bobbin for 121900 (four)
1085E	23453	Feed Forked Connection Roller Screw Stud		8223	23454	Shuttle Bobbin for 54505
		for 1832		8232R	23453	" Pitman
1274J	23454	Tension Screw Stud for 55520		8238	23454	Tension Spring for 55520
1285C	23453	Feed Cam Set Screw for 32562		8244	23454	Thread Take-up Spring for 55520
1381C	23453	Feed Forked Connection Hinge Screw (ec-		8256	6806	Bobbin Winder Back Center Head for 55511
		centric)		<b>*</b> 8257	6806	" " Cam for 55514
1423B	23458	Feed Cover Plate Screw for 8335		8260	6806	" " Thread Guide Spring for
1508E	23453	Arm Rock Shaft Screw Center Nut for				55511
		55516	•	8261	6806	Bobbin Winder Worm Wheel for 55514
1513E	23453	Feed Rock Shaft Screw Center Nut for		8282	23456	Hand Attachment Crank Lever Lock Pin
		56814 (2)				Spring for 94051
1519E	23453	Feed Dog Carrier Screw Center Nut for	ŧ	8321	23454	Feed Dog, 12 teeth (16 teeth to the inch)
		15445 (2)				4 teeth right of needle (square
1520E	23453	Feed Forked Connection Hinge Screw Nut				corners) for 8323XC and 36060XC
1520E	23453	Shuttle Pitman Screw Stud (eccentric)	5	8323XC	23454	Throat Plate for 8321
15000	07454	Nut for 55518		8326	23454	Shuttle Tension Spring for 54505
1560G	23454	Tension Regulating Thumb Nut for 55520		*8328PP		Bed
1718J	6806	Bobbin Winder Frame Hinge Screw Nut for	:	8334E	23453	Feed Rock Shart
		55511	<u>.</u>	8 <b>3</b> 35	23458	" Cover Plate with 1423B and 8336, for
1718J	6806	Bobbin Winder Worm Wheel Screw Stud Nut				art work
		for 55511		8336	23458	Feed Cover Plate Position Stud for 8335.
1822	23455	Thread Take-up Lever Roller and Stud for	1	8337	23455	Presser Foot
		55526		8338	23455	Needle Bar Thread Guard
1832	23453	Feed Forked Connection Roller with		8341	23453	Arm Shaft for 55524
1.000		1085E, for 8349		8342	6806	Bobbin Winder Back Center for 55511
1833	23453	Feed Dog Carrier Roller and Screw Stud		8343	6806	
1836	23455	Needle Bar Cam Roller and Screw Stud for			****	55511
0000	00455	55527	*	8346	6806	Bobbin Winder Thread Guide for 55511
2002	23453	Arm Dowel Pin (2)		8348E	23453	Feed Forked Connection for 8349
2007	23453	" Spool Pin	:	8349		" " 8348E with 1832
2020	23453	Clamp Stop Motion Clamp Washer for 15314		8437E	23453	" Dog Carrier
2054	23455	Needle Clamp with 552C	i	8444E	23453	Shuttle Bell Crank for 54523
2070	23455	Presser Bar Spring Washer		8879	23453	Arm Spool Pin Washer (cloth)
2102	23454	Tension Disc for 55520 (2)	ŧ	8879	23457	Spool Pin Washer (cloth) for 121900
2117	6006	Thread Take-up Cam Pin for 55524	1	12329	23455	Tension Releasing Lever Spring
2749	6806	Bobbin Winder Worm Wheel Friction Washer	i	<b>1</b> 5282	23453	Balance Wheel, 2 1/4 in. pulley
			1			

		······-			
No.	Plate	Name	No.	Plate	Name
55507	23455	Presser Bar Guide Bracket with 453AL	94038	23456	Hand Attachment Driver Finger Latch
55509	6806	Bobbin Winder Bracket (belt cover) for			Spring for 94052
		55511	94039	23456	Hand Attachment Driver Finger Driving
55510	6806	Bobbin Winder Frame for 55511			Pad (rawhide) for 94041
55511	6806	Bobbin Winder (automatic) complete, Nos.	94040	23456	Hand Attachment Driver Finger Driving
		92B,2749,8256,8260,8342,8343,8346,			Pad Plate for 94041
		15287,15288,50101B,50102A,50104B,	94041		Hand Attachment Driver Finger 94036 with
		55509, 55510, 55512, 55514 and two			SS567E, 94039 and 94040, for 94052
		1718J	94044	23456	Hand Attachment Driver Finger Hinge Pin
55512	6806	Bobbin Winder Frame Friction Washer for	****		for 94052
		55511	94046	23456	Hand Attachment Driver for 94052
55514	6806	Bobbin Winder Worm Wheel 8261 with 8257	94048	23456	" " Pinion for 94052
		and 50231A, for 55511	94050	23456	" Body for 94052
55515	23454	Bed Oil Hole (shuttle) Packing (braided	94051	23456	" " Gear with 8282, 94032 and
	20101	cotton)	0,501	20100	94033, for 94052
55516		Arm Rock Shaft Screw Center 301C with	94052	23456	Hand Attachment complete for 127-14 Ma-
00010			3000	20100	chine, Nos. SS565E, SS566C, SS599F,
55518		1508E			SS600F, 80028, 94016, 94027, 94034,
55520		Tension complete, Nos. 1274J, 15609,8238.			94037,94038,94041,94044,94046,94048,
00000		8244, 32572, 54515 and two 2102			94050,94051,94069 and two each 183E
55521	23453	Thread Take-up Cam 55523 with two 448AL			and 399A
		(for Agents only)	94069	23456	Hand Attachment Crank Hinge Pin for
<b>*</b> 55523		Thread Take-up Cam for 55521 and 55524	0.200		94052
55524		Arm Shaft 8341 with 2117, 8206 and 55523	120329		Machine Cover (Accessories)
55526	23455	Thread Take-up Lever with 1822 and	120378	23457	Screw Driver (shuttle tension) for
00020	20100	50527C	150070	DO TO	121900
55527		Needle Bar Cam 8222 with 1836	120565	23457	Binder Screw Washer for 121464
*55530PP		Arm with 443A, 8206, 15404 and two 15405	120598	23457	Ruffler for one, six and twelve stitch
56814		Feed Rock Shaft Screw Center 307C with	100000	DO TO	ruffling, for 121901
00011		1513E (2)	120842	23457	Hemmer (foot) flat bottom, for 5/64 in.
80028	23456	Hand Attachment Pinion Dowel Pin for	GF0031	DO TO	hem for 121900
00000	20100		120862	23458	Oil Can, contents 1 1/3 fl. oz. (filled
94016	23456	94052	300031	20100	with household oil) Accessories
94027	23456	Hand Attachment Gear Cover for 94052	121079		Singercraft Guide complete
94028	23456	body blacket for 34002	121079		Darning Foot (spring) complete
34020	00400	orang handle (wood) for	121255		Singercraft Fagoter complete
94029	07450	94034	121387		Hemstitching and Picoting Attachment
34063	23456	Hand Attachment Crank Handle Spindle for	100131		complete
94030	23456	94034	121441	23457	Presser Foot (double toe) for gathering
94000	20400	Hand Attachment Crank Handle Spindle	121441	20407	for 121900
94031	23456	Flange (loose) for 94034	121461	23457	Binder Folder for 121464
94032	23456	Hand Attachment Crank Lever for 94034	121463	23457	" Foot for 121464
94W2	20400	LOCK FIII 101	121464	23457	Binder complete for 121900, Nos. 51104B,
94033	23456	94051	121404	20407	120565, 121461 and 121463
94000	20400	Hand Attachment Crank Lever Lock Pin	121547	23458	Under Braider
04.034		Head for 94051	121614	23459	Presser Foot with 51282J and 121615, for
94034		Hand Attachment Crank complete for	121014	W.1-03	blind stitch braiding, for soutache
04026	074EC	94052, Nos. 94028 to 94031			braid
94036 94037	23456 23456	Hand Attachment Driver Finger for 94041.	121615	23459	Presser Foot Braid Guide for 121614
3400/	00400	Daten 101			n ordering Nos. 121614 or 121615, send
		94052	141	ouc. milei Mamag	e of braid for which it is to be used.
				Jampin	· · · · · · · · · · · · · · · · · · ·


No.	$\Gamma$ late	Name
121631	23458	Needle Threader Hook for 121632
121632	2J458	" " (universal)
121634		" and Seam Ripper complete
121706		Zigzag Attachment (adjustable) complete.
121717	23458	Presser Foot with 36696, for 121718
121718	23458	Presser Foot with Extension and Gradu-
		ated Adjustable Guides complete, Nos.
		337J,35002 to 35006, 35135,35206 and
		121717
121725	23459	Finger Guard
121795		Buttonhole Attachment complete
121875	23459	Presser Foot for 121877
121876	23459	" Body for 121677
121877	23459	Presser Foot (adjustable, for sewing
		either on the right or left side of
		the needle) complete, for cording
		and zipper work, Nos. 121875, 121876
		and 140347W
121900		Attachment Set for 121901, Nos. 8879,
LE-LE-COC		25537, 35931, 36865, 120378, 120842.
		121441, 121464, four 8228 and six
121901	23457	needles
121301	10403	Attachment Set complete, Nos. 120598 and
125035	23459	121900
120000	20409	Presser Foot (right toe) for stitching
125422	23454	on edge and inserting cord
125423		Face Plate Thread Guard for 125423
120420		" " " 125422 with
105404	07454	125424, for 8210X
125424	23454	Face Plate Thread Guard Rivet for 125423
125425X	23453	Arm Side Cover (embossed)
140157J	23458	Needle Threader Hook Screw for 121632
14034′7W	23459	Presser Foot Adjusting Thumb Screw for


# ILLUSTRATIONS OF PARTS


6806 - 2/3


Sala die Tro


3986














From the library of: Superior Sewing Machine & Supply LLC





From the library of: Superior Sewing Machine & Supply LLC



From the library of: Superior Sewing Machi

Department #54

ist of Parts Complete

1 ( ) 1 ( )

Machine No. 116-2

# List of Farts Complete for Machine No. 116-2

```
Name
 No.
*125001
           Arm
            " 125001 with 435AL, 448AL, 15404, 15486, 15498 and two
*125002
              15405
  2002
           Arm Dowel Pin
           " Screw
  138 E
           " Shaft
125003
            125004
              " Bushing
 15498
               " " Set Screw
  435 AL
           " " Sarew
  144 D
            " Side Cover
 15196
           " " Thumb Screw
 51224 W
 52239
           " Spool Pin and Thread Eyelet
           " " Washer (cloth)
  8879
  2138
          Balance Wheel (power) light rim, 2 3/4 in. pulley, with
              two 448AL
  448 AL
          Balance Wheel Set Screw
 *63501
          Bed
 63502
          Clamp Arm
               " Bracket
 63503
                " Hinge Block with 735AL
 635 60
                   " " Pin
               11
 63505
                        " " Set Screw
                   11
               11
  735 AL
               " " Screw
  219 D
           " " Sorew
   203 J
 63561
               Carrier with 51815
                " Cap
 63507
                     " Borew
                 *1
  219 D
                , Felst
 63532
                " Connecting Link
 635.63
```

```
Clamp Carrier Lever Connecting Link Hinge Screw
  66 C
                         " Hinge Screw
  660 D
                         Regulator with 1877
63564
52877 F
                                   Hinge Stud
                                   " Set Screw
  448 AL
                    11
                             11
             11
                                   Plate
63565
                                    11
             11
                    11
                                         Indicator
63566
                             11
                                    11
             11
                    11
                                         Screw
  665 D
                                   Roller and Screw Stud
 1877
                             11
                                   Screw Stud
 1236 C
                                    " " Sleeve
                             11
                    11
 7070
                                         " Thumb Nut
                    11
                             11
                                   !1
 1658 J
51815
                       Roller and Screw Stud
63567
                 Check
             11
                  " Hinge Screw
50335 C
63512
                 Pressure Arm
                   " "Screw
 203 J
51816
                         Roller and Stud
             11
                   11
                            " Bracket with 453AL and 51816
63513
                            " Set Screw
                   11
 453 AL
63514
                 Spring
 2811
           Crank Connecting Rod with two 158E
                             " Cap Screw
  158 E
                             " Hinge Screw
  375 C
                             " " Nut
                    11
 1518 E
 2866
           Face Plate
           Face Plate complete, Nos. 448AL, 460AL, 600C, 1560C, 2103, 2105, 2107, 2111, 2127, 2269, 2866, 2870, 55645 and two each 233D and 2102
 63515
 2107
           Face Plate Thread Guard
            u u u sersw
  233 D
           " " Screw
  190 D
125032 Feed Cam
```

```
2039 Feed Connecting Link
       " Hinge Screw
378 C
                  " " " Nut
           11
1520 E
       " Eccentric with 448AL
17042
       " Set Screw
448 AL
       " Forked Connection
63516
                  " Hinge Screw" " Nut
           £1
378 C
        11 11
1520 E
        " Regulator
63517
        " Hinge Screw
50353 E
       " " " Friction Washer
8217
            "" Thumb Screw
747 D
       " Rock Shaft
63518
63519
       Feed Rock Shaft complete, Nos. 63518 and 63520
        " " " Orank with 157E
63520
           " Clamping Screw
157 E
           " Screw Center
307 C
        " " " Nut
1513 J
       " Wheel
63521
        " Drîving Lever
63522
                " " Block
63523
                     " " Cap
63524
                     " " " Sorew
237 D
                         " Spring
63525
                         " Screw
234 D
63526
                        Link
                        " Hinge Screw for 63522
870 F
                            11
                                " " 63519
                         11
                     11
50336 F
                         11 ***
                                " Nut for 50336
1521 E
50337 C
              Hinge Screw
1518 E
           " " Nut
           u u u washer
2718
```

```
Oscillating Shaft Crank complete, Nos. 1519E, 15171, 15426
15165
              and two 462AL
2049
          Oscillating Shaft Crank Pin
 462 AL
                                Set Screw
              11
                                Slide Block
15170
                                           Cap Screw
 226 J
                                            " " Washer
                                  Ħ
                       11
                             11
              11
12424
                       н
                                  11
                                       11
                                           Screw Stud
1035 C
                                            " " Nut
                           11
                                 11
                                       11
1519 E
          Oscillating Shaft Crank Slide Block complete, Nos. 226J,
15171
               1035C, 12424 and 15170
63534
          Presser Bar
             " " Lifter
 2062
                       " Hinge Stud
15486
                  " " " Set Screw
 448 AL
                  Lifting Bracket with 453AL
 2952
                      " Set Screw
  453 AL
                  " Screw Bushing
 290 E
                  " Spring
 2308
                " " Washer
 2070
          Pressure Regulating Thumb Screw
 2996
          Shuttle Bobbin
                 " Case
33941
                        " Latch
15140
                    11
                         11 11
 2973
                                   Lever
                                   " Fulcrum Pin
                          11
                              !!
 2974
                    11
 2975
                                   Spring
 592 E
                        11
                                   Stop Screw
15141
          Shuttle Bobbin Case Hinge, Nos. 2973, 2974 and 15140
                         " Position Finger
 7553
                        " " Rivet
            11
 2523
          Shuttle Bobbin Case complete, Nos. 591F, 592E, 2523, 2975, 7853, 18141, 18278 and 38941
33942
```

```
2515
          Shuttle Body
 591 F
                 Tension Regulating Screw
15278
                           Spring
              11
63535
                  1 11/16 in. diam., Nos. 2515, 2996 and 33942
*2542
                   Driver
              11
                     " 2542 with two 462AL
 2441
              Ħ
 2049
                         Pin
                  " Set Screw
 462 AL
63536
                   Race Back
              11
                    !!
                       " Position Pin
 2532
                       " Spring
 2533
              11
                     11
                       " " Screw
              11
                     ff
 648 J
63537
                     " Body with 11193
63538
                       Cap
 335 D
                     11
                       " Sorew
63539
                        Cover
                    11
                        63539 with 63541 and two 26092
63540
63541
                             Bracket
                              " Hinge Pin
                         Pt
21516
                              11
                         11
26092
                                     Rivet
             11
                    11
                         11
63542
                             Spring
                        " Screw
 330 D
                    11
                    " Latch Pin Steady Pin
11195
                   " Screw
 145 D
63543
          Shuttle Race complete, Nos. 330D, 648J, 2533, 21516, 63536 to 63538, 63540, 63542 and two each 335D and 2532
2102
          Tension Disc
1560 C
                  Regulating Thumb Nut
2370
                  Releaser
                   " Hinge Pin
2269
            11
 600 C
                  Serew Stud
            " Set Sarew
 448 AL
```

```
2103
      Tension Spring
       " Thread Guard
 2105
 2112 Thread Retaining Disc with 2113
        " " Steady Pin
 2113
                  Spring
 2114
              " Stud
 2115
460 AL " " Bet Screw
2111 Thread Retainer Guide complete, Nos. 2112, 2114 and 2115
         " Take-up Cam with 1293AL
15275
             " 15275 with 5700 and 1520E
*15433
         " " Position Screw
1293 AL
               " Lever with 1322
*15491
                   Hinge Screw
          11
               11
50527 C
          11
               21
                   " Roller and Stud
1822
55645
                 Spring
              " Regulator Flate
2127
       " " Adjusting Screw
233 D
*15404
      Trade Mark
        " " Rivet
15405
```