



SPECTRE: Agentic Workflow Revolution

AIの「暴走」を終わらせる、構造化コーディングの決定版




v3.5.0 Compatible
Based on Official Docs

Designed for Claude Code
& Agentic Environments



The Problem: “Free-Run” & The Hallucination Explosion

AIの「フリーラン」とハルシネーションの連鎖



**“Ambiguity
is Death.”**
(曖昧さは死である)

Without constraints, AI creates "slop"—low-quality, hallucinated code that requires massive human intervention.

SPECTRE's Core Philosophy: Structure = Freedom

Chatting with AI




Random, Unpredictable.

Engineering with AI




80% Suppression
(ハルシネーションを80%抑制)



Structured, Repeatable.

By injecting human-defined architecture, we turn
“Junior Engineer” AI into ‘Senior Architect’ AI.

The 7-Step Architecture (7つの固定ステップ)



A rigid, repeatable pipeline that moves from 'Ambiguity' to 'Asset.'

Step 1: SCOPE - Killing Ambiguity (曖昧さの完全排除)

Command:


/spectre:scope

Concept:

The Single Source of Truth.

Insight:


Defining what **not** to do (Non-Goals) is the most critical filter to stop AI runaway.



```
scope.md ×  
1 ▼ # Objective  
2 Define the project's primary goal and  
   success criteria.  
4 Define the project's primary project.  
5  
6 ▼ ## In-Scope  
7   ✓ Implement user authentication  
8   ✓ Design dashboard layout  
9   ✓ Integrate payment gateway  
10  
11 ▼ ## Out-of-Scope (Non-Goals)  
12   ✗ Mobile application development  
13   ✗ Advanced analytics features  
14   ✗ Third-party data migration  
scope.md (UTF) 10 UTF-5 wæt12
```


Step 2 & 3: PLAN & EXECUTE - The Autonomous Engine

Helvetica Now Display



Wave-based Execution (ウェーブベース実行):

Sub-agents work in parallel.

Noto Sans JP

Adaptive Planning: The plan adjusts dynamically to reality but strictly adheres to Scope.

Noto Sans JP

The Hidden MVP: VALIDATE (品質ゲート)

Precision Engineering & Architectural Minimalism

```
<body>
  <div class="date">
    <div class="inset">
      <meta charset="UTF-8">
      <apn type="HTTP-NB">
      <hase.clink = {name: s.clink}>
      <hatflesting = {name: Origins}>
      <averecEnetlingI<fo>
      <localJ$lan sveesDae tagogent} 1</\lenk>
      <app name="aieplot ad" />
    </div>
  </div>
```

gaps.md

- ☒ Missing API rate limiting
- ☒ Missing API rate limiting
- ☐ Unit tests for edge cases
- ☒ Missing edge cases
- ☐ Missing ontennated tasks
- ☐ Unit test exception
- ☐ Unit tests for edge cases
- ☐ ...

Mechanism:

1. Deconstructs tasks.md
2. Dispatches Sub-agents
3. Compares Code vs. Plan
4. Generates gaps.md

“Killer prompt. Find stuff missing all the time.” — Joe Fernandez (Creator)

Mastering Validation: Advanced Flags (v3.5.0)

Helvetica Now Display

Flag	Effect	Use Case
--quick JetBrains Mono	Time: -60% Noto Sans JP	Hotfixes / Coffee break check. Noto Sans JP
--strict JetBrains Mono	Time: +40% (Full Audit) Noto Sans JP	Pre-release paranoia (100% check). Noto Sans JP
--target=security JetBrains Mono	Focused Audit Noto Sans JP	Specialist mode (API/Auth). Noto Sans JP
--export JetBrains Mono	JSON/CSV Output Noto Sans JP	CI/CD Integration. Noto Sans JP

Natural language modifiers control the Meta Prompt. You can tune the rigor of the AI.

Validation Scenarios: When to use what? (実践ユースケース)

Helvetica Now Display

The Hotfix



The Hotfix

Noto Sans JP

Scenario: 1-5 line change.

Flag: `--quick` or skip`

Risk: Low.

Noto Sans JP

The UI Overhaul



The UI Overhaul

Noto Sans JP

Mobile/Responsive check.

Flag: `--strict --target=ui``

Risk: High.

Noto Sans JP

Payment Integration



Payment Integration

Noto Sans JP

Scenario: Stripe/API/Auth.


Flag: `--target=security``

Risk: Critical.

Noto Sans JP

Closing the Loop: The “Compound Interest” of Knowledge

Helvetica Now Display



Skill Auto-Loading:

The project gets smarter over time.

The AI remembers “don’t use that library” or “watch out for this auth bug” in future sessions.

Noto Sans JP

Edge Cases & Limitations (エッジケースと制限)



The "One-Line Change"

Don't use the full pipeline.

Solution: Use `/spectre:sweep`` instead.



The "Zero-to-One" Idea"

Too ambiguous for Scope.

Solution: Use `/spectre:kickoff`` first to research.




Context Limits (160k tokens)"

Risk of memory loss.

Solution: Use `/spectre:handoff`` to serialize state.


Tool Landscape: Chaos vs. Structure



SPECTRE injects discipline into any compatible agent. It turns "Chat" into "Pipeline."

The Business Case: ROI of Structure

Before (No Structure)



80%

Hallucination Reduction

After (SPECTRE)



60%

Reduction in
"Fix Loops"

Quick Start Guide (5 Minutes to Structure)

```
/plugin marketplace add Codename-Inc/spectre
/plugin install spectre@codename

# Start your first structured workflow
/spectre:scope
```



Pro Tip: Start with a **small, contained feature**. Focus on writing **strict "Non-Goals"** in your first Scope.

The Future: From Coder to Architect

"Don't just code. Architect the workflow."
(コードを書くな。ワークフローを設計せよ。)

