

WORLD DATASETS

1. Find country name with most population from table country

The screenshot shows a database query editor interface. At the top, there are tabs for 'Query 1', 'country', 'countrylanguage', 'world.country', and 'country'. Below the tabs is a toolbar with various icons, including a 'Limit to 1000 rows' button. The main area contains a SQL query:

```
1  -- country name with most population from table country
2  SELECT name FROM world.country
3  WHERE Population = (SELECT MAX(Population) FROM country WHERE Population > 0);
4
5
6
7
8
9
10
11
```

Below the query editor, there is a 'Result Grid' section. It includes a 'Filter Rows' search bar and an 'Export' button. The result grid shows a single row with the name 'China'.

name
China

On the right side of the result grid, there are two buttons: 'Result Grid' and 'Form Editor'.

2. Find the second one country with most population from table country

```
5  -- the second one country with most population from table country
6  SELECT Name FROM world.country
7  WHERE Population > 0
8  ORDER BY Population DESC
9  LIMIT 1 OFFSET 1;
```

100% 1:11

Result Grid Filter Rows: Search Export: Fetch rows:

Name
India

Result Grid Form Editor Field Types

3. Find country name with lowest population from table country

```
11  -- country name with lowest population from table country
12  •  SELECT Name FROM world.country
13     WHERE Population = (SELECT MIN(Population) FROM country WHERE Population > 0);
14
```

100% 79:13

Result Grid  Filter Rows: Export: 

Name
Pitcairn

Result Grid
Form Editor
Field Types

4. Find the third one country with lowest population from table country

```
16  -- the third one country with lowest population from table country
17  •  SELECT name FROM country
18      WHERE Population > 0
19      ORDER BY Population ASC
20      LIMIT 1 OFFSET 2;
21
```

100% 21:18

Result Grid

Filter Rows: Search

Export: Fetch rows:

name
Holy See (Vatic...

Result Grid

Form Editor

Field Types

5. Find the largest continent by sum surface area with life expectancy more than 75

```
22  -- the largest continent by sum surface area with life expectancy more than 75
23  SELECT Continent FROM country
24  WHERE LifeExpectancy > 75
    GROUP BY Continent
    ORDER BY SUM(SurfaceArea) DESC
    LIMIT 1;
```

0% 31:26

Result Grid Filter Rows: Search Export: Fetch rows:

Continent
North America

Result Grid
Form Editor
Field Types

SAKILA DATASETS

1. Show all data using IN, and display the country_id and country columns of the following countries: China, Bangladesh, and India

```
-- Show all data using IN, and display the country_id and country columns of the following
countries: China, Bangladesh, and India
2 • SELECT country_id, country FROM sakila.country
3 WHERE country IN ('China', 'Bangladesh', 'India');
4
5
```

100% 48:2

Result Grid Filter Rows: Search Edit: Export/Import:

	country_id	country
	12	Bangladesh
	23	China
	44	India
	NULL	NULL

Result Grid Form Editor

2. Find every actors whose last names contain the letters OD. Order the rows by last name and first name, in that order

```
6  -- Find every actors whose last names contain the letters OD. Order the rows by last name
   and first name, in that order
7  • SELECT first_name, last_name FROM sakila.actor
8     WHERE last_name LIKE '%OD%'
9     ORDER BY last_name, first_name;
```


100% 32:9

Result Grid Filter Rows: Search Export:

first_name	last_name
GOLDIE	BRODY
LAURA	BRODY
EWAN	GOODING
GREGORY	GOODING
FAY	WOOD
UMA	WOOD

Result Grid
Form Editor
Field Types

3. Modify table actors. Add a middle_name column to the table actor. Position it between first_name and last_name. Hint: you will need to specify the data type.



The screenshot shows a database IDE with the 'sakila' database selected. The 'Tables' folder is expanded, showing the 'actor' table. The 'Columns' folder for 'actor' is also expanded, listing 'actor_id', 'first_name', 'middle_name', 'last_name', and 'last_update'. The SQL editor shows the following code:

```
11
12
13  -- Modify table actors. Add a middle_name column to the table actor. Position it between
14  -- first_name and last_name. Hint: you will need to specify the data type.
15  ALTER TABLE sakila.actor
16  ADD COLUMN middle_name VARCHAR(45)
17  AFTER first_name;
18
19
20
```

Info Columns Indexes Triggers Foreign keys Partitions Grants DDL						
Column	Type	Default Value	Nullable	Character Set	Collation	Privileges
actor_id	smallint unsigned		NO			select,ins
first_name	varchar(45)		NO	utf8mb4	utf8mb4_090...	select,ins
middle_name	varchar(45)		YES	utf8mb4	utf8mb4_090...	select,ins
last_name	varchar(45)		NO	utf8mb4	utf8mb4_090...	select,ins
last_update	timestamp	CURRENT_TIME...	NO			select,ins

4. List every last names of actors and the number of actors who have that last name, but only for names that are shared by at least two actors

```
-- List every last names of actors and the number of actors who have that last name, but
only for names that are shared by at least two actors
17 • SELECT last_name, COUNT(*) as actor_count FROM sakila.actor
18 GROUP BY last_name
19 HAVING COUNT(*) >= 2
20 ORDER BY actor_count DESC;
21
```

100% 27:20

Result Grid Filter Rows: Search Export:

last_name	actor_count
KILMER	5
TEMPLE	4
NOLTE	4
ZELLWEGER	3
GARLAND	3
WILLIS	3
WILLIAMS	3
TORN	3
ALLEN	3
PECK	3
KEITEL	3
DAVIS	3
JOHANSSON	3
AKROYD	3
DEGENERES	3
HOPKINS	3
HOFFMAN	3
HARRIS	3
GUINNESS	3
BERRY	3
GOODING	2
FAWCETT	2
HACKMAN	2
DUKAKIS	2
DEPP	2
DENCH	2
HOPPER	2
DEE	2
DEAN	2

Result Grid
Form Editor
Field Types
Query Stats
Execution Plan

5. Join the table and display the first and last names, as well as the address, of each staff member.

```
22  -- Join the table and display the first and last names, as well as the address, of each
    staff member.
23  •  SELECT a.first_name, a.last_name, b.address
24      FROM sakila.staff a
25      JOIN sakila.address b ON a.address_id = b.address_id;
26
```

100% 20:24

Result Grid Filter Rows: Search Export:

	first_name	last_name	address
	Mike	Hillyer	23 Workhaven Lane
	Jon	Stephens	1411 Lillydale Drive

Result Grid Form Editor

6. Find out how many copies of the film “Hunchback Impossible” exist in the inventory system

```
28  -- Find out how many copies of the film "Hunchback Impossible" exist in the inventory system
29  SELECT COUNT(*) as copy_count FROM sakila.inventory a
30  JOIN sakila.film b ON a.film_id = b.film_id
31  WHERE b.title = 'Hunchback Impossible';
32
```

100% 1:33

Result Grid Filter Rows: Search Export:

copy_count
6

Result Grid Form Editor

7. Find and display the most frequently rented movies in descending order.

```
34  -- Find and display the most frequently rented movies in descending order.
35  • SELECT f.title, COUNT(r.rental_id) as rental_count
36  FROM sakila.film f
37  JOIN sakila.inventory i ON f.film_id = i.film_id
38  JOIN sakila.rental r ON i.inventory_id = r.inventory_id
39  GROUP BY f.film_id, f.title
40  ORDER BY rental_count DESC;
```

100% 1:41

Result Grid Filter Rows: Search Export:

	title	rental_count
	BUCKET BROTHERHOOD	34
	ROCKETEER MOTHER	33
	FORWARD TEMPLE	32
	GRIT CLOCKWORK	32
	JUGGLER HARDLY	32
	RIDGEMONT SUBMARINE	32
	SCALAWAG DUCK	32
	APACHE DIVINE	31
	GOODFELLAS SALUTE	31
	HOBBIT ALIEN	31
	NETWORK PEAK	31
	ROBBERS JOON	31
	RUSH GOODFELLAS	31
	TIMBERLAND SKY	31
	WIFE TURN	31
	ZORRO ARK	31
	BUTTERFLY CHOCOLAT	30
	CAT CONEHEADS	30
	DOGMA FAMILY	30
	ENGLISH BULWORTH	30
	FROST HEAD	30

Result Grid
Form Editor
Field Types
Query Stats
Execution Plan

8. Write down a query in order to display each store its store ID, city, and country

```
43 -- Write down a query in order to display each store its store ID, city, and country
44 SELECT s.store_id, ci.city, co.country
45 FROM sakila.store s
JOIN sakila.address a ON s.address_id = a.address_id
JOIN sakila.city ci ON a.city_id = ci.city_id
JOIN sakila.country co ON ci.country_id = co.country_id;
```

00% 1:41

Result Grid



Filter Rows:



Export:

[illegible]

Result Grid

Form
Editor

Field Types

9. Use subqueries to display every actors who appear in the film Alone Trip.

```
50  -- Use subqueries to display every actors who appear in the film Alone Trip.
51  SELECT a.first_name, a.last_name
52  FROM sakila.actor a
53  WHERE a.actor_id IN (
54      SELECT fa.actor_id
55      FROM sakila.film_actor fa
56      JOIN sakila.film f ON fa.film_id = f.film_id
57      WHERE f.title = 'Alone Trip'
58  );
```


100% 1:59

Result Grid Filter Rows: Search Export:

first_name	last_name
ED	CHASE
KARL	BERRY
UMA	WOOD
WOODY	JOLIE
SPENCER	DEPP
CHRIS	DEPP
LAURENCE	BULLOCK
RENEE	BALL

Result Grid
Form Editor
Field Types

10. Delete the middle_name column from table actors



The screenshot shows a database IDE with a sidebar on the left displaying the 'actor' table structure. The main window shows a SQL query editor with the following code:

```
60  
61  
62  
63 -- Delete the middle_name column from table actors  
64 ALTER TABLE sakila.actor  
65 DROP COLUMN middle_name;
```

The status bar at the bottom indicates 100% zoom and a duration of 1:62.

Info Columns Indexes Triggers Foreign keys Partitions Grants DDL						
Column	Type	Default Value	Nullable	Character Set	Collation	Privileges
actor_id	smallint unsigned		NO			select,ins
first_name	varchar(45)		NO	utf8mb4	utf8mb4_090...	select,ins
last_name	varchar(45)		NO	utf8mb4	utf8mb4_090...	select,ins
last_update	timestamp	CURRENT_TIME...	NO			select,ins

✓ 10... 10:51:25 ALTER TABLE sakila.actor DROP COLUM... 0 row(s) affected Records: 0 Duplicates: 0 Warnings... 0.070 sec