

Assignment 1 + Language Properties

(SNLP tutorial 2)

Vilém Zouhar, Awantee Deshpande, Julius Steuer

May 2, 2021

Organisational Issues

- Teammates
- Assignment submissions
 - ▶ Naming your assignment folder: Name1_id1_Name1_id2.zip
 - ▶ Your Notebooks and files should be directly inside the main folder (no unnecessary nesting)
 - ▶ Do not submit the following files:
 - __pycache__*
 - .ipynb_checkpoints*
 - data/*
 - any other pdf or information file accompanying the assignment*
 - ▶ Only submit: Notebook + Python files. Otherwise points can be subtracted..

Part 1: Discussion of Assignment 1

- Exercise 1: Instructions for setup
- Exercise 2: Stick breaking
- Exercise 3: Zipf's Law at word level
- Bonus: Zipf's Law at character level

Part 2: Overview of current topics

- Basics of Probability Theory
- Perplexity
- Maximum Likelihood Estimation
- Smoothing

Probability Theory for language models

Predict

$P(w_1, w_2 \dots w_N)$ which can be decomposed as $\prod P(w_i | h_{:i})$

Bonus question

Compare for uniform, unigram, bigram, trigram... ngram models.

- Where do we assume statistical independence?
- How is this assumption called?

Probability Theory for language models

Predict

$P(w_1, w_2 \dots w_N)$ which can be decomposed as $\prod P(w_i | h_{:i})$

Bonus question

Compare for uniform, unigram, bigram, trigram... ngram models.

- Where do we assume statistical independence?
- How is this assumption called?

Entropy as Expectation value

$$E[f(V)] = \sum_{w_i \in V} p(w_i) f(w_i)$$

Entropy is a property of any distribution, e.g. that of a unigram language model.

$$H = E[-\log(p(w_i))] = - \sum_{w_i \in V} p(w_i) \log(p(w_i))$$

Perplexity

Formulas

$$PP = 2^{\frac{1}{n} \sum_1^n \log p(w_i | w_{i-1})}$$

$$PP = 2^{-\sum_{w,h} f(w,h) \log_2 P(w|h)}$$

How do these two formulas relate to each other?

TODO

Maximum Likelihood Estimation

TODO

- A way to estimate language model (distribution) parameters
- Trying to maximize probability of the training data

LM Smoothing

TODO

- Q: What happens if an unknown token is encountered and LM assigns it 0 probability?

Different smoothing methods will be covered in the further chapters.

Homework

- Exercise 1: Perplexity calculation by hand
- Exercise 2: Plotting n-gram distributions
- Exercise 3: MLE language models, smoothing, perplexity calculation
- Bonus: Custom alternative to perplexity

Resources

1 TODO