

MA 519: Homework 2

Carlos Salinas, Max Jeter

September 2, 2016

Problem 2.1 (DasGupta, 1.5)

The population of Danville is 20000. Can it be said with certainty that there must be two or more people in Danville with exactly the same three initials?

Solution. ►

◀

Problem 2.2 (DasGupta, 1.7)

Let E , F , and G be three events. Find expressions for the following events:

- (a) only E occurs;
- (b) both E and G occur, but not F ;
- (c) all three occur;
- (d) at least one of the events occurs;
- (e) at most two of them occur.

Solution. ►

◀

Problem 2.3 (Feller, Prob. 9, p. 55)

If n balls are placed at random into n cells, find the probability that exactly 1 cell remains empty.

Solution. ►

◀

Problem 2.4 (Feller, Prob. 21, p. 56)

Spread of rumors. In a town of $n + 1$ inhabitants, a person tells a rumor to a second person, who in turn repeats it to a third person, *etc.* At each step the recipient of the rumor is chosen at random from the n people available. Find the probability that the rumor told r times without: (a) returning to the originator, (b) being repeated to any person. Do the same problem when at each step the rumor told by one person to a gathering of N randomly chosen people. (The first question is the special case $N = 1$).

Solution. ►

◀

Problem 2.5 (Feller, Prob. 24, p. 56)

A family problem. In a certain family four girls take turns at washing dishes. Out of a total of four breakages, three were caused by the youngest girl, and she was thereafter called clumsy. Was she justified in attributing the frequency of breakages to chance? Discuss the connection with random placement of balls.

Solution. ►

◀

Problem 2.6 (Feller, Prob. 27, p. 57)

A car is parked among N cars in a row, not at either end. On his return the owner finds exactly r of the N places still occupied. What is the probability that both neighboring places are empty?

Solution. ►

◀

Problem 2.7 (Feller, Prob. 42, p. 58)

Find the probability that in a random arrangement of 52 bridge card no two aces are adjacent.

Solution. ►

◀

Problem 2.8

Suppose $P(A) = 3/4$, and $P(B) = 1/3$.

Prove that $P(A \cap B) \geq 1/12$. Can it be equal to $1/12$?

Solution. ►

◀

Problem 2.9

Suppose you have infinitely many events A_1, A_2, \dots , and each one is sure to occur, i.e., $P(A_i) = 1$ for any i .

Prove that $P(\bigcap_{i=1}^n A_i) = 1$.

Solution. ►

◀

Problem 2.10

There are n blue, n green, n red, and n white balls in an urn. Four balls are drawn from the urn with replacement. Find the probability that there are balls of at least three different colors among the four drawn.

Solution. ►

