MA553: Qual Preparation

Carlos Salinas

July 17, 2016

Contents

1 Ulrich

1.1 Ulrich: Winter 2002

Problem 1. Let G be a group and H a subgroup of finite index. Show that there exists a normal subgroup N of G of finite index with $N \subset H$.

Solution. ► ◄

Problem 2. Show that every group of order 992 $(= 2^5 \cdot 31)$ is solvable.

Solution. ► ◄

Problem 3. Let G be a group of order 56 with a normal 2-Sylow subgroup Q, and let P be a 7-Sylow subgroup of G. Show that either $G \simeq P \times Q$ or $Q \simeq \mathbb{Z}/(2) \times \mathbb{Z}/(2) \times \mathbb{Z}/(2)$.

[*Hint*: P acts on $Q \setminus \{e\}$ via conjugation. Show that this action is either trivial or transitive.]

Solution. ► ◄

Problem 4. Let R be a commutative ring and $\mathrm{Rad}(R)$ the intersection of all maximal ideals of R.

(a) Let $a \in R$. Show that $a \in \mathrm{Rad}(R)$ if and only if $1 + ab$ is a unit for every $b \in R$.
(b) Let R be a domain and $R[X]$ the polynomial ring over R. Deduce that $\mathrm{Rad}(R[X]) = 0$.

Solution. ► ◄

Problem 5. Let R be a unique factorization domain and P a prime ideal of $R[X]$ with $P \cap R = 0$.

(a) Let n be the smallest possible degree of a nonzero polynomial in P. Show that P contains a primitive polynomial f of degree n.
(b) Show that P is the principal ideal generated by f.

Solution. ► ◄

Problem 6. Let k be a field of characteristic zero. assume that every polynomial in $k[X]$ of odd degree and every polynomial in $k[X]$ of degree two has a root in k. Show that k is algebraically closed.

Solution. ► ◄

Problem 7. Let $k \subset K$ be a finite Galois extension with Galois group $\mathrm{Gal}(K/k)$, let L be a field with $k \subset L \subset K$, and set $H = \{\, \sigma \in \mathrm{Gal}(K/k) : \sigma(L) = L \,\}$.

(a) Show that H is the normalizer of $\mathrm{Gal}(K/L)$ in $\mathrm{Gal}(K/k)$.
(b) Describe the group $H/\mathrm{Gal}(K/L)$ as an automorphism group.

Solution. ► ◄