

MA553: Qual Preparation

Carlos Salinas

July 17, 2016

Contents

1	MA 553 Spring 2016	2
1.1	Homework	2
1.1.1	Homework 1	3
1.1.2	Homework 2	6
1.1.3	Homework 3	7
1.1.4	Homework 4	8
1.1.5	Homework 5	9
1.1.6	Homework 6	10
1.1.7	Homework 7	11
1.1.8	Homework 8	12
1.1.9	Homework 9	13
1.1.10	Homework 10	14
1.1.11	Homework 11	15
1.1.12	Homework 12	16
1.1.13	Homework 13	17
2	Ulrich	18
2.1	Ulrich: Winter 2002	18

1 Ulrich

1.1 Ulrich: Winter 2002

Problem 1. Let G be a group and H a subgroup of finite index. Show that there exists a normal subgroup N of G of finite index with $N \subset H$.

Solution. ►

◀

Problem 2. Show that every group of order 992 ($= 2^5 \cdot 31$) is solvable.

Solution. ►

◀

Problem 3. Let G be a group of order 56 with a normal 2-Sylow subgroup Q , and let P be a 7-Sylow subgroup of G . Show that either $G \simeq P \times Q$ or $Q \simeq \mathbb{Z}/(2) \times \mathbb{Z}/(2) \times \mathbb{Z}/(2)$.

[Hint: P acts on $Q \setminus \{e\}$ via conjugation. Show that this action is either trivial or transitive.]

Solution. ►

◀

Problem 4. Let R be a commutative ring and $\text{Rad}(R)$ the intersection of all maximal ideals of R .

- (a) Let $a \in R$. Show that $a \in \text{Rad}(R)$ if and only if $1 + ab$ is a unit for every $b \in R$.
- (b) Let R be a domain and $R[X]$ the polynomial ring over R . Deduce that $\text{Rad}(R[X]) = 0$.

Solution. ►

◀

Problem 5. Let R be a unique factorization domain and P a prime ideal of $R[X]$ with $P \cap R = 0$.

- (a) Let n be the smallest possible degree of a nonzero polynomial in P . Show that P contains a primitive polynomial f of degree n .
- (b) Show that P is the principal ideal generated by f .

Solution. ►

◀

Problem 6. Let k be a field of characteristic zero. assume that every polynomial in $k[X]$ of odd degree and every polynomial in $k[X]$ of degree two has a root in k . Show that k is algebraically closed.

Solution. ►



Problem 7. Let $k \subset K$ be a finite Galois extension with Galois group $\text{Gal}(K/k)$, let L be a field with $k \subset L \subset K$, and set $H = \{ \sigma \in \text{Gal}(K/k) : \sigma(L) = L \}$.

- (a) Show that H is the normalizer of $\text{Gal}(K/L)$ in $\text{Gal}(K/k)$.
- (b) Describe the group $H/\text{Gal}(K/L)$ as an automorphism group.

Solution. ►

