MA166: Recitation 10

Carlos Salinas

March 30, 2016

1 Homework

Here is this week's WebAssign homework and outlines of the solutions to the problems.

성준아, here is the material you need to know to give this recitation tomorrow. The subject for tomorrow's recitation are the different convergence tests for series found in sections §11.6 to 11.8 of Stewart's book. Here is a rough summary of the material on those sections:

Stewart §11.6–§11.8 Summary

§11.6: Absolute Convergence and the Ratio and Root Tests

Definition 1. A series $\sum a_n$ is called *absolutely convergent* if the series of absolute values $\sum |a_n|$ is convergent.

Definition 2. A series $\sum a_n$ is called *conditionally convergent* if it is convergent but not absolutely convergent.

Theorem 1. *If a series $\sum a_n$ is absolutely convergent, then it is conditionally convergent.*

Theorem 2 (The Ratio Test). (i) *If $\lim|a_{n+1}/a_n| = L < 1$, then the series $\sum a_n$ is absolutely convergent (and therefore convergent).*
(ii) *If $\lim|a_{n+1}/a_n| = L > 1$ or ∞, then the series $\sum a_n$ is divergent.*
(iii) *If $\lim|a_{n+1}/a_n| = L = 1$, the* ratio test *is inconclusive; that is, conclusion can be drawn about the convergence or divergence of $\sum a_n$.*

Theorem 3 (The Root Test). (i) *If $\lim \sqrt[n]{|a_n|} = L < 1$, the series $\sum a_n$ is is absolutely convergent (and therefore convergent).*
(ii) *If $\lim \sqrt[n]{|a_n|} = L > 1$ or ∞, then the series $\sum a_n$ is divergent.*
(iii) *If $\lim \sqrt[n]{|a_n|} = L = 1$, the* root test *is inconclusive.*

§11.7: Strategy for Testing Series

i. If the series is of the form $\sum 1/n^p$, it is a *p*-series, which we know to be convergent if $p > 1$ and divergent if $p \leq 1$.

ii. If the series has the form $\sum ar^{n-1}$ or $\sum ar^n$, it is a geometric series, which converges if $|r| < 1$ and diverges if $|r| \geq 1$.

iii. If the series has a form similar to a *p*-series or geometric series, then one of the comparison tests should be considered.

iv. If you can see $\lim a_n \neq 0$, then the test for divergence should be used.

v. If the series has the form $\sum (-1)^{n+1} b_n$ or $\sum (-1)^n b_n$, the alternating test is an obvious choice.

vi. Series that involve factorials and other products are handled conveniently with the ratio test.

vii. If a_n has the form $b_n{}^n$, then the root test may be useful.

viii. If $a_n = f(n)$, where $\int_1^\infty f(x)\,dx$ is easily evaluated, the integral test is effective.

§11.8: Power Series

Definition 3. A *power series* is a series of the form

$$\sum_{n=0}^{\infty} c_n x^n = c_0 + c_1 x + c_2 x^2 + \cdots$$

where x is a variable and the c_n's are constants called *coefficients* of the series.

Definition 4. More generally, a series of the form

$$\sum_{n=0}^{\infty} c_n (x - a)^n = c_0 + c_1 (x - a) + c_2 + (x - a)^2 + \cdots$$

is called a *power series in* $(x - a)$ or a *power series centered at* a or a *power series series about* a.

Homework 25

Problem 1 (WebAssign HW 25, # 1)**.** Determine whether the series is absolutely convergent, conditionally convergent, or divergent.

$$\sum_{n=1}^{\infty} \frac{n}{\sqrt{n^3 - 9}}.$$

Solution.   ☺

Problem 2 (WebAssign HW 25, # 2)**.** Determine whether the series is absolutely convergent, conditionally convergent, or divergent.

$$\sum_{n=1}^{\infty} \frac{\sin 7n}{5^n}.$$

Solution.   ☺

Problem 3 (WebAssign HW 25, # 3)**.** Determine whether the series is absolutely convergent, conditionally convergent, or divergent.

$$\sum_{n=1}^{\infty} \frac{12^n}{(n+1)5^{2n+1}}.$$

Solution.   ☺

Problem 4 (WebAssign HW 25, # 4)**.** Determine whether the series is absolutely convergent, conditionally convergent, or divergent.

$$\sum_{n=2}^{\infty} \frac{(-1)^n}{\ln 6n}.$$

Solution.   ☺

Problem 5 (WebAssign HW 25, # 5)**.** The terms of a series are defined recursively by the equations

$$a_1 = 4 \qquad a_{n+1} = \frac{7n+1}{3n+9} \cdot a_n.$$

Determine whether $\sum a_n$ is absolutely convergent, conditionally convergent, or divergent.

Solution.   ☺

Homework 27

Problem 6 (WebAssign HW 27, # 1)**.** Determine whether the series is absolutely convergent, conditionally convergent, or divergent.

$$\sum_{n=1}^{\infty} \left(\frac{n^2 + 4}{5n^2 + 2} \right)^n.$$

Solution. ☺

Problem 7 (WebAssign HW 27, # 2)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} \frac{1}{n + 6^n}$$

Solution. ☺

Problem 8 (WebAssign HW 27, # 3)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} \frac{(4n + 1)^n}{n^{5n}}.$$

Solution. ☺

Problem 9 (WebAssign HW 27, # 4)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} (-1)^n \frac{5n}{n + 3}.$$

Solution. ☺

Problem 10 (WebAssign HW 27, # 5)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} \frac{n^2 8^{n-1}}{(-9)^n}.$$

Solution. ☺

Problem 11 (WebAssign HW 27, # 6)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} \frac{1}{8n + 5}.$$

Solution. ☺

Problem 12 (WebAssign HW 27, # 7)**.** Test the series for convergence or divergence.

$$\sum_{n=2}^{\infty} \frac{1}{n\sqrt{\ln 7n}}.$$

Solution. ☺

Problem 13 (WebAssign HW 27, # 8)**.** Test the series for convergence or divergence.

$$\sum_{k=1}^{\infty} \frac{6^k k!}{(k+2)!}.$$

Solution. ☺

Problem 14 (WebAssign HW 27, # 9)**.** Test the series for convergence or divergence.

$$\sum_{n=1}^{\infty} \frac{6n!}{e^{n^2}}.$$

Solution. ☺

Homework 28

Problem 15 (WebAssign HW 28, # 1)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=2}^{\infty} \frac{x^{n+1}}{2n!}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 16 (WebAssign HW 28, # 2)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} \frac{8^n x^n}{n^3}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 17 (WebAssign HW 28, # 3)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} \frac{(-5)^n}{n\sqrt{n}} x^n.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 18 (WebAssign HW 28, # 4)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=2}^{\infty} (-1)^n \frac{x^n}{12^n \ln n}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 19 (WebAssign HW 28, # 5)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=0}^{\infty} \frac{(x-4)^n}{n^6+1}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 20 (WebAssign HW 28, # 6)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} \frac{6^n(x+4)^n}{\sqrt{n}}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 21 (WebAssign HW 28, # 7)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} \frac{(x-6)^n}{n^n}.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 22 (WebAssign HW 28, # 8)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} \frac{n}{b^n}(x-a)^n, \qquad b > 0.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 23 (WebAssign HW 28, # 9)**.** Find the radius of convergence, R, of the series.

$$\sum_{n=1}^{\infty} n!(3x-1)^n.$$

Find the interval, I, of convergence of the series.

Solution. ☺

Problem 24 (WebAssign HW 28, # 10). Find the radius of convergence, R, of the series.

$$\sum_{n=2}^{\infty} \frac{x^{6n}}{n(\ln n)^8}.$$

Find the interval, I, of convergence of the series.

Solution.   ☺

2   Relevant Exam Problems