

## MA 26500-215 Quiz 1

July 15, 2016

1. (10 points) Using the method of elimination, determine if the following system of equations has a solution, no solution or many solutions:

$$5x_1 + 2x_2 - 3x_3 = -4$$

$$2x_1 + x_2 - 3x_3 = 4.$$

**Solution:** By looking at the number of free variables vs. equations, we can already tell that the system will either have no solutions or many solutions (such a system is said to be *underdetermined*).

Take the first equation and subtract it from the second equation to get

$$x_1 + 2x_2 - 3x_3 = -4$$

$$x_1 - x_2 = 8.$$

Then  $x_1 = 8 + x_2$ . Now, substitute this into the first equation

$$(8 + x_2) + 2x_2 - 3x_3 = -4$$

so  $3x_2 = -4 - 8 + 3x_3$  or  $x_2 = -4 + x_3$ . Thus

$$\begin{aligned} x_1 &= 8 + x_2 & x_2 &= -4 + x_3. \\ &= 8 - 4 + x_3 & & \\ &= 4 + x_3 & & \end{aligned} \quad (\star)$$

Therefore, the system has **many solutions**; you give me a value of  $x_3$  and, using the equations in  $(\star)$ , I can find values for  $x_1$  and  $x_2$  that solve the system.

2. (5 points) Given the matrices

$$A = \begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix} \quad B = \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$$

find

$$2A + 3B^T.$$

**Solution:** The calculation is straightforward

$$\begin{aligned}2A + 3B^T &= 2\begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix} + 3\begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}^T \\&= \begin{bmatrix} 2 & -2 \\ -2 & 2 \end{bmatrix} + 3\begin{bmatrix} 1 & 0 \\ 1 & 1 \end{bmatrix} \\&= \begin{bmatrix} 2 & -2 \\ -2 & 2 \end{bmatrix} + \begin{bmatrix} 3 & 0 \\ 3 & 3 \end{bmatrix} \\&= \begin{bmatrix} 2+3 & -2+0 \\ -2+3 & 2+3 \end{bmatrix} \\&= \begin{bmatrix} 5 & -2 \\ 1 & 5 \end{bmatrix}.\end{aligned}$$