

Assignemnt 3

Artem Golovin

October 25, 2018

Question 1

a.

```
RedBooks  $\leftarrow \sigma_{(\text{color} = \text{"red"})}(\text{Book})$   
A  $\leftarrow \text{RedBooks} \bowtie_{(\text{RedBooks.ISBN} = \text{Distribute.ISBN})} \text{Distribute}$   
Calgary  $\leftarrow \sigma_{(\text{sname} = \text{"Calgary"})}(A)$   
Result  $\leftarrow \pi_{(\text{name}, \text{city})}(A - \text{Calgary})$ 
```

b.

```
Schools  $\leftarrow \sigma_{(\text{city} = \text{"Paris"})}(\text{School})$   
A  $\leftarrow \text{Schools} \bowtie_{(\text{sname} = \text{name})} \text{Distribute}$   
B  $\leftarrow A \bowtie_{((\text{pname} = \text{name}) \text{ and } (\text{Publisher.city} = \text{"London"}))} \text{Publisher}$   
Result  $\leftarrow \pi_{(\text{director})}(B)$ 
```

c.

```
RomePublishers  $\leftarrow \sigma_{(\text{city} = \text{"Rome"})}(\text{Publisher})$   
A  $\leftarrow \text{RomePublishers} \bowtie_{((\text{pname} = \text{name}) \text{ and } (\text{sname} = \text{"Toronto"}))} \text{Distribute}$   
B  $\leftarrow A \bowtie_{(\text{sname} = \text{name})} \text{School}$   
Result  $\leftarrow \pi_{(\text{School.name})}(B)$ 
```

d.

```
CalgarySchools  $\leftarrow \sigma_{(\text{city} = \text{"Calgary"})}(\text{School})$   
A  $\leftarrow \text{CalgarySchools} \bowtie_{(\text{sname} = \text{name})} \text{Distribute}$   
B  $\leftarrow A \bowtie_{(A.ISBN = \text{Book.ISBN})} \text{Book}$   
Result  $\leftarrow \pi_{(\text{name}, \text{count})}(\text{titlef}_{(\text{COUNT name})}(\text{Titles}))$ 
```

e.

```
A  $\leftarrow \text{Publisher} \bowtie_{(\text{name} = \text{pname})} \text{Distribute}$   
B  $\leftarrow A \bowtie_{(A.city = \text{School.city})} \text{School}$   
C  $\leftarrow \text{Book} \bowtie_{(\text{Book.ISBN} = B.ISBN)} B$   
Result  $\leftarrow \pi_{(\text{name}, \text{count})}(\text{titlef}_{(\text{COUNT name})}(C))$ 
```

Question 2

- a.
- $$\{x.stno | Street(x) \text{ and } \exists(c)(City(c) \text{ and } c.country-name = "Canada" \text{ and } \forall(s)(Street(s) \text{ and } (x.city-name = s.city-name) \rightarrow (x.length > s.length)))\}$$
- b.
- $$\{x.owner-name | House(x) \text{ and } \exists(c)\exists(s)(City(c) \text{ and } Street(s) \text{ and } s.city-name = c.city-name \text{ and } c.country-name = "Canada" \text{ and } x.stno = s.stno)\}$$
- c.
- $$\{x.owner-name | House(x) \text{ and } \exists(s)\exists(c)(Street(s) \text{ and } City(c) \text{ and } x.stno = s.stno \text{ and } not(c.country-name = "USA")) \text{ and } \forall(c)\exists(s)(City(c) \text{ and } Street(s) \text{ and } (c.country-name = "USA") \rightarrow (s.stno = x.stno))\}$$
- d.
- $$\{x.name | Country(x) \text{ and } Border(x.name, "Germany")\}$$
- e.
- $$\{x.owner-name | House(x) \text{ and } \exists(c)\exists(s)(City(c) \text{ and } Street(s) \text{ and } Border(c.country-name, "Spain") \text{ and } s.city-name = c.city-name \text{ and } s.stno = x.stno)\}$$