### Eclipse Scout

Release Notes

**Scout Team** 

Version 6.1

### **Table of Contents**

V	Vhat's New	. 1
	Strong content security policy CSP	. 1
	Binary resources support for HtmlField and BeanField	. 1
	Tristate capability for checkbox and boolean column	. 1
	Mnemonics	. 2

#### What's New

#### Strong content security policy CSP

The stronger CSP disables inline javscript in html. Therefore the 'New Scout Project' wizard now creates a js file per html file and includes it using the script element.

## Binary resources support for HtmlField and BeanField

Binary resources such as images or videos can now be used in the following widgets: \* HtmlField \* BeanField




Figure 1. Binary resource on a model field.

- · Html enabled StringColumn
- BeanColumn .Binary resource on a column image::C:\Users\jgu\git\old\6.1\org.eclipse.scout.docs\docs\build\scout\_releasenotes/../../imgs/bina ry\_resource\_column.png[]

# Tristate capability for checkbox and boolean column

Added support for tristate to checkbox and boolean column.

The new property tristateEnabled controls whether the checkbox/column behaves as a normal checkbox (false) or a tristate checkbox (true).

A normal checkbox has values true/false. A tristate checkbox has values true/false/null. The null value is interpreted as undefined and rendered as a filled square.

#### **Mnemonics**

Mnemonics are not supported anymore. All affected texts were either edited or removed because they are not used anymore.



Do you want to improve this document? Please edit this page on GitHub.