

## ✓ Introduction to Big Data

- Developed by Dr. Keungoui KIM
- <https://awekim.github.io/portfolio/>

## Lecture 4. Data Manipulation with Pandas I

```
from google.colab import drive
drive.mount('/content/drive')
```

## ✓ Review

- Write down the expected result of the following Python codes

```
value = 5
while 0 < value:
    value = value - 1
    print(value)
print("Hello")
```

```
value = 5
while 0 < value:
    print(value)
    value = value - 1
print("Hello")
```

```
myList = ['Dance', 'Ballad', 'HipHop', 1, 2, '3', 'four']
for i in range(7, 0, -1):
    print("Index", i, "-", myList[i-1])
```

## ✓ DataFrame

```
import numpy as np
import pandas as pd
```

```
dir(pd.Series)
```

```
set(dir(pd.Series))
```

## ✓ Create Dataframe with List & Array

```
numberList = [1, 2, 3]
numberList
```

```
numberArray = np.array(numberList)
numberArray
```

```
pd.DataFrame(numberList)
```

```
pd.DataFrame(numberArray)
```

```
pd.DataFrame(numberList,
              columns=['Numbers'],
              index=['one', 'two', 'three'])
```

```
pd.DataFrame(numberArray,
              columns=['Numbers'],
              index=['one', 'two', 'three'])
```

```
variableName = ['Numbers']
variableName
```

```
pd.DataFrame(numberList,
              columns=variableName)
```

#### ▼ Create Dataframe with Dictionary

```
numberDict = {'Numbers':[1,2,3]}
numberDict
```

```
pd.DataFrame(numberDict)
```

```
pd.DataFrame(numberDict,
              index=['one', 'two', 'three'])
```

```
pd.DataFrame(numberDict,
              columns=['Numbers'],
              index=['one', 'two', 'three'])
```

```
pd.DataFrame(numberDict,
              columns=['numbers'],
              index=['one', 'two', 'three'])
```

#### ▼ Create Dataframe with Dictionary

```
myClass={'city': ['Dublin', 'Dublin', 'Dublin',
                  'London', 'London', 'London',
                  'Paris', 'Paris', 'Paris'],
          'year': [2018, 2019, 2020,
                  2018, 2019, 2020,
                  2018, 2019, 2020],
          'pop': [2.3, 3.4, 3.2,
                  4.3, 4.4, 4.2,
                  4.8, 5.0, 5.2]}
```

```
myClass
```

```
pd.DataFrame(myClass)
```

```
pd.DataFrame(myClass,
              columns=['city'])
```

```
pd.DataFrame(myClass,
              columns=['GDP'])
```

```
myClass_df = pd.DataFrame(myClass)
myClass_df
```

#### ▼ DataFrame Methods

#### ▼ Checking the overview of data

```
myClass_df.shape

myClass_df.dtypes

myClass_df.head()

myClass_df[['city', 'pop']].head()

myClass_df.values

myClass_df.columns

myClass_df.index

type(myClass_df)

myClass_df['city']

type(myClass_df['city'])

myClass_df[['city', 'pop']]

type(myClass_df[['city', 'pop']])

myClass_df['city'].unique()

myClass_df['city'].nunique()

myClass_df

myClass_df['city'].value_counts()

myClass_df['city'].value_counts(normalize=True)
```

#### ▼ Checking the values of specific column

```
myClass_df = pd.DataFrame(myClass)
myClass_df

myClass_df.rename(columns =
                  {'city': 'capital city',
                   'pop': 'population'},
                  inplace=False)

myClass_df.head()

myClass_df.rename(columns =
                  {'city': 'capital city',
                   'pop': 'population'},
                  inplace=True)

myClass_df.head()

myClass_df.rename(index = {0: 'zero', 1: 'one'},
                  inplace=False).head()
```

```
myClass_df = pd.DataFrame(myClass)

myClass_df['city'].head()

myClass_df.city.head()

myClass_df_ed = myClass_df.rename(
    columns = {'city':'capital city', 'pop':'population'},
    inplace=False)
myClass_df_ed

myClass_df_ed.columns

myClass_df_ed['capital city'].head()

myClass_df_ed['year'].head()

myClass_df_ed.year.head()

myClass_df_ed.capital city.head()
```

#### ▼ .iloc (using index number) & loc (using label)

```
myClass_df = pd.DataFrame(myClass)
myClass_df.head()

myClass_df.iloc[0]

myClass_df.iloc[[0]]

myClass_df.iloc[:2]

myClass_df.iloc[:2, 1:3]

myClass_df.iloc[[0,3], 1:3]

myClass_df.iloc[[0,3], [0,2]]

myClass_index=pd.DataFrame(
    {'city': ['Dublin', 'Dublin', 'Dublin',
             'London', 'London', 'London',
             'Paris', 'Paris', 'Paris'],
     'year': [2018, 2019, 2020,
             2018, 2019, 2020,
             2018, 2019, 2020],
     'pop': [2.3, 3.4, 3.2,
            4.3, 4.4, 4.2,
            4.8, 5.0, 5.2]},
    index=['Dublin2018', 'Dublin2019', 'Dublin2020',
          'London2018', 'London2019', 'London2020',
          'Paris2018', 'Paris2019', 'Paris2020'])
myClass_index

myClass_index.loc['Dublin2018']

myClass_index.loc[:, 'city']
```

```
myClass_index['city']

myClass_index.loc[['Dublin2018']]

myClass_index.loc[['London2018', 'Paris2018']]

myClass_index.loc['Dublin2018': 'Paris2018', 'pop']
```

### ▼ Filtering with isin()

```
myClass={'city': ['Dublin', 'Dublin', 'Dublin',
                 'London', 'London', 'London',
                 'Paris', 'Paris', 'Paris'],
         'year': [2018, 2019, 2020,
                  2018, 2019, 2020,
                  2018, 2019, 2020],
         'pop': [2.3, 3.4, 3.2,
                 4.3, 4.4, 4.2,
                 4.8, 5.0, 5.2]}

myClass_df = pd.DataFrame(myClass)
myClass_df

myClass_df[myClass_df.city.isin(['Dublin'])]

myClass_df[~myClass_df.city.isin(['Dublin'])]

myClass_df.loc[ myClass_df.city.isin(['Dublin']) , : ]

myClass_df.loc[ ~myClass_df.city.isin(['Dublin']) , : ]
```

### ▼ Data Import & Export with pandas

```
import pandas as pd
```

#### ▼ Data import with pandas

```
sample_1 = pd.read_table('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/s
                        sep=',')
sample_1

sample_1 = pd.read_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sar
sample_1

sample_1 = pd.read_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sar
                        header=None)
sample_1

header_name=['FullName', 'Age', 'Major']
sample_1 = pd.read_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sar
                        names=header_name)
sample_1
```

#### ▼ Data export with pandas

```
import pandas as pd
```

```
sample_2 = pd.read_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sample_2.csv')

# export sample_3.csv
sample_2.to_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sample_3.csv')

# export sample_4.csv
sample_2.to_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sample_4.csv')

# export sample_5.csv
sample_2.to_csv('/content/drive/MyDrive/[Lecture]/IntBigData/BigData_Python/04_DataManipulation/sample_5.csv')
```