




| | | | | Lug sill | İs | | | |
|---|--------------------|-------------------|------------------------|----------------|--|--|------------------------|---------------|
| Key | Qty | Dim A | Dim B | Ft³/EA | | Location | | |
| S | 16 | 42-1/2" | 36-1/2" | .738 | L1,L2,L3,L4,L5,L6,L | _7,L8,U2,U3,U4,U5,I | U24,U25,U26,U27 | |
| Т | 14 | 34-1/2" | 28-1/2" | .600 | L9,L10,L11,L12,M9,M | 110,M11,M16,M17,M | 418,U8,U9,U20,U21 | |
| U | 8 | 36" | 30" | .625 | | ,M14,M15,M7,M8,M | | |
| V | 20 | 42" | 36" | .730 | U10,U11,U12,U17,U1 | | | |
| v | 20 | | | ./ 30 | | 121,M22,M23,M24,N | 425 | |
| W | 4 | 38" | 32" | .660 | | U13,U14,U15,U16 | | |
| X | 4 | 30-1/2" | 24-1/2" | .530 | | M1,M26,U1,U28 | | |
| | | | | | | | | |
| | | | | | | Sawn | $\sqrt{}$ | |
| l | | | | | | | | |
| 3 in 🔫 🛶 | Di | im B—— | | -3 in | ½ in | Honed | | |
| l <u> </u> | | | | | <u> </u> | noneu | Oir S | _ |
| 6 in | ↔ VE | EIN ≪→ | | | 5 in | | | |
| | Di | im A—— | | | 4½ in 6 in = | | Die | 5 in |
| | Т | Гор | | | | | DimA | |
| 1/2 | in | • | Λ | | SECTION A-A | | | |
| ┃ <u>╷</u> ┈┌─ <u>─</u> ┇ | ı | | ^ | | <u> </u> | | Iso Sawn | 6 in a |
| 5 in | , | | | | Verify all quan | ntities, finishes, and | d measurements prior t | to production |
| | | | | DRAWN awelt | 9/6/2022 | | APPROVAL | |
| | E۰ | | \blacktriangleleft A | CUBES | 0.566 ft^3 | KASOTA | NAME: | |
| | 111 | ont | | FINISH | Honed | STONE | DATE: | |
| X 100 | X 1 | | X 1 | СИТ | Fleuri front | 820 WILLOW STREET MANKATO, MN 56001 507-508-0684 | PACKAGING NOTES: | |
| | | · ' | | _ | ILCO Grey | 1 | | |
| l ⊢ ⊢ | . | | \vdash | STONE | —————————————————————————————————————— | JOB NAME | | |
| I ├┤ | , | | \vdash | KEY | | Rice St. | DWG NO | REV |
| | , | H | H | QTY | | | Rice_St_full | 2 |
| | , - | H | H | 4 1 | E ±1/16" | SCALE 1 / 10 | <u> </u> | |
| | | | <u> </u> | <u>'</u> | | 1 / 10 | SHEET 25 | OF 31 |








| | | | Lug hea | der blanks | | | | | | | |
|----------|---------------------|------------------------|----------|----------------|-----------------|--------------|---------------------------------|----------------|--|--------------|--|
| Key | Qty | Dim A | Ft³/EA | | Location | | | | | | |
| AA | 4 | 42" | 1.520 | | M7,M8,M19,I | M20 | | | | | |
| AB | 6 | 48" | 1.736 | | U10,U11,U12,U17 | | J18,U19 | | | | |
| AC | 4 | 44" | 1.591 | | U13,U14,U15 | | | | | | |
| AD | 4 | 48" | 1.736 | | U6,U7,U22,L | J23 | | | | | |
| 12½ in | | im А | - | | Honed to | op, –⁄ wn | 48 in | | 12 ¹ / ₂ in 5 in | | |
| | //// * v | EIN++ | | | Verify all quar | itities, | finishes, and | | ents prior to produ | ıction | |
| | | | | DRAWN awelt | 9/6/2022 | | | APPROVAL NAME: | | | |
| | F | ront | | CUBES | | | | | | | |
| | • · | ··• | | FINISH | Honed | 820 | WILLOW STREET | DATE: | NOTES: | | |
| X 100 | X | 10 | X 1 | СИТ | Fleuri top | MAN | NKATO, MN 56001 507-508-0684 | PACKAGING | INUIES: | | |
| | \sqcap | | | STONE | ILCO Grey | JOB N | AMF | <u> </u> | | | |
| | | | | KEY | | R | ice St. | | | | |
| \sqcup | \Box | $\vdash \vdash \vdash$ | \sqcup | | - | SIZE A4 | | DWG NO | 11 | REV 2 | |
| H | \Box | $\vdash \vdash \vdash$ | H | QTY | 14/46!! | SCALE | • | Rice_St_f | uii T | | |
| <u> </u> | <u> </u> | | | TOLERANCE | ±1/16" | | 1 / 15 | | SHEET 27 OF 31 | | |



| L'ov | O+. | T 5. A | T 5: D | | header band | | | | | _ | |
|---|---|--------------|------------------------|----------------|---------------------|-------------------|--------------------------------|-------------|---------------------|--------------|--|
| Key | Qty | Dim A | Dim B | Rad A | Ft ³ /EA | | | ocation | | - | |
| AE | 4 | 60 | 36 | 43-3/8" | 2.623 | M2, M25,M4,M23 | | | | | |
| AF | 4 | 84 | 36 | 43-3/8" | 3.676 | | | 124,M5,M22 | | | |
| AG | 2 | 72 | 36 | 43-3/8" | 3.151 | | | 16, M21 | | | |
| AH | 2 | 30-1/2" | 24-1/2" | 21-5/16" | 1.335 | | <u> </u> | 11, M26 | | | |
| Dim A Dim A / 2 Rad A Sawn Honed Dim B Top | | | | | | | | | | | |
| 5 in | <u>/////////</u> | / →→\ | /EIN < → | | | | Iso | | | | |
| I | | r | -ront | | Verify | all quantities, i | finishes, and | | nts prior to produc | ction | |
| | | Г | Front | DRAWN awelt | 9/6/2022 | | | APPROVAL | | | |
| | | | | CUBES | 2.881 ft^3 | | | OTA NAME: | | | |
| | | | | FINISH | Honed | | | DATE: | | | |
| V 100 | | 10 | V 4 | CUT | Fleuri top | MANI | PACKAGING NOTES: 507-508-0684 | | | | |
| X 100 | <u>, </u> | 10 | X 1 | _ | | ° | 07 JUU-UUU4 | | | | |
| | ↓ │ | \sqcup | \vdash | STONE | ILCO Grey | JOB NA | | • | | | |
| | ┥ │ ├┥ | | \vdash | KEY | | | ce St. | lowe ne | | DEV. | |
| │ | ┥ │ ├┥ | \vdash | H | - OTY | | SIZE A4 | | DWG NO | 11 | REV 2 | |
| | ┥ │ ├┥ | H | H | QTY | - ±1/16" | SCALE | | Rice_St_ful | | | |
| | | | | TOLERANCE | ±1/16" | | 1 / 18 | | SHEET 28 OF 31 | | |




| | Notched header band | | | | | | | | |
|-----|---------------------------------|-----|-----|-------|---------|--|--|--|--|
| Key | Qty Dim A Dim B Ft³/EA Location | | | | | | | | |
| AI | 2 | 60" | 30" | 2.626 | M7, M20 | | | | |
| AJ | 2 | 48" | 30" | 2.101 | M8, M19 | | | | |
| | | | | | | | | | |




| | | | | Verify all q | <u>luantities, finishes, an</u> | d measurements prior to production |
|---------------|-------------------------------|-------|----------------|-------------------|-----------------------------------|------------------------------------|
| | | Front | DRAWN awelt | 9/6/2022 | | APPROVAL |
| | | | CUBES | 1.852 ft^3 | KASOTA | NAME: DATE: |
| | | | FINISH | Honed | 820 WILLOW STREET | PACKAGING NOTES: |
| X 100 | X 10 | X 1 | СИТ | Fleuri top | MANKATO, MN 56001 507-508-0684 | Actading No.25. |
| | | | STONE | ILCO Grey | JOB NAME | |
| | | | KEY | | Rice St. | |
| . - - - ' | 1 - - - ' | | | | | DWG NO REV |
| . 🗀 🗀 / | ι \sqcup \sqcup $'$ | | QTY | | | Rice_St_full 2 |
| | ' | | TOLERANC | CE ±1/16 " | SCALE 1 / 15 | SHEET 29 OF 31 |



| | Straight header | | | | | | | | |
|-----|-----------------|--|-------|------------------------|--|--|--|--|--|
| Key | Qty | Qty Dim A Ft ³ /EA Location | | | | | | | |
| AK | 9 | 3 , , , , , | | | | | | | |
| AL | 4 | 4 41" 1.794 Straight band | | | | | | | |
| AM | 6 | 60" | 2.626 | Straight band | | | | | |
| AN | 2 | 72" | 3.151 | Straight band | | | | | |
| AO | 2 | 48" | 2.100 | Straight band | | | | | |
| AP | 6 | 34-1/2" | 1.510 | M9,M10,M11,M16,M17,M18 | | | | | |
| | | | | | | | | | |





| | Frank | | | | | | Verify all of | quantities, | finishes, a | nd measurements prior to p | roduction |
|-----|-------|----------|--|--|-----|----------------|---------------|-----------------------------------|---------------|----------------------------|-----------|
| | | | | | | DRAWN awelt | 9/6/2022 | | | APPROVAL | |
| | | | | | | CUBES | 1.794 ft^3 | | KASOT | NAME: DATE: | |
| | | | | | | FINISH | Honed | 820 | WILLOW STREET | PACKAGING NOTES: | |
| X 1 | 00 | X 10 X 1 | | | сит | Fleuri top | | MANKATO, MN 56001 507-508-0684 | | | |
| | | | | | | STONE | ILCO Grey | JOB N | AME | | |
| | | | | | | KEY | | R | ice St. | | |
| | | | | | Ш | | - | SIZE | | DWG NO | REV |
| | | | | | | QTY | | A4 | | Rice_St_full | 2 |
| | | | | | | TOLERANCE | ±1/16" | SCALE | 1 / 15 | SHEET 30 OF | 31 |

