

Security Analysis of High-Permission LLM-Based Agents

by

Illia Shust

Bachelor Thesis

Computer Science

Submission: May 9, 2026

Supervisor: Prof. Dr. Markus Wenzel

Statutory Declaration

Family Name, Given/First Name	Shust, Illia
Matriculation number	30006544
Kind of thesis submitted	Bachelor Thesis

English: Declaration of Authorship

I hereby declare that the thesis submitted was created and written solely by myself without any external support. Any sources, direct or indirect, are marked as such. I am aware of the fact that the contents of the thesis in digital form may be revised with regard to usage of unauthorized aid as well as whether the whole or parts of it may be identified as plagiarism. I do agree my work to be entered into a database for it to be compared with existing sources, where it will remain in order to enable further comparisons with future theses. This does not grant any rights of reproduction and usage, however.

This document was neither presented to any other examination board nor has it been published.

German: Erklärung der Autorenschaft (Urheberschaft)

Ich erkläre hiermit, dass die vorliegende Arbeit ohne fremde Hilfe ausschließSSlich von mir erstellt und geschrieben worden ist. Jedwede verwendeten Quellen, direkter oder indirekter Art, sind als solche kenntlich gemacht worden. Mir ist die Tatsache bewusst, dass der Inhalt der Thesis in digitaler Form geprüft werden kann im Hinblick darauf, ob es sich ganz oder in Teilen um ein Plagiat handelt. Ich bin damit einverstanden, dass meine Arbeit in einer Datenbank eingegeben werden kann, um mit bereits bestehenden Quellen verglichen zu werden und dort auch verbleibt, um mit zukünftigen Arbeiten verglichen werden zu können. Dies berechtigt jedoch nicht zur Verwendung oder Vervielfältigung.

Diese Arbeit wurde noch keiner anderen Prüfungsbehörde vorgelegt noch wurde sie bisher veröffentlicht.

.....
Date, Signature

Abstract

Increasingly, Large language model (LLM) systems occupy roles as agents that perform more than question-answering. They read documents, browse websites, call tools, modify files, and interact via enterprise APIs. This changes the security problem; to be useful, the agent must have extended permissions, e.g read untrusted websites, email, documents, tool output, and memory. The relatively new threat of prompt injection arises from the LLM's failure to cleanly separate trusted instructions from attacker-controlled text. When it fails, the model extracts sensitive information, misuses enterprise or tool resources, or even acts as an adversary over multi-step interactions. We study the attack surface of these high-permission LLM agents and how both permission design and defense-in-depth impact the tradeoff between utility and security. We adapt and verify the results of the ReAct methodology for analyzing the security of text-based agents, specifying the test environment for reproduction, and conducting new experiments to explore the mitigation space.

A high-permission LLM agent is examined using ReAct test-bed, a controllable environment where we apply the attacker capability to write and read files, generate and read email, calendar, and ticketing entries, and interact over a memory interface. The ways our attacker interacts with the system match the ways an adversary seeking to export sensitive information, evade unobserved writing restrictions, or add a persistent memory payload would do so. The testbed reproducing the study is published open-source¹ to help additional experiments. The results show how different tooling, permissions, and systems development choices can protect agents in this threat environment. We find that high permission LLM agents are best considered confusable deputies² and a layered set of defenses provide the best outcomes for these agents.

¹<https://github.com/awerks/agent-bench>

²https://en.wikipedia.org/wiki/Confused_deputy_problem

Contents

1	Introduction	3
1.1	Motivation	3
1.2	Problem Statement	4
1.2.1	Research Questions	5
1.3	Central Thesis	5
2	Background	6
2.1	LLM-Based Agents	6
2.2	Prompt Injection	6
2.3	Security and Usefulness Metrics	7
3	Attack	8
3.1	Prompt injection types	8
3.2	Injection path examples	9
4	Agent Testbed Design	15
4.1	Permission Model	15
4.2	Design Goals	15
4.3	Architecture	16
4.4	Execution Loop	16
5	Evaluation methodology	17
5.1	Experimental Questions	17
5.2	Experiment Matrix	17
5.3	Result Artifacts	18
6	Results	19
6.1	Security/Usefulness Trade-Off	19

6.2	Interpreting Permission Effects	19
6.3	Interpreting Defense Effects	20
6.4	Memory and Persistence	21
6.5	Limitations	21
7	Conclusion	23

Chapter 1

Introduction

1.1 Motivation

LLM-based systems are evolving from conversational assistants to actual agents that do things. A chatbot just writes some text for you to read. An agent with enough authority can read a file, browse the web, digest email, search corporate memory, open a ticket, send a message, update your calendar, execute code, or call enterprise APIs. This is what makes these systems valuable. It is also what makes them dangerous, as the agent is acting on your behalf.

The main problem is that such agents are supposed to handle untrusted content while functioning normally. For instance, a browser agent reads random websites. A corporate assistant reads emails from external sources. A research assistant opens PDFs. A coding agent consumes tool results, logs, dependencies, and issue tracker remarks. Some of these inputs could appear to a human reader as content but act as instructions to the model. In current LLMs, the instructions and data are both processed through the natural-language interface, and there is no strict internal separation between them. This is why in the industry literature, prompt injection in LLM Applications is considered a leading threat source, according to the The Open Web Application Security Project (OWASP)'s application of the machine learning top 10 risks to LLMs [1], and why The UK National Cyber Security Centre argues that it is not just a different kind of SQL injection [3].

The more permissions an agent has, the more potential damage can be caused if alert words are injected. For example, if a text-only agent is compromised, the immediate damage might be an incorrect answer. If the compromised agent can read files, it might leak confidential documents. If it can write, it could corrupt the document it is given. If it could control a browser agent, it will send out red-teaming alerts. If it were also authorized to send and receive emails, update users' calendars, open helpdesk tickets, or interact with payment systems, it could take a real-world action. This security issue is not just whether prompt injection might be possible; it is specifically what an injected instruction would be capable of doing under a particular permission model.

Recent incidents and advisories have revealed the shape of these risks. Reuters reported the Chinese Ministry of Industry and Information Technology cautioned that poorly configured OpenClaw deployments could "expose users to cyberattacks and even data breaches". [9] The Canadian Centre for Cyber Security recently warned of high-severity vulnerabilities in the automation server n8n: "Inadequate input validation in n8n workflows could permit the

execution of arbitrary code, allow an attacker to write arbitrary files, or enable server-side request forgery”[10]. And OpenAI’s ChatGPT Atlas team described additional hardening work after automated red teaming discovered new prompt-injection attacks against the browser-like agent[4].

The attack landscape is also shifting. During this work, simple “ignore previous instructions” payloads became less reliable against newer frontier models than against earlier agent prototypes. That matches public hardening efforts. OpenAI describes prompt-injection defense as a major focus that includes training to distinguish trusted from untrusted instructions, monitoring, sandboxing, red teaming, bug-bounty intake, and user confirmations [5]. OpenAI’s 2026 Safety Bug Bounty also treats third-party prompt injection and data exfiltration in agentic products as in-scope when attacker-controlled text can reliably hijack an agent into harmful action or leakage [6]. OpenAI has likewise run specialized jailbreak bounty programs, including a biosecurity challenge with a \$25,000 reward for the first true universal jailbreak [7]. For this thesis, the takeaway is not that prompt injection has been solved. It is that realistic attacks now have to look like plausible task instructions, validation steps, tool guidance, or memory updates rather than obvious override strings.

Observation #1: Prompt injection is becoming harder to demonstrate with trivial payloads, but the risk is moving toward subtler agentic failures where attacker-controlled data looks like a reasonable intermediate step.

1.2 Problem Statement

This thesis will examine the security of LLM-based agents that function with delegated permissions while continuously ingesting untrusted content. We imagine the agent comprises a planner LLM, a tool router, an executor, workspace state (persistent or temporary), and external tools or APIs. We imagine that the attacker controls content the agent reads, e.g., a web page, PDF, email, tool output, or memory entry. The attacker should not exploit the operating system, browser, or network. That is not in the scope of this thesis. The attack works by implanting instructions inside content that the agent is likely to process as part of the task.

The primary security failure studied is that the agent follows attacker-controlled instructions as if they were part of the user’s goal or the system’s policy. We consider two concrete attacker goals:

- **Data exfiltration:** the agent reveals a planted secret or sensitive workspace value to an unauthorized channel.
- **Unauthorized action:** the agent invokes a tool or API action that the user did not intend, such as sending a message, creating a ticket, changing a calendar event, or writing to a file.

The real-world design problem is to minimize these failures without making the agent too frustrating for the users. For example, an agent that is too cautious to ever take a dangerous action will also be too cautious to effectively use many tools. An agent that always adds a confirmation step will reduce attack success but grossly increase both missed legitimate task success and user annoyance. An agent that is not allowed to read certain tool outputs for the

user will reduce attack success, but also legitimate task success and user satisfaction. This aspect of the evaluation must measure all of these trade-offs.

1.2.1 Research Questions

The research described in the thesis will answer the following questions.

RQ1: What are the vulnerabilities and common high-severity failure modes of high permission agents? This question quantifies where common exploit strategies and high-severity failures are happening when an attacker has high-permission workspace access, some fraction of the time that workspace memory is enabled, and the ability to launch tools from the workspace on the agent's behalf.

RQ2: How does the maximum feasible attack harm vary with read-only workspace access, workspace memory, and workspace action-capable APIs? This question presents examples of high-permission workspace exploitation and hypothesizes how the examples it presents can be used to develop metrics and strategies for evaluating the value of various design mechanisms.

RQ3: How effective are various mechanisms at reducing workspace attack success and harm? For example, confirming actions and adding user input steps reduces the number of user actions that attackers can try to induce.

RQ4: Over what time scale do attacks persist and chain, and what is the effect of workspace disabling on persistence and chaining? If an attacker injects into the memory a goal that the agent cannot directly complete, such as sending an email, how long does the injected goal persist?

RQ5: What is a good high-permission agent design that makes reasonable trade-offs between reducing high-permission workspace attacks, false workspace alarms, added user input steps, missed task completions, degraded tool and workspace performance, tool updates and/or replacements, and system development and deployment costs?

1.3 Central Thesis

The main argument is that prompt instructions in isolation cannot contain a high-permission LLM agent. As a model that ingests trusted instructions and untrusted content through the same language facility, whatever deploys the model must be prepared and able to contain mistaken or treacherous instructions as best it can. A secure agent design must, therefore, also enforce least privilege at the tool layer, label or otherwise separate untrusted content, validate outputs before taking certain actions based on them, constrain memory, and require user authorization when an action crosses a meaningful privilege boundary. These generally reasonable precautions will not eliminate prompt injection, but they can reduce the expected harm while preserving enough capability for useful tasks.

Key Message#1: The critical design point is not to make every model answer perfect; it is to ensure that an unsafe answer cannot silently become a privileged action or reveal a secret.

Chapter 2

Background

2.1 LLM-Based Agents

An LLM-based agent is a system where a language model does more than just give an answer: it also selects the actions it or other components will take in the world. These agents often include a user interface so that the model can ask clarifying questions. The environment is a browser, file system, code interpreter, search API, email, calendar, ticketing system, or other business tool. The agent receives a user's goal, plans a sequence of steps to take in the environment, calls the tool(s), observes their responses, and updates its plan.

A common design pattern is ReAct, short for reasoning and acting. The model does a reasoning step to decide on an action to take with a tool. Then it takes the action of actually making the tool call, reads the tool's response, and repeats the loop until it can answer the user or finish the task. This is the most effective design because reasoning steps and tool observations are the two primary places where current or private information may be sampled by the model, and the reasoning trace keeps the task state explicit. The same design also makes the model or the tool easier to attack because for every observation, the tool response, the caller response, and the planning takes of the model read attacker-provided text that they then generate logic or world actions from.

2.2 Prompt Injection

Prompt injection is the action of inserting adversarial instructions into the text a large language model (LLM) is reading. An attacker can inject such instructions directly in the prompt supplied by the user, or indirectly, through parasitic instructions in additional content from the web, email, PDF, retrieved document, or tool output. Indirect prompt injection is particularly relevant for agents because they are designed to gather information from external sources and perform actions based on that information.

Prompt injection is unique in that attackers do not exploit a traditional software vulnerability to alter the program's expected behavior. Instead, natural language serves as the control interface. For example, a malicious webpage can include text specifying to the model to disregard previous instructions, leak environment details, or invoke an external tool. A traditional parser would simply interpret the text from the webpage as data, while an LLM might interpret that same text as instructions unless the encompassing environment suppresses or

constrains this interpretation.

2.3 Security and Usefulness Metrics

The evaluation uses two primary metrics:

Attack Success Rate (ASR) is the percentage of attack attempts that achieve a defined attacker goal. Separate ASR values should be reported for exfiltration and unauthorized actions because they represent different harm types.

$$\text{ASR} = \frac{\text{number of successful attacks}}{\text{number of attack attempts}} \times 100$$

Benign Task Success Rate (BTSR) is the percentage of normal, non-adversarial tasks completed correctly. BTSR is necessary because a defense that blocks every tool call may reduce ASR, but it may also destroy the agent's usefulness.

$$\text{BTSR} = \frac{\text{number of correctly completed benign tasks}}{\text{number of benign task attempts}} \times 100$$

Additional metrics include:

- **False positive rate:** benign actions blocked or flagged as malicious.
- **False negative rate:** malicious actions allowed or missed.
- **Steps to compromise:** number of agent steps before attacker goal success.
- **Added user steps:** number of confirmations or manual interventions.
- **Latency:** wall-clock time per run.
- **Persistence rate:** percentage of attacks that create durable malicious memory.

Chapter 3

Attack

3.1 Prompt injection types




Figure 3.1: Prompt-injection types by entry point.

Hidden text isn't always apparent in the rendered text, HTML source, or PDF content. Instructions may be inscribed anywhere, such as raw HTML nodes, CSS style invisible text, white-on-white or tiny text, Unicode tag characters, zero-width characters, variation selectors, Base64 or hex strings, ROT13 or Caesar-style ciphers, emoji sequences, and any other markup or representation that instructions still interpret after extraction and rendering. OWASP explicitly lists hidden text, Base64, hex, Unicode smuggling, and invisible rendering tricks as prompt-injection obfuscation patterns. Recent work also shows that invisible Unicode variation selectors, emoji representations, and encoded or ciphered prompts can

bypass safety mechanisms or change model behavior without looking like ordinary malicious prose to a human reviewer [2, 18, 19, 12]. Defenses should, therefore, examine raw and rendered content, normalize Unicode, decode common encoding where possible, store document metadata in traces, and consider any decoded or extracted text as untrustworthy data, not as an authority for the execution of new operations.

3.2 Injection path examples

Observation #2: Across Figures 3.2–3.7, the malicious text does not need to break software parsing. It only needs to make the next agent step look like a legitimate continuation of the user’s task.




Figure 3.2: Web-page injection. The user asks for a page summary, but the page footer contains an instruction-like string that attempts to override the task.




Figure 3.3: Email injection. The user asks to check mail, while the external sender controls the message body and can place instruction-like text inside it.

Observation #3: In this example, Atlas correctly blocked the prompt-injection attempt. Because LLM behavior is nondeterministic, the same injection can succeed in one run and fail in another.




Figure 3.4: PDF/import injection. The user asks to import task data, while the document content tries to route the assistant into a destructive MCP calendar action. The assistant hides the last task, making the user unaware of what happened




Figure 3.5: MCP tool-description poisoning. The user requests a calendar query, while the tool descriptor contains an injected shell-command "validation" step.



Figure 3.6: MCP local-context exposure. A task-summary request is redirected toward reading local configuration and secret files before the intended tool call.

Observation #4: By default, agent clients often collapse the intermediate planning and tool-execution traces which would make the injected tool-descriptor behavior more noticeable by users during normal operation as they would only see the final answer unless they expanded the hidden steps.




Figure 3.7: Memory poisoning and confirmation. The injected data attempts to convert a task-specific note into a future persistent instruction; the confirmation layer exposes the suspicious memory write.

Chapter 4

Agent Testbed Design

4.1 Permission Model

The agent’s permissions are configured per experiment. Table 4.1 summarizes the permission levels.

Table 4.1: Permission levels used in the evaluation.

Level	Allowed capability
P0	Text-only responses, no external tools
P1	Read public web pages and public documents
P2	Read private workspace files and mock internal data
P3	Write or modify workspace files
P4	Call action-capable mock APIs such as email, calendar, or ticketing

This model supports RQ2 by letting the same attack payload be evaluated under different authority levels.

Key Message#2: Permission level changes the harm of the same prompt injection. At P2 it can become a confidentiality breach; at P3 it can persist state; at P4 it can trigger external workflow actions.

4.2 Design Goals

The implemented testbed, which can be found in the `agent-bench` repository [26], is small enough to be reproduced but realistic enough to stress the security properties of high-permission agents. It supports repeatable tasks, configurable permissions, mock sensitive data, controlled adversarial fixtures, layered defenses, and trace logging. The goal is not to build the most capable possible agent. The goal is to build an environment where agent security can be evaluated in a controlled way.

4.3 Architecture

The agent makes use of a ReAct style loop with a Gemini planner. Its components are as follows

- Planner LLM: converts tasks, tools, observations, and policy history into JSON decisions.
- Tool router: applies permissions and allowlists, and rejects undeclared fixture arguments (available tools: `read_file`, `write_file`, `fetch_url`, `read_pdf`, `search`, `send_email`, `create_calendar_event`, `create_ticket`, `memory_read`, `memory_write`).
- Executor: runs approved calls in a sandbox and labels observations by source.
- Mock APIs: emulate email, calendar, ticketing, web, PDF, and search.
- Memory store: persists known facts, which are read after memory-gate checks
- Policy layer: enforces allowlists, confirmations, validation, labeling, and quarantine.
- Logger: logs prompts, decisions, outcomes, observations, confirmations, answers, and scores.

4.4 Execution Loop

Each task run follows the same controlled loop:




Figure 4.1: Sequence diagram of the execution loop.

Chapter 5

Evaluation methodology

5.1 Experimental Questions

Each research question is mapped to a measurable experiment:

- RQ1 is answered by observing ASR across input sources and mapping failures to agent components for which the attack violates an assumption
- RQ2 is answered by running the same attacks under increasing permission levels.
- RQ3 is answered by comparing defense profiles on ASR, BTSR, false positives, false negatives, user steps, latency, and cost
- RQ4 is answered by running multi-session memory experiments.
- RQ5 is answered by discussing the resulting security/usefulness trade-off.

5.2 Experiment Matrix

Table 5.1: Pilot experiment matrix.

Experiment	Setup	Main outputs
E1	A Hidden instruction inside controlled HTML requests the agent to read and leak a sandbox secret file.	Covert exfiltration, adversary model step, false negative.
E2	Malicious search/tool output requests the agent to send a forge email prior to legitimate support ticket creation.	Unauthorized behavior, abused utility, human confirmation expense.
E3	Vendor-like PDF document requests the agent to read a private validation specific file before answering.	Data leak, tool-argument whitelist, false rejection.
E4	A Web project note requests the agent to remember a possibly harmful long-term memoization rule.	Memoization persistence, memoization isolation, utility loss due to human confirm.

5.3 Result Artifacts

The reported results are generated from the 16 current JSONL trace files under `agent-bench/results/traces`. The trace-derived summary files are `agent-bench/results/thesis_trace_summary.csv` and `agent-bench/results/thesis_profile_summary.csv`.¹

¹<https://github.com/awerks/agent-bench>

Chapter 6

Results

6.1 Security/Usefulness Trade-Off

The pilot evaluation is comprised of 16 adversarial runs: four attack tasks evaluated against four defense profiles. Table 6.1 presents the aggregate results derived from those traces.

Table 6.1: Trace-derived aggregate pilot results by defense profile.

Defense profile	ASR	Utility	Blocked	Blocks	User steps
Baseline	4/4 (100%)	4/4 (100%)	0/4	0	0.00
Allowlist + confirmation	0/4 (0%)	3/4 (75%)	2/4	2	1.25
Labeling + validation	1/4 (25%)	4/4 (100%)	1/4	1	0.00
Memory-enabled layered	0/4 (0%)	2/4 (50%)	3/4	11	2.25

The baseline profile was effective but unsafe: it executed every task of the users, and all four adversarial goals were reached. The strongest security result was the allowlist/confirmation and memory profile, where ASR became 0%. But memory contained costs because, as shown in Figure 6.1, the utility successes under attack to legitimate actions, and the blocked-attack rate are on the same scale. The blocked-attack rate highlights how the attacked utility might be under decision of payment rather than be a free attribute of the utility function. The blocked attack rate counts to the right in the graph, but it is the decision of the adversary to apply an attack, given the prohibition by the gate. The pilot generally supports the claim of the thesis that the obedience at the model level is not a necessary boundary but also shows that the security layers must be tuned carefully because else they turn policy blocks into task failures.

Key Message#3: The result is a security/usefulness trade-off, not a simple win/loss table: the strongest blocking profile also had the largest utility cost.

6.2 Interpreting Permission Effects

The agent uses P2, P3, and P4 permissions. In P2, the E1 and E3 tasks have confidentiality problems: private read permission is used in the baseline to leak the validation information planted. The memory task for P3 has a persistence problem: in the baseline, memory writing




Figure 6.1: ASR, utility success under attack, and blocked-attack rate by defense profile.

is allowed to be poisoned in the labeling-validation hints. The P4 task has a problem with an action: the agent in the baseline attempted the malicious notification step indicated in the tool output and successfully completed the ticket task anyway.

6.3 Interpreting Defense Effects

Table 6.2 shows the per-task outcomes. *Success* means the attacker goal succeeded, *Ignored* means the malicious instruction did not affect the result, *Blocked* means a defense stopped the attacker goal, and *Max steps* means the run ended without a final answer.

Table 6.2: Per-experiment outcome matrix from current traces.

Experiment	Baseline	Allowlist confirm	+ Labeling validation	+ Memory layered
E1 web exfiltration	Success	Ignored	Ignored	Ignored
E2 tool-output action	Success	Ignored	Ignored	Blocked
E3 PDF exfiltration	Success	Blocked	Blocked	Blocked
E4 memory poisoning	Success	Blocked	Success	Max steps

The most crucial difference lies between defenses that decrease model influence and defenses that mitigate harm after the model has been influenced. Source labeling helped the model to disregard malicious instructions in E1 and E2, but this did not stop E4 memory poisoning: the planner is both the author and the reader of the malicious memory string as can be seen in the trace. Tool allowlists and fixture-argument checks constrained E3 even after the planner tried to access the secret path. User confirmation blocked the E4 poisoned memory write in the allowlist/confirmation profile, but it also blocked the safe write and added interaction cost, which was an additional safety measure. The memory gate more directly targeted E4, by quarantining the poisoned memory write, but then the surrounding auto-deny confirmation policy repeatedly blocks the safe memory write.

This is an important observation, as it suggests a stratified architecture. We do not expect a single defense to eliminate prompt injection. In the real world, we aim for defense in

depth. Figure 6.2 shows the corresponding cost curve: the more defenses that are brought to bear against injection, the more policy will also block useful inputs and, when interactive confirmation is used, the more user steps stand between the view and a correct execution.




Figure 6.2: Policy blocks and average user steps. Latency is treated as raw wall-clock time because interactive confirmation runs include human delay.

6.4 Memory and Persistence

The E4 task isolated memory persistence. In the base, the malicious web page led the agent to store a memory entry summing the legitimate fact, "Project Cedar deadline is Monday" with an instruction to forward private validation values. In the Labeling-Validation profile, the final answer looked benign, but the trace still reports an attack success since the malicious memory content was written and then read out. This can be an important failure mode: the answer can look safe even while durable agent state has been poisoned.

This matches the larger memory-poisoning pattern Unit 42 is documenting where the attacker targets the summarization or memory-writing step rather than the immediate answer, so the first session looks clean while the future session is eating the malicious instruction [24].

The memory-enabled profile solved that violation of security. The `memory_gate` quarantined the suspected memory write on step 2. The remaining problem was utility: Since confirmation was in auto-deny the later attempt to write the safe memory fact was denied over and over again till the run was stepped out. This indicates that it is necessary to have two different policies when considering memory controls: one must filter possible-suspicious long-term instructions, and the other must admit task-relevant safe facts without letting the attacker automatically create an infinite denial loop.

6.5 Limitations

There are limitations to this evaluation:

While mock APIs and secrets ensure that the work can be reproduced, it is impossible to model the behavior of every real enterprise system.

The results could be different depending on the specific LLM used and the time of evaluation since models evolve, and the capabilities for prompt-injection detection are constantly advancing.

Our attack suite accounts for representative classes of prompt-injection attacks, but it does not ensure that all presented prompt-injection variations are covered. Attackers can always attempt to bypass defenses.

Despite the heightened security measures in strongly-layered defense strategies, it is difficult to formally prove that prompt injection is prevented in all possible cases.

Chapter 7

Conclusion

This thesis frames prompt injection in high-permission LLM agents as an authority-management problem. It implements the `agent-bench` prototype for evaluating that problem using the ReAct-style agent, sandboxed files, mock APIs, controlled web, PDF, and tool-output fixtures, memory, configurable defense profiles, and full JSONL trace logging. An attack suite provides web exfiltration, tool-output action hijacking, PDF exfiltration, and memory poisoning.

Pilot results outlined in this document offer evidence supporting the main design claim. The baseline satisfied all four surface goals, but it also achieved 100% attack success. Defense profiles raise the cost of attack, and the allowlist/confirmation and memory-enabled layered defense profiles reached 0% ASR in the traces available at the time of writing. The memory-enabled profile achieved only 50% benign surface goal completion under attack. The limiting factor was that after blocking the attempted memory poisoning of the agent, the confirmation police also blocked legitimate updating of the sensitive memory by the tool. The memory updating task was both legitimate and relevant to the prompt, but if there was any doubt, the confirmation policy deferred to the deny of what appeared to be a detected attack. A safe control cannot block valid task-relevant operations. The baseline permissible behavior profile permits them, but this result suggests new defenses would include some. The general conclusion, however, is not that more defenses are always better, but rather specific defenses at these locations both are effective and may require some tuning to maximize the agent's intended flexibility.

Key Message#4: The thesis claim is not that one defense eliminates prompt injection. The claim is that agent high-permission power must be scoped, mediated, logged, and reviewed because the model can still be vulnerable

Contemporary frontier models and agent systems are increasingly protected against prompt injection via instruction-hierarchy training, red team evaluation, monitoring, sandboxing, and safety reward mechanisms for real safety incidents[5, 16, 6]. This makes the kind of simple prompt-injection demonstration we gave in our paper less indicative of likely impact than vulnerabilities in prior systems. However, it does not prevent the need for prompt containment in extreme-risk settings. New benchmarks should test realistic attacks that manifest as web content, tool output, imported documents, MCP descriptors, or memory updates, as illustrated in Figures 3.2–3.7.

References

- [1] OWASP Foundation. *OWASP Top 10 for Large Language Model Applications* (v2025). PDF release, Nov. 18, 2024. <https://owasp.org/www-project-top-10-for-large-language-model-applications/assets/PDF/OWASP-Top-10-for-LLMs-v2025.pdf>
- [2] OWASP Cheat Sheet Series. *LLM Prompt Injection Prevention Cheat Sheet*. https://cheatsheetseries.owasp.org/cheatsheets/LLM_Prompt_Injection_Prevention_Cheat_Sheet.html
- [3] UK National Cyber Security Centre. *Prompt injection is not SQL injection (it may be worse)*. Dec. 8, 2025. <https://www.ncsc.gov.uk/blog-post/prompt-injection-is-not-sql-injection>
- [4] OpenAI. *Continuously hardening ChatGPT Atlas against prompt injection attacks*. Dec. 22, 2025. <https://openai.com/index/hardening-atlas-against-prompt-injection/>
- [5] OpenAI. *Understanding prompt injections*. OpenAI Safety. <https://openai.com/safety/prompt-injections/>
- [6] OpenAI. *Introducing the OpenAI Safety Bug Bounty program*. 2026. <https://openai.com/index/safety-bug-bounty/>
- [7] OpenAI. *Agent bio bug bounty*. 2025. <https://openai.com/bio-bug-bounty/>
- [8] OpenAI. *OpenAI Model Spec*. Dec. 18, 2025. <https://model-spec.openai.com/2025-12-18.html>
- [9] Reuters. *China warns of security risks linked to OpenClaw open-source AI agent*. Feb. 5, 2026. <https://www.reuters.com/world/china/china-warns-security-risks-linked-openclaw-open-source-ai-agent-2026-02-05/>
- [10] Canadian Centre for Cyber Security. *AL26-001: Vulnerabilities affecting n8n (CVE-2026-21858, CVE-2026-21877 and CVE-2025-68613)*. Jan. 12, 2026. <https://www.cyber.gc.ca/en/alerts-advisories/al26-001-vulnerabilities-affecting-n8n-cve-2026-21858-cve-2026-21877-cve-2025-68613>
- [11] K. Greshake, S. Abdelnabi, S. Mishra, C. Endres, T. Holz, and M. Fritz. *Not What You've Signed Up For: Compromising Real-World LLM-Integrated Applications with Indirect Prompt Injection*. arXiv:2302.12173, 2023. <https://arxiv.org/abs/2302.12173>
- [12] A. Wei, N. Haghtalab, and J. Steinhardt. *Jailbroken: How Does LLM Safety Training Fail?* arXiv:2307.02483, 2023. <https://arxiv.org/abs/2307.02483>

- [13] Y. Liu et al. *Prompt Injection attack against LLM-integrated Applications*. arXiv:2306.05499, 2023. <https://arxiv.org/abs/2306.05499>
- [14] S. Yao et al. *ReAct: Synergizing Reasoning and Acting in Language Models*. ICLR 2023. <https://arxiv.org/abs/2210.03629>
- [15] E. Wallace, K. Xiao, R. Leike, L. Weng, J. Heidecke, and A. Beutel. *The Instruction Hierarchy: Training LLMs to Prioritize Privileged Instructions*. arXiv:2404.13208, 2024. <https://arxiv.org/abs/2404.13208>
- [16] OpenAI. *Improving instruction hierarchy in frontier LLMs*. 2026. <https://openai.com/index/instruction-hierarchy-challenge/>
- [17] S. Johnson et al. *Manipulating LLM Web Agents with Indirect Prompt Injection Attack via HTML Accessibility Tree*. arXiv:2507.14799, 2025. <https://arxiv.org/abs/2507.14799>
- [18] K. Gao, Y. Li, C. Du, X. Wang, X. Ma, S.-T. Xia, and T. Pang. *Imperceptible Jailbreaking against Large Language Models*. arXiv:2510.05025, 2025. <https://arxiv.org/abs/2510.05025>
- [19] M. P. V. S. Gopinadh and S. M. Hussain. *Emoji-Based Jailbreaking of Large Language Models*. arXiv:2601.00936, 2026. <https://arxiv.org/abs/2601.00936>
- [20] I. Evtimov et al. *WASP: Benchmarking Web Agent Security Against Prompt Injection Attacks*. arXiv:2504.18575, 2025. <https://arxiv.org/abs/2504.18575>
- [21] E. Debenedetti, J. Zhang, M. Balunovic, L. Beurer-Kellner, M. Fischer, and F. Tramèr. *AgentDojo: A Dynamic Environment to Evaluate Prompt Injection Attacks and Defenses for LLM Agents*. arXiv:2406.13352, 2024. <https://arxiv.org/abs/2406.13352>
- [22] X. Suo. *Signed-Prompt: A New Approach to Prevent Prompt Injection Attacks Against LLM-Integrated Applications*. arXiv:2401.07612, 2024. <https://arxiv.org/abs/2401.07612>
- [23] OpenAI. *Addendum to o3 and o4-mini system card: Codex*. 2025. https://cdn.openai.com/pdf/8df7697b-c1b2-4222-be00-1fd3298f351d/codex_system_card.pdf
- [24] Palo Alto Networks Unit 42. *When AI Remembers Too Much: Persistent Behaviors in Agents' Memory*. 2025. <https://unit42.paloaltonetworks.com/indirect-prompt-injection-poisons-ai-longterm-memory/>
- [25] Model Context Protocol. *Security Best Practices*. https://modelcontextprotocol.io/docs/tutorials/security/security_best_practices
- [26] I. Shust. *agent-bench: Agent Security Research Testbed*. GitHub repository, 2026. <https://github.com/awerks/agent-bench>
- [27] *Inspiration source (YouTube)*. <https://youtu.be/Plzp5z5RsJw>