Multiple Choice Quiz

⏳ an hour   ✅ Completed

Score

You have submitted your quiz.
You got 17 questions correct, and 0 question(s) still being graded.
Your score so far is 100 out of 100.

Retake Quiz

Multiple Choice Quiz

1.

What are the two "chainable" methods on a Promise that allow you to use it?

☐ `try`

☑ `then`

☐ `when`

☑ `catch`

2.

Which of the following is a syntactically correct request-line for an HTTP request, that is, the first line of an HTTP request?

◯ `READ / HTTP/1.1`

◯ `GET {} HTTP/4.0`

◯ `HTTP/1.1 READ`

🔘 `GET / HTTP/1.1`

3.

Given the above image as reference, identify the steps of the TDD workflow *in order*:

- ◉ Red, Green, Refactor
- ○ Green, Red, Rework
- ○ Red, Refactor, Green
- ○ Red, Green, Rework

4.

What is the meaning of the HTTP status code 404

- ○ MOVED TO ANOTHER SERVER
- ○ CREATED
- ○ GOOD REQUEST
- ◉ NOT FOUND

5.

What are the three states that a Promise can be in?

- ☑ Pending
- ☑ Rejected
- ☑ Fulfilled
- ☐ Inconsistent

6.

What does the range of HTTP status codes from 500 - 599 indicate?

- ○ Redirection
- ◉ Server error
- ○ Informational
- ○ Client error

7.

What does the "Content-Type" header in HTTP requests and responses indicate?

- ○ The type of content found in the headers of the HTTP message
- ○ Type type of content that the server must have in its database
- ◉ The type of content found in the body of the HTTP message
- ○ The type of content that the browser will accept for the HTTP request

```
function logLater(message, delay) {
```

```
  return new Promise((resolve, reject) => {
    setTimeout(() => {
      console.log(message);
      resolve();
    }, delay);
  });
}

logLater('Hello', 1000)
  .then(() => logLater('Good bye', 5000));
```

8.

Given the above code, what will you see when you run it?

◯ The message "Hello", the message "Good bye", and a six second delay.

◯ The message "Hello", a six second delay, the message "Good bye"

◉ A one second delay, the message "Hello", a five second delay, the message "Good bye".

◯ The message "Hello", a one second delay, the message "Good bye", a five second delay

9.

Which of the following HTTP request types will never have a body?

◯ PUT

◯ PATCH

◉ GET

◯ POST

10.

Which of the following does HTTP stand for?

◉ HyperText Transfer Protocol

◯ HyperText Textual Protocol

◯ Hyperlink Tracking Testing Protocol

◯ Hypercard Throughput Turnover Protocol

11.

Which of the following are valid HTTP "verbs" (or "methods")?

☐ PITCH

☐ TAKE

☑ POST

☑ PUT

12.

In an HTTP request, what is the "Host" header used to specify?

○ The name of the company that hosts the Web page

○ The name of the person that created the Web page

○ The name of the programming language that hosts the code

◉ The name of the server to which we're making the request, usually the "domain" name

13.

What does a Promise represent?

○ That you will not get a `null` back

○ That you will immediately get an object

○ A guarantee that your program will never have any errors

◉ That you may get a value or error at some point in the future

14.

Identify which function is invoked before every test within the same `describe` block?

◉ `beforeEach`

○ `before`

○ `afterEach`

○ `after`

15.

Which of the following descriptions would throw a JavaScript `SyntaxError` ?

☐ The code references a non-existent variable

☐ Trying to invoke a variable that hasn't been assigned a value

☑ A function is declared using `funcion`

☑ The code has an extra bracket `{`

☐ The code returns a variable but misspells the variable name

16.

What is the meaning of HTTP status code 200?

○ MOVED TEMPORARILY

◉ OK

○ ACKNOWLEDGED

○ BAD REQUEST

17.

An HTTP request can have up to three parts. Choose those three parts from the following options.

☑ A request line

☑ Headers

☐ A response code

☑ Body

Retake Quiz **Continue To Next Page →**

Click **Retake Quiz** to attempt the quiz again!

○ BAD REQUEST