# P-My Account

Project: github.com/awika-varathon/automationpractice/

awika varathon

1. ORDER HISTORY AND DETAILS: Order History Table

ORDER HISTORY: All Order History-TABLE(tbody)

Name	Detail	Type	HTML

ORDER HISTORY Table	Order history detail	• **Type:** table
		• **ID&Class:** table[id="order-list"]
			`<div class="block-center" id="block-history">`
			
			`<table id="order-list" class="table table-bordered footab footable-loaded footable tablet breakpoint">`
			
			`<thead>`
			
			`<tr>`
			
			`<th class="first_item footable-first-column" data-sort-ignore="true">Order reference</th>`
			
			`<th class="item footable-sortable">Date<span class="footable-sort-indicator"></span></th>`
			
			`<th data-hide="phone" class="item footable-sortable">Total price<span class="footable-sort-indicator"></span></th>`
			
			`<th data-sort-ignore="true" data-hide="phone,tablet" class="item" style="display: none;">Payment</th>`
			
			`<th class="item footable-sortable footable-last-column">Status<span class="footable-sort-indicator"></span></th>`
			
			`<th data-sort-ignore="true" data-hide="phone,tablet" class="item" style="display: none;">Invoice</th>`
			
			`<th data-sort-ignore="true" data-hide="phone,tablet" class="last_item" style="display: none;"> </th>`
			
			`</tr>`
			
			`</thead>`
			
			`<tbody>`
			
			`<tr class="first_item ">`

```
                              ...
                          </tr>
                        <tr class="item alternate_item">
                              ...
                          </tr>
                        <tr class="item ">
                              ...
                          </tr>
                        <tr class="last_item ">
                              ...
                          </tr>
                      </tbody>
                  </table>
                  <div id="block-order-detail" class="unvisible"> </div>
              </div>
```

Order reference	This order reference number	• **Type:** td • **ID&Class:** **id**="history_link " > a	`<td class="history_link bold footable-first-column">` `<span class="footable-toggle"></span><a class="color-myaccount" href="javascript:showOrder(1, 466806, 'http://automationpractice.com/index.php?controller=order-detail');">QVDNYVYCF</a>` `</td>`
Order date	This order date	• **Type:** td • **ID&Class:** **id**="history_date "	`<td data-value="20220825111326" class="history_date bold">08/25/2022</td>`
Order price	This order price	• **Type:** td • **ID&Class:** **id**="history_price" > class="price"	`<td class="history_price" data-value="47.49"><span class="price">$47.49</span></td>`
Order payment method	This order payment method	• **Type:** td • **ID&Class:** **id**="history_method"	`<td class="history_method" style="display: none;">Payment by check</td>`
Order status	This order status	• **Type:** td • **ID&Class:** **id**="history_state" > span	`<td data-value="9" class="history_state footable-last-column">` `<span class="label dark" style="background-color:#FF69B4; border-color:#FF69B4;">On backorder</span></td>`
Order invoice	Click to donwload this order invoice in pdf format	• **Type:** td • **ID&Class:** **id**="history_invoice" > a	`<td class="history_invoice" style="display: none;">` `<a class="link-button" href="http://automationpractice.com/index.php?controller=pdf-invoice&id_order=466806" title="Invoice" target="_blank"> <i class="icon-file-text large"></i>PDF </a>` `</td>`
Order detail	Click to view this order detail	• **Type:** td • **ID&Class:** **id**="history_detail" > a class="button"	`<td class="history_detail" style="display: none;">` `<a class="btn btn-default button button-small" href="javascript:showOrder(1, 466806, 'http://automationpractice.com/index.php?controller=order-detail');"><span>Details<i class="icon-chevron-right right"></i></span></a>`

| Reorder | Click to reorder this order | • **Type:** td
• **ID&Class:**
id="history_detail" > a
class="link-button" | <td class="history_detail" style="display: none;">

....

<i class="icon-refresh"></i>Reorder

</td> |

ORDER HISTORY: This order detail element (Show after click 'Detail Button')

Name	Detail	Type	HTML
This order detail element	This order history detail	• **Type:** table • **ID&Class:** **id**="block-order-detail"	<div id="block-order-detail" class="unvisible" style="display: block;"> <div class="box box-small clearfix"> ... </div> <div class="info-order box">

```
<div class="info-order box">

    ...

</div>

<h1 class="page-heading">Follow your order's status
step-by-step</h1>

<div class="table_block">

    ...

</div>

<div class="adresses_bloc">

    ...

</div>

<form action="http://automationpractice.com/index.php?
controller=order-follow" method="post">

    ...

</form>

<table class="table table-bordered footab footable-
loaded footable tablet">

    ...

</table>

<form action="http://automationpractice.com/index.php?
controller=order-detail" method="post" class="std"
id="sendOrderMessage">

    ...

</form>
</div>
```

| Submit reorder | Click to submit reorder this order

e.g. Order Reference QVDNYVYCF -- placed on 08/25/2022 | • **Type:** table
• **ID&Class:** id=”block-order-detail” > class=”box” > form[id="submitReorder"] > p | ```<div class="box box-small clearfix">\n\n   <form id="submitReorder"\naction="http://automationpractice.com/index.php?\ncontroller=order" method="post" class="submit">\n\n   <input type="hidden" value="466806"\nname="id_order">\n\n   <input type="hidden" value=""\nname="submitReorder">\n\n   Reorder<i class="icon-chevron-right\nright"></i>\n\n   <p class="dark">Order Reference\nQVDNYVYCF -- placed on 08/25/2022 </p>\n\n   </form>\n\n</div>``` |
| **Payment Method & Invoice download** | Payment Method & Invoice download

e.g. Payment by check | • **Type:** table
• **ID&Class:** id=”block-order-detail” > class=”info-order” > span[class=”color-myaccount”] | ```<div class="info-order box">\n\n   <p><strong class="dark">Carrier My\ncarrier</p>\n\n   <p><strong class="dark">Payment method\nPayment by check\n</p>\n\n   <p><i class="icon-file-text"></i><a target="_blank"``` |

href="http://automationpractice.com/index.php?controller=pdf-invoice?id_order=466806">Download your invoice as a PDF file.</p>

        </div>

Follow your order's status step-by-step	Follow your order's status step-by-step detail
	
	e.g. **Awaiting cheque payment** or **Awaiting bank wire payment**
		• **Type:** table
		• **ID&Class:** **id**="block-order-detail" >
		class="table_block" >
		table[class="detail_step_by_step"]
			`<h1 class="page-heading">Follow your order's status step-by-step</h1>`
			
			`<div class="table_block">`
			
			`<table class="detail_step_by_step table table-bordered">`
			
			`<thead>`
			
			`<tr>`
			
			`<th class="first_item">Date</th>`
			
			`<th class="last_item">Status</th>`
			
			`</tr>`
			
			`</thead>`
			
			`<tbody>`
			
			`<tr class="first_item item">`
			
			`<td class="step-by-step-date">08/25/2022</td>`
			
			`<td><span style="background-color:#FF69B4; border-color:#FF69B4;" class="label dark">On backorder</span></td>`
			
			`</tr>`
			
			`<tr class="last_item alternate_item">`
			
			`<td class="step-by-step-date">08/25/2022</td>`
			
			`<td><span style="background-color:#4169E1; border-color:#4169E1;" class="label">Awaiting cheque payment</span></td>`
			
			`</tr>`
			
			`</tbody>`
			
			`</table>`
			
			`</div>`

Delivery address & Invoice address	Delivery address & invoice address	• **Type:** table
		• **ID&Class:** **id**="block-order-detail" >
		class="adresses_bloc" >
		ul[class="address"]
			`<div class="adresses_bloc">`
			
			`<div class="row">`
			
			`<div class="col-xs-12 col-sm-6">`
			
			`<ul class="address alternate_item box">`
			
			`<li><h3 class="page-subheading">Delivery address (My address)</h3></li>`
			
			`<li><span class="address_firstname">Automated</span><span class="address_lastname">Test</span></li>`
			
			`<li class="address_company"></li>`
			
			`<li><span class="address_address1">000, A Building B Street</span><span class="address_address2"></span></li>`
			
			`<li><span class="address_city">New York,`
			`</span> <span class="address_State:name"> New`

New York10001

                United States

        <li class="address_phone_mobile">00000000000

    </div>

    <div class="col-xs-12 col-sm-6">

      <ul class="address item box">

        <h3 class="page-subheading">Invoice address (My address)</h3>

        AutomatedTest

        <li class="address_company">

        000, A Building B Street

        New York, New York10001

        United States

        <li class="address_phone_mobile">00000000000

    </div>

  </div>

  </div>

| Order detail content | Order detail content | • **Type:** table
• **ID&Class:** **id**="block-order-detail" > form > id="order-detail-content" > table

Tbody
td:eq(0): Reference [demo_5]
td:eq(1): Product [Printed Summer Dress - Color : Yellow, Size : S]
td:eq(2) Quantity[1]
td:eq(3) Unit price [$28.98] | `<form` action="http://automationpractice.com/index.php?controller=order-follow" method="post"`>`

  `<div` id="order-detail-content" class="table_block table-responsive"`>`

    `<table` class="table table-bordered"`>`

      `<thead>`

        `<tr>`

          `<th` class="first_item"`>`Reference`</th>`

          `<th` class="item"`>`Product`</th>`

          `<th` class="item"`>`Quantity`</th>`

          `<th` class="item"`>`Unit price`</th>`

          `<th` class="last_item"`>`Total price`</th>`

        `</tr>`

      `</thead>` |

td:eq(4): Total price [$28.98]

Tfoot

tr:eq(0): Items (tax excl.) [$45.49]

tr:eq(1): Items (tax incl.) [$45.49]

tr:eq(2) Shipping and handling (tax incl.) [$2.00]

tr:eq(3) Total [$47.49]

```html
                <tfoot>
                    <tr class="item">
                        <td colspan="1"><strong>Items (tax excl.)
</strong></td>
                        <td colspan="4"><span
class="price">$45.49</span></td>
                    </tr>
                    <tr class="item">
                        <td colspan="1"><strong>Items (tax incl.)
</strong></td>
                        <td colspan="4"><span
class="price">$45.49</span></td>
                    </tr>
                    <tr class="item">
                        <td colspan="1"><strong>Shipping and
handling (tax incl.) </strong></td>
                        <td colspan="4"><span class="price-
shipping">$2.00</span></td>
                    </tr>
                    <tr class="totalprice item">
                        <td colspan="1"><strong>Total</strong>
</td>
                        <td colspan="4"><span
class="price">$47.49</span></td>
                    </tr>
                </tfoot>
                <tbody>
                    <!-- Customized products -->
                    <!-- Classic products -->
                    <tr class="item">
                        <td><label for="cb_556444">demo_5</label>
</td>
                        <td class="bold"><label
for="cb_556444">Printed Summer Dress - Color : Yellow,
Size : S</label></td>
                        <td class="return_quantity"><input
class="order_qte_input form-control grey"
name="order_qte_input[556444]" type="text" size="2"
value="1"><div class="clearfix return_quantity_buttons"><a
href="#" class="return_quantity_down btn btn-default
button-minus"><span><i class="icon-minus"></i></span>
</a><a href="#" class="return_quantity_up btn btn-default
button-plus"><span><i class="icon-plus"></i></span></a>
</div><label for="cb_556444"><span
class="order_qte_span editable">1</span></label></td>
                        <td class="price"><label
for="cb_556444">$28.98</label></td>
                        <td class="price"><label
for="cb_556444">$28.98</label></td>
                    </tr>
```

```
<!-- Customized products -->

<!-- Classic products -->

<tr class="item">

        <td><label for="cb_556445">demo_1</label>
</td>

              <td class="bold"><label
for="cb_556445">Faded Short Sleeve T-shirts - Color : Blue,
Size : L</label></td>

              <td class="return_quantity"><input
class="order_qte_input form-control grey"
name="order_qte_input[556445]" type="text" size="2"
value="1"><div class="clearfix return_quantity_buttons"><a
href="#" class="return_quantity_down btn btn-default
button-minus"><span><i class="icon-minus"></i></span>
</a><a href="#" class="return_quantity_up btn btn-default
button-plus"><span><i class="icon-plus"></i></span></a>
</div><label for="cb_556445"><span
class="order_qte_span editable">1</span></label></td>

              <td class="price"><label
for="cb_556445">$16.51</label></td>

              <td class="price"><label
for="cb_556445">$16.51</label></td>

        </tr>

      </tbody>

    </table>

  </div>

</form>
```

Footable loaded	Footable loaded	• **Type:** table
		• **ID&Class:**
		  id="block-order-detail" >
		  table[class="foo table-loaded"]
			```<table class="table table-bordered footab footable-loaded footable tablet">```

```
<table class="table table-bordered footab footable-loaded
footable tablet">

  <thead>

    <tr>

      <th class="first_item footable-sortable footable-
first-column">Date<span class="footable-sort-indicator">
</span></th>

          <th class="item" data-sort-
ignore="true">Carrier</th>

          <th data-hide="phone" class="item footable-
sortable">Weight<span class="footable-sort-indicator">
</span>

          </th>

          <th data-hide="phone" class="item footable-
sortable">Shipping cost<span class="footable-sort-
indicator"></span></th>

          <th data-hide="phone" class="last_item footable-
last-column" data-sort-ignore="true">Tracking number

          </th>

      </tr>

  </thead>

  <tbody>
```

```html
        <tr class="item">
            <td data-value="20220825111326"
class="footable-first-column"><span class="footable-
toggle"></span>08/25/2022</td>
            <td>My carrier</td>
            <td data-value="0">-</td>
            <td data-value="2.000000">$2.00</td>
            <td class="footable-last-column"><span
id="shipping_number_show">-</span></td>
        </tr>
    </tbody>
</table>
```

| Send order message | Send order message | • **Type:** table<br>• **ID&Class:**<br>**id**="block-order-detail" ><br>form[id="sendOrderMessage"] | ```html
<form action="http://automationpractice.com/index.php?
controller=order-detail" method="post" class="std"
id="sendOrderMessage">
    <h3 class="page-heading bottom-indent">Add a
message</h3>
    <p>If you would like to add a comment about your
order, please write it in the field below.</p>
    <p class="form-group">
        <label for="id_product">Product</label>
        <select name="id_product" class="form-control">
            <option value="0">-- Choose --</option>
            <option value="5">Printed Summer Dress - Color :
Yellow, Size : S</option>
            <option value="1">Faded Short Sleeve T-shirts -
Color : Blue, Size : L</option>
        </select>
    </p>
    <p class="form-group">
        <textarea class="form-control" cols="67" rows="3"
name="msgText"></textarea>
    </p>
    <div class="submit">
        <input type="hidden" name="id_order"
value="466806">
        <input type="submit" class="unvisible"
name="submitMessage" value="Send">
        <button type="submit" name="submitMessage"
class="button btn btn-default button-medium">
<span>Send<i class="icon-chevron-right right"></i>
</span></button>
    </div>
</form>
``` |