Oracle Database Audit Evidence Pack Script

Reusable Script

Prepared as a reusable audit evidence automated collection for Oracle Database 12c environments

Purpose: Read-only SQL Plus-based evidence pack intended to support audit testing of Oracle 12c user access, role memberships, object privileges, authentication posture, logging, configuration, and row-level security support.
Execution Context: Designed for controlled evidence collection and portfolio demonstration. Adapt schema lists, account naming patterns, and scope-specific queries before any production or regulated use.

Disclaimer: This artifact is provided for educational, portfolio, and template use only. It is not warranted for production deployment. The author assumes no responsibility or liability for misuse, production outages, failed controls, data exposure, service interruption, loss of assets, corruption, or any direct or indirect damage arising from execution, modification, or reliance on this script. Independent review, testing, change approval, and environment-specific validation are required before any operational use.

Script Listing

The following pages contain the complete Oracle Database audit evidence pack script with syntax styling for presentation readability. The raw script can be downloaded here.

oracle_db_audit_evidence_pack.sql

```sql
-- ==================================================================
-- FILE: oracle_db_audit_evidence_pack.sql
-- PURPOSE:
--   Production-grade Oracle database audit evidence pack
--   Outputs one structured .txt report with audit sections
--
-- EXECUTION EXAMPLE:
--   sqlplus username/password@service @oracle_db_audit_evidence_pack.sql
--   or
--   sqlplus / as sysdba @oracle_db_audit_evidence_pack.sql
--
-- NOTES:
--   1) Read-only script
--   2) Requires access to DBA_* and V$ views used below
--   3) Some sections may return no rows depending on Oracle version/features
--   4) Some views may not exist or may require extra privileges
-- ==================================================================

SET ECHO OFF
SET FEEDBACK ON
SET HEADING ON
SET VERIFY OFF
SET TERMOUT ON
SET TAB OFF
SET TRIMSPOOL ON
SET SERVEROUTPUT ON SIZE UNLIMITED
SET SQLBLANKLINES ON
SET PAGESIZE 50000
SET LINESIZE 260
SET LONG 1000000
SET LONGCHUNKSIZE 1000000
SET TRIMOUT ON

WHENEVER OSERROR EXIT FAILURE
WHENEVER SQLERROR CONTINUE

COLUMN c_report_ts     NEW_VALUE REPORT_TS     NOPRINT
COLUMN c_db_name       NEW_VALUE DB_NAME       NOPRINT
COLUMN c_instance_name NEW_VALUE INSTANCE_NAME NOPRINT
COLUMN c_host_name     NEW_VALUE HOST_NAME     NOPRINT

SELECT TO_CHAR(SYSDATE, 'YYYYMMDD_HH24MISS') c_report_ts FROM dual;
SELECT name c_db_name FROM v$database;
SELECT instance_name c_instance_name, host_name c_host_name FROM v$instance;

SPOOL oracle_db_audit_report_&&DB_NAME._&&INSTANCE_NAME._&&REPORT_TS..txt

PROMPT ====================================================================
PROMPT ORACLE DATABASE AUDIT EVIDENCE REPORT
PROMPT ====================================================================
PROMPT Report Timestamp : &&REPORT_TS
PROMPT Database         : &&DB_NAME
PROMPT Instance         : &&INSTANCE_NAME
PROMPT Host             : &&HOST_NAME
PROMPT ====================================================================
PROMPT

-- ==================================================================
-- SECTION 0 - ENVIRONMENT SUMMARY
-- ==================================================================
PROMPT ====================================================================
PROMPT 0 - ENVIRONMENT SUMMARY
PROMPT database, instance, host, and version context
PROMPT ====================================================================

COLUMN host_name      FORMAT A45
COLUMN instance_name  FORMAT A20
COLUMN db_name        FORMAT A20
COLUMN status         FORMAT A12
COLUMN version        FORMAT A20
COLUMN startup_time   FORMAT A20
```

```
SELECT i.host_name,
       i.instance_name,
       d.name AS db_name,
       i.status,
       i.version,
       TO_CHAR(i.startup_time, 'YYYY-MM-DD HH24:MI:SS') AS startup_time
FROM   v$instance i
CROSS JOIN v$database d;

PROMPT
PROMPT Oracle version banners
PROMPT ----------------------------------------------------------------
SELECT banner FROM v$version;

PROMPT
PROMPT Current user/session context
PROMPT ----------------------------------------------------------------
COLUMN session_user FORMAT A30
COLUMN current_schema FORMAT A30

SELECT USER AS session_user,
       SYS_CONTEXT('USERENV','CURRENT_SCHEMA') AS current_schema,
       SYS_CONTEXT('USERENV','SESSION_USER') AS session_userenv,
       SYS_CONTEXT('USERENV','DB_NAME') AS db_name
FROM dual;

PROMPT


-- ================================================================
-- SECTION 1 - USER ACCOUNT MANAGEMENT
-- ================================================================
PROMPT ================================================================
PROMPT 1 - USER ACCOUNT MANAGEMENT
PROMPT who has database accounts
PROMPT ================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 1 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN username            FORMAT A35
COLUMN account_status      FORMAT A28
COLUMN lock_date           FORMAT A19
COLUMN expiry_date         FORMAT A19
COLUMN profile             FORMAT A25
COLUMN authentication_type FORMAT A20
COLUMN oracle_maintained   FORMAT A5
COLUMN common              FORMAT A6
COLUMN created             FORMAT A19

PROMPT
PROMPT All database accounts
PROMPT ----------------------------------------------------------------
SELECT username,
       account_status,
       TO_CHAR(created, 'YYYY-MM-DD HH24:MI:SS') AS created,
       TO_CHAR(lock_date, 'YYYY-MM-DD HH24:MI:SS') AS lock_date,
       TO_CHAR(expiry_date, 'YYYY-MM-DD HH24:MI:SS') AS expiry_date,
       profile,
       authentication_type,
       oracle_maintained,
       common
FROM   dba_users
ORDER BY username;

PROMPT
PROMPT Open accounts
PROMPT ----------------------------------------------------------------
SELECT username,
       account_status,
       profile,
```

```
       authentication_type
FROM   dba_users
WHERE  account_status LIKE 'OPEN%'
ORDER BY username;

PROMPT
PROMPT Locked or expired accounts
PROMPT ----------------------------------------------------------------
SELECT username,
       account_status,
       profile
FROM   dba_users
WHERE  account_status NOT LIKE 'OPEN%'
ORDER BY username;

PROMPT
PROMPT Oracle-maintained accounts
PROMPT ----------------------------------------------------------------
SELECT username,
       account_status,
       profile
FROM   dba_users
WHERE  oracle_maintained = 'Y'
ORDER BY username;

PROMPT
PROMPT Non-Oracle-maintained accounts
PROMPT ----------------------------------------------------------------
SELECT username,
       account_status,
       profile,
       authentication_type
FROM   dba_users
WHERE  oracle_maintained = 'N'
ORDER BY username;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 1 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 1 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ==================================================================
-- SECTION 2 - ROLES, SYSTEM PRIVILEGES, AND OBJECT PRIVILEGES
-- ==================================================================
PROMPT ====================================================================
PROMPT 2 - ROLES, SYSTEM PRIVILEGES, AND OBJECT PRIVILEGES
PROMPT least privilege, segregation of duties, and inappropriate grants
PROMPT ====================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 2 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN grantee       FORMAT A35
COLUMN granted_role  FORMAT A35
COLUMN admin_option  FORMAT A5
COLUMN default_role  FORMAT A7
COLUMN privilege     FORMAT A35
COLUMN owner         FORMAT A30
COLUMN table_name    FORMAT A40
COLUMN grantable     FORMAT A9

PROMPT
PROMPT Role assignments
PROMPT ----------------------------------------------------------------
SELECT grantee,
       granted_role,
```

```
       admin_option,
       default_role
FROM   dba_role_privs
ORDER BY grantee, granted_role;

PROMPT
PROMPT High-risk role assignments
PROMPT ----------------------------------------------------------------
SELECT grantee,
       granted_role,
       admin_option
FROM   dba_role_privs
WHERE  granted_role IN (
       'DBA',
       'AQ_ADMINISTRATOR_ROLE',
       'EXP_FULL_DATABASE',
       'IMP_FULL_DATABASE',
       'DATAPUMP_EXP_FULL_DATABASE',
       'DATAPUMP_IMP_FULL_DATABASE',
       'SELECT_CATALOG_ROLE',
       'EXECUTE_CATALOG_ROLE'
)
ORDER BY grantee, granted_role;

PROMPT
PROMPT System privileges
PROMPT ----------------------------------------------------------------
SELECT grantee,
       privilege,
       admin_option
FROM   dba_sys_privs
ORDER BY grantee, privilege;

PROMPT
PROMPT High-risk system privileges
PROMPT ----------------------------------------------------------------
SELECT grantee,
       privilege,
       admin_option
FROM   dba_sys_privs
WHERE  privilege IN (
       'ALTER SYSTEM',
       'ALTER DATABASE',
       'CREATE USER',
       'ALTER USER',
       'DROP USER',
       'CREATE ROLE',
       'DROP ANY ROLE',
       'GRANT ANY PRIVILEGE',
       'GRANT ANY ROLE',
       'SELECT ANY TABLE',
       'INSERT ANY TABLE',
       'UPDATE ANY TABLE',
       'DELETE ANY TABLE',
       'DROP ANY TABLE',
       'EXECUTE ANY PROCEDURE',
       'CREATE ANY PROCEDURE',
       'MANAGE SCHEDULER',
       'BECOME USER'
)
ORDER BY grantee, privilege;

PROMPT
PROMPT Object privileges
PROMPT ----------------------------------------------------------------
SELECT owner,
       table_name,
       grantee,
       privilege,
       grantable
FROM   dba_tab_privs
ORDER BY owner, table_name, grantee, privilege;

PROMPT
```

```
PROMPT Grants to PUBLIC
PROMPT ----------------------------------------------------------------------
SELECT owner,
       table_name,
       privilege
FROM   dba_tab_privs
WHERE  grantee = 'PUBLIC'
ORDER BY owner, table_name, privilege;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 2 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 2 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 3 - PASSWORD AND PROFILE CONTROLS
-- ====================================================================
PROMPT ========================================================================
PROMPT 3 - PASSWORD AND PROFILE CONTROLS
PROMPT password rules, failed logins, password aging, and profile assignments
PROMPT ========================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 3 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN profile        FORMAT A25
COLUMN resource_name  FORMAT A35
COLUMN limit          FORMAT A45

PROMPT
PROMPT Profile settings
PROMPT ----------------------------------------------------------------------
SELECT profile,
       resource_name,
       limit
FROM   dba_profiles
WHERE  resource_name IN (
       'FAILED_LOGIN_ATTEMPTS',
       'PASSWORD_LIFE_TIME',
       'PASSWORD_REUSE_TIME',
       'PASSWORD_REUSE_MAX',
       'PASSWORD_LOCK_TIME',
       'PASSWORD_GRACE_TIME',
       'PASSWORD_VERIFY_FUNCTION'
)
ORDER BY profile, resource_name;

PROMPT
PROMPT User to profile mapping
PROMPT ----------------------------------------------------------------------
SELECT username,
       profile,
       account_status
FROM   dba_users
ORDER BY profile, username;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 3 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 3 logging error: ' || SQLERRM);
END;
/
PROMPT

```

```oracle_plsql
-- ====================================================================
-- SECTION 4 - AUDIT LOGGING AND MONITORING
-- ====================================================================
PROMPT ========================================================================
PROMPT 4 - AUDIT LOGGING AND MONITORING
PROMPT whether auditing is enabled and capturing relevant activity
PROMPT ========================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 4 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN event_timestamp         FORMAT A19
COLUMN dbusername              FORMAT A35
COLUMN action_name             FORMAT A30
COLUMN object_schema           FORMAT A25
COLUMN object_name             FORMAT A35
COLUMN return_code             FORMAT 999999
COLUMN unified_audit_policies  FORMAT A50
COLUMN sql_text                FORMAT A110 WORD_WRAPPED

PROMPT
PROMPT Unified audit policies enabled
PROMPT ------------------------------------------------------------------------
SELECT *
FROM   audit_unified_enabled_policies
ORDER BY policy_name, entity_name;

PROMPT
PROMPT Recent unified audit trail activity (last 30 days)
PROMPT ------------------------------------------------------------------------
SELECT TO_CHAR(event_timestamp, 'YYYY-MM-DD HH24:MI:SS') AS event_timestamp,
       dbusername,
       action_name,
       object_schema,
       object_name,
       return_code,
       unified_audit_policies
FROM   unified_audit_trail
WHERE  event_timestamp >= SYSTIMESTAMP - INTERVAL '30' DAY
ORDER BY event_timestamp DESC;

PROMPT
PROMPT Privileged and security-relevant actions
PROMPT ------------------------------------------------------------------------
SELECT TO_CHAR(event_timestamp, 'YYYY-MM-DD HH24:MI:SS') AS event_timestamp,
       dbusername,
       action_name,
       object_schema,
       object_name,
       return_code,
       sql_text
FROM   unified_audit_trail
WHERE  action_name IN (
       'CREATE USER',
       'ALTER USER',
       'DROP USER',
       'GRANT',
       'REVOKE',
       'ALTER SYSTEM',
       'CREATE ROLE',
       'DROP ROLE',
       'CREATE TABLE',
       'ALTER TABLE',
       'DROP TABLE'
)
ORDER BY event_timestamp DESC;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 4 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
```

```
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 4 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 5 - VERSION AND PATCHING
-- ====================================================================
PROMPT ========================================================================
PROMPT 5 - DATABASE VERSION AND PATCHING
PROMPT current version and SQL patch history
PROMPT ========================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 5 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN banner       FORMAT A140
COLUMN patch_id     FORMAT 9999999999
COLUMN version      FORMAT A20
COLUMN status       FORMAT A15
COLUMN action       FORMAT A12
COLUMN action_time  FORMAT A19
COLUMN description  FORMAT A100 WORD_WRAPPED

PROMPT
PROMPT Version banners
PROMPT ------------------------------------------------------------------------
SELECT banner
FROM   v$version;

PROMPT
PROMPT SQL patch history
PROMPT ------------------------------------------------------------------------
SELECT patch_id,
       version,
       status,
       action,
       TO_CHAR(action_time, 'YYYY-MM-DD HH24:MI:SS') AS action_time,
       description
FROM   dba_registry_sqlpatch
ORDER BY action_time DESC;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 5 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 5 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 6 - SECURITY-RELEVANT PARAMETERS
-- ====================================================================
PROMPT ========================================================================
PROMPT 6 - SECURITY-RELEVANT DATABASE PARAMETERS
PROMPT hardening-related settings
PROMPT ========================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 6 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN name             FORMAT A35
COLUMN value            FORMAT A100
COLUMN issys_modifiable FORMAT A18
COLUMN isdefault        FORMAT A10
```

```
PROMPT
PROMPT Selected security-relevant parameters
PROMPT ----------------------------------------------------------------
SELECT name,
       value,
       issys_modifiable,
       isdefault
FROM   v$parameter
WHERE  name IN (
       'remote_login_passwordfile',
       'os_authent_prefix',
       'sec_case_sensitive_logon',
       'audit_trail',
       'wallet_root',
       'tde_configuration',
       'tablespace_encryption'
)
ORDER BY name;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 6 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 6 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ================================================================
-- SECTION 7 - ENCRYPTION AT REST / TDE
-- ================================================================
PROMPT ====================================================================
PROMPT 7 - ENCRYPTION AT REST / TDE
PROMPT wallet status and encrypted tablespaces
PROMPT ====================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 7 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

COLUMN con_id          FORMAT 999999
COLUMN status          FORMAT A20
COLUMN wallet_type     FORMAT A20
COLUMN wrl_type        FORMAT A15
COLUMN wrl_parameter   FORMAT A100
COLUMN ts_num          FORMAT 999999
COLUMN encryptionalg   FORMAT A20
COLUMN key_version     FORMAT 999999

PROMPT
PROMPT Encryption wallet or keystore status
PROMPT ----------------------------------------------------------------
SELECT con_id,
       status,
       wallet_type,
       wrl_type,
       wrl_parameter
FROM   v$encryption_wallet;

PROMPT
PROMPT Encrypted tablespaces
PROMPT ----------------------------------------------------------------
SELECT ts# AS ts_num,
       encryptionalg,
       key_version,
       status
FROM   v$encrypted_tablespaces
ORDER BY ts#;

PROMPT
```

```
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 7 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 7 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 8 - SENSITIVE ACCESS REVIEW SUPPORT
-- ====================================================================
PROMPT ======================================================================
PROMPT 8 - SENSITIVE ACCESS REVIEW SUPPORT
PROMPT direct object grants on selected schemas
PROMPT ======================================================================
PROMPT NOTE: Replace the example schema list with your real in-scope schemas.
PROMPT

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 8 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

PROMPT
PROMPT Direct grants on example sensitive schemas
PROMPT ----------------------------------------------------------------------
SELECT owner,
       table_name,
       grantee,
       privilege,
       grantable
FROM   dba_tab_privs
WHERE  owner IN ('HR','PAYROLL','PII_SCHEMA','PHI_SCHEMA')
ORDER BY owner, table_name, grantee, privilege;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 8 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 8 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 9 - APPLICATION / SERVICE ACCOUNT REVIEW
-- ====================================================================
PROMPT ======================================================================
PROMPT 9 - APPLICATION AND SERVICE ACCOUNT REVIEW SUPPORT
PROMPT non-human or application-style accounts and related access
PROMPT ======================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 9 start: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
END;
/

PROMPT
PROMPT Candidate application/service accounts
PROMPT ----------------------------------------------------------------------
SELECT username,
       account_status,
       profile,
       authentication_type
FROM   dba_users
WHERE  username LIKE 'APP_%'
   OR  username LIKE 'SVC_%'
   OR  username LIKE 'SRV_%'
   OR  username LIKE '%BATCH%'
   OR  username LIKE '%SERVICE%'
```

```
ORDER BY username;

PROMPT
PROMPT Candidate application/service accounts with roles
PROMPT ----------------------------------------------------------------------
SELECT u.username,
       u.account_status,
       r.granted_role,
       r.admin_option,
       r.default_role
FROM   dba_users u
JOIN   dba_role_privs r
       ON u.username = r.grantee
WHERE  u.username LIKE 'APP_%'
   OR  u.username LIKE 'SVC_%'
   OR  u.username LIKE 'SRV_%'
   OR  u.username LIKE '%BATCH%'
   OR  u.username LIKE '%SERVICE%'
ORDER BY u.username, r.granted_role;

PROMPT
PROMPT Candidate application/service accounts with system privileges
PROMPT ----------------------------------------------------------------------
SELECT u.username,
       u.account_status,
       s.privilege,
       s.admin_option
FROM   dba_users u
JOIN   dba_sys_privs s
       ON u.username = s.grantee
WHERE  u.username LIKE 'APP_%'
   OR  u.username LIKE 'SVC_%'
   OR  u.username LIKE 'SRV_%'
   OR  u.username LIKE '%BATCH%'
   OR  u.username LIKE '%SERVICE%'
ORDER BY u.username, s.privilege;

PROMPT
BEGIN
  DBMS_OUTPUT.PUT_LINE('Section 9 end  : ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    DBMS_OUTPUT.PUT_LINE('Section 9 logging error: ' || SQLERRM);
END;
/
PROMPT


-- ====================================================================
-- SECTION 10 - REPORT COMPLETION
-- ====================================================================
PROMPT ======================================================================
PROMPT 10 - REPORT COMPLETION
PROMPT ======================================================================

BEGIN
  DBMS_OUTPUT.PUT_LINE('Report completed at: ' || TO_CHAR(SYSDATE,'YYYY-MM-DD HH24:MI:SS'));
EXCEPTION
  WHEN OTHERS THEN
    NULL;
END;
/

PROMPT
PROMPT ======================================================================
PROMPT END OF ORACLE DATABASE AUDIT EVIDENCE REPORT
PROMPT ======================================================================

SPOOL OFF
EXIT
```