


Name - Awneesh Kanauiya  
INTERN ID - 2067

## Kali Linux Commands


---

pwd - Print working directory



```
kali linux [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
yash@kali: /
Session Actions Edit View Help
(yash@kali)-[/]
$ pwd
/
(yash@kali)-[/]
$
```

ls - List files and directories



```
kali linux [Running] - Oracle VirtualBox
File Machine View Input Devices Help
yash@kali: /
Session Actions Edit View Help

(yash@kali)-[/]
$ pwd
/

(yash@kali)-[/]
$ ls
bin      initrd.img      lost+found  root  tmp
boot     initrd.img.old  media       run   usr
dev       lib             mnt         sbin  var
etc       lib32           opt         srv   vmlinuz
home     lib64           proc        sys   vmlinuz.old

(yash@kali)-[/]
$
```

cd – Change directory

```
kali linux [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
yash@kali: ~
Session Actions Edit View Help

(yash@kali)-[/]
$ pwd
/

(yash@kali)-[/]
$ ls
bin      initrd.img      lost+found  root      tmp
boot     initrd.img.old  media       run        usr
dev       lib             mnt         sbin       var
etc       lib32           opt         srv        vmlinuz
home     lib64           proc        sys        vmlinuz.old

(yash@kali)-[/]
$ cd

(yash@kali)-[~]
$
```

mkdir - Create a new directory

```
kali linux [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
yash@kali: ~
Session Actions Edit View Help


(yash@kali)-[~]
$ ls
Command  Documents  Music      Public      Videos
Desktop  Downloads  Pictures   Templates

(yash@kali)-[~]
$ mkdir YASH

(yash@kali)-[~]
$ ls
Command  Documents  Music      Public      Videos
Desktop  Downloads  Pictures   Templates   YASH

(yash@kali)-[~]
$
```

rmdir – Remove an empty directory



```
(yash@kali)-[~]
$ ls
Command  Documents  Music      Public     Videos
Desktop  Downloads  Pictures   Templates

(yash@kali)-[~]
$ mkdir YASH

(yash@kali)-[~]
$ ls
Command  Documents  Music      Public     Videos
Desktop  Downloads  Pictures   Templates  YASH

(yash@kali)-[~]
$ rmdir YASH

(yash@kali)-[~]
$ ls
Command  Documents  Music      Public     Videos
Desktop  Downloads  Pictures   Templates

(yash@kali)-[~]
$
```

touch – Create an empty file

```
kali linux [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
yash@kali: ~

(yash@kali)-[~]
$ ls
Command Desktop Documents Downloads Music Pictures Public Templates Videos
(yash@kali)-[~]
$ touch YASH
(yash@kali)-[~]
$ ls
Command Desktop Documents Downloads Music Pictures Public Templates Videos
YASH
(yash@kali)-[~]
$
```

cp – Copy files or directories

```
(yash@kali)-[~]
$ cp YASH Desktop
(yash@kali)-[~]
$ ls
Command Desktop Documents Downloads Music Pictures Public Templates Videos
YASH
(yash@kali)-[~]
$ cd Desktop
(yash@kali)-[~/Desktop]
$ ls
tor-browser YASH
(yash@kali)-[~/Desktop]
$
```

mv – Move or rename files

```
(yash@kali)-[~/Desktop]
$ mv YASH ~

(yash@kali)-[~/Desktop]
$ cd ~

(yash@kali)-[~]
$ ls
Command  Documents  Music      Public      Videos
Desktop  Downloads  Pictures   Templates   YASH

(yash@kali)-[~]
$
```

rm - Remove files or directories

```
(yash@kali)-[~]
$ rm YASH

(yash@kali)-[~]
$ ls
Command  Documents  Music      Public      Videos
Desktop  Downloads  Pictures   Templates

(yash@kali)-[~]
$
```

cat - View file contents



```
(yash@kali)-[~/Pictures]
$ ls
Screenshot_2025-12-10_15_11_44.png
Screenshot_2025-12-10_15_11_54.png
Screenshot_2025-12-28_16_17_25.png
Screenshot_2025-12-28_16_19_36.png
Screenshot_2025-12-28_16_19_50.png
Screenshot_2025-12-28_16_28_05.png
Screenshot_2025-12-28_16_28_18.png
Screenshot_2025-12-28_16_28_57.png
Screenshot_2025-12-28_16_29_21.png
Screenshot_2025-12-28_16_30_28.png
Screenshot_2025-12-28_16_48_39.png
yash

(yash@kali)-[~/Pictures]
$ cat yash
nlw i am yash
```

nano – Simple text editor

```
Session Actions Edit View Help
GNU nano 8.7 New Buffer

[ Welcome to nano. For basic help, type Ctrl+G. ]
^G Help      ^O Write Out  ^F Where Is   ^K Cut
^X Exit      ^R Read File  ^\ Replace    ^U Paste
```

vi / vim – Advanced text editor

```
VIM - Vi IMproved

version 9.1.1882
by Bram Moolenaar et al.
Modified by team+vim@tracker.debian.org
Vim is open source and freely distributable

Become a registered Vim user!
type  :help register<Enter>    for information

type  :q<Enter>                to exit
type  :help<Enter> or <F1>     for on-line help
type  :help version9<Enter>   for version info

0,0-1 All
```



less – View file contents page by page

[illegible]

head – Show first lines of a file

```
(yash@kali)-[~/Pictures]
$ head yash
hlw i am yash

(yash@kali)-[~/Pictures]
$
```

tail – Show last lines of a file

```
(yash@kali)-[~/Pictures]
$ tail yash
hlw i am yash

(yash@kali)-[~/Pictures]
$
```

whoami – Show current user

```
(yash@kali)-[~/Pictures]
$ whoami
yash

(yash@kali)-[~/Pictures]
$
```

id – Display user ID and groups

```
(yash@kali)-[~/Pictures]
$ id
uid=1000(yash) gid=1000(yash) groups=1000(yash),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(netdev),103(scanner),116(bluetooth),121(lpadmin),124(wireshark),132(vboxsf),133(kaboxer)

(yash@kali)-[~/Pictures]
$
```

chmod – Change file permissions

```
(yash@kali)-[~/Pictures]
$ chmod --help
Usage: chmod [OPTION] ... MODE[,MODE] ... FILE ...
       or:  chmod [OPTION] ... OCTAL-MODE FILE ...
       or:  chmod [OPTION] ... --reference=RFILE FILE ...
Change the mode of each FILE to MODE.
With --reference, change the mode of each FILE to that
of RFILE.

  -c, --changes                like verbose but report only
when a change is made
  -f, --silent, --quiet        suppress most error messages
  -v, --verbose                output a diagnostic for every
file processed
      --dereference            affect the referent of each s
ymbolic link,
                               rather than the symbolic li
nk itself
  -h, --no-dereference        affect each symbolic link, ra
ther than the referent
```

chown – Change file ownership

```
└─(yash@kali)-[~/Pictures]
```

```
$ chown --help
```

```
Usage: chown [OPTION] ... [OWNER][:[GROUP]] FILE ...
```

```
or: chown [OPTION] ... --reference=RFILE FILE ...
```

```
Change the owner and/or group of each FILE to OWNER and/or GROUP.
```

With `--reference`, change the owner and group of each FILE to those of RFILE.

```
-c, --changes      like verbose but report only
when a change is made
-f, --silent, --quiet  suppress most error messages
-v, --verbose       output a diagnostic for every
file processed
```

```
--dereference    affect the referent of each s
symbolic link (this is
                  the default), rather than the
```

```
symbolic link itself
-h, --no-dereference  affect symbolic links instead
of any referenced file
```

```

can change the      (useful only on systems that
                    ownership of a symlink)

```

```
--from=CURRENT OWNER:CURRENT GROUP
```

change the ownership of each



sudo – Run command as superuser

```
(yash@kali)-[~/Pictures]
$ sudo
sage: sudo -h | -K | -k | -V
sage: sudo -v [-ABkNnS] [-g group] [-h host] [-p prom
t] [-u user]
sage: sudo -l [-ABkNnS] [-g group] [-h host] [-p prom
t] [-U user]
          [-u user] [command [arg ...]]
sage: sudo [-ABbEHkNnPS] [-r role] [-t type] [-C num]
          [-D directory]
          [-g group] [-h host] [-p prompt] [-R direc
ory] [-T timeout]
          [-u user] [VAR=value] [-i | -s] [command [
arg ...]]
sage: sudo -e [-ABkNnS] [-r role] [-t type] [-C num]
          [-D directory]
          [-g group] [-h host] [-p prompt] [-R direc
ory] [-T timeout]
          [-u user] file ...
```

ping – Test network connectivity

```
Session Actions Edit View Help
(yash@kali)-[~]
$ ping 192.168.0.1
PING 192.168.0.1 (192.168.0.1) 56(84) bytes of data.
64 bytes from 192.168.0.1: icmp_seq=1 ttl=63 time=106
ms
64 bytes from 192.168.0.1: icmp_seq=2 ttl=63 time=8.32
ms
64 bytes from 192.168.0.1: icmp_seq=3 ttl=63 time=8.15
ms
64 bytes from 192.168.0.1: icmp_seq=4 ttl=63 time=8.39
ms
64 bytes from 192.168.0.1: icmp_seq=5 ttl=63 time=8.04
ms
64 bytes from 192.168.0.1: icmp_seq=6 ttl=63 time=9.29
ms
64 bytes from 192.168.0.1: icmp_seq=7 ttl=63 time=8.85
ms
64 bytes from 192.168.0.1: icmp_seq=8 ttl=63 time=10.2
ms
64 bytes from 192.168.0.1: icmp_seq=9 ttl=63 time=8.34
ms
64 bytes from 192.168.0.1: icmp_seq=10 ttl=63 time=11.
2 ms
64 bytes from 192.168.0.1: icmp_seq=11 ttl=63 time=21.
1 ms
64 bytes from 192.168.0.1: icmp_seq=12 ttl=63 time=20.
8 ms
^C
— 192.168.0.1 ping statistics —
```



ifconfig – Show network interfaces (deprecated)

```
(yash@kali)-[~]
$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.1.14 netmask 255.255.255.0 broadcast 192.168.1.255
    inet6 2402:3a80:cae:ccaf:5363:9ea:1a1a:2a2f prefixlen 64 scopeid 0x0<global>
    inet6 2401:4900:8814:4bde:a00:27ff:fe17:73e1 prefixlen 64 scopeid 0x0<global>
    inet6 2402:3a80:cae:ccaf:a00:27ff:fe17:73e1 prefixlen 64 scopeid 0x0<global>
    inet6 2401:4900:8814:4bde:4052:d41d:6ec6:84cb prefixlen 64 scopeid 0x0<global>
    inet6 fe80::a00:27ff:fe17:73e1 prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:17:73:e1 txqueuelen 1000 (Ethernet)
    RX packets 725 bytes 64829 (63.3 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 212 bytes 23624 (23.0 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 12 bytes 820 (820.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 12 bytes 820 (820.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

ip addr – Show IP addresses (modern)

```

(yash@kali)-[~]
$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:17:73:e1 brd ff:ff:ff:ff:ff:ff
    inet 192.168.1.14/24 brd 192.168.1.255 scope global dynamic noprefixroute eth0
        valid_lft 82190sec preferred_lft 82190sec
    inet6 2401:4900:8814:4bde:4052:d41d:6ec6:84cb/64 scope global temporary dynamic
        valid_lft 82564sec preferred_lft 82338sec
    inet6 2401:4900:8814:4bde:a00:27ff:fe17:73e1/64 scope global dynamic mngtmpaddr noprefixroute
        valid_lft 82564sec preferred_lft 82564sec
    inet6 2402:3a80:cae:ccaf:5363:9ea:1a1a:2a2f/64 scope global temporary dynamic
        valid_lft 6507sec preferred_lft 6507sec
    inet6 2402:3a80:cae:ccaf:a00:27ff:fe17:73e1/64 scope global dynamic mngtmpaddr noprefixroute
        valid_lft 6507sec preferred_lft 6507sec
    inet6 fe80::a00:27ff:fe17:73e1/64 scope link noprefixroute
        valid_lft forever preferred_lft forever

(yash@kali)-[~]
$

```

netstat - Show network connections

```
Session Actions Edit View Help
(yash@kali)-[~]
$ netstat
Active Internet connections (w/o servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
udp        0      0 192.168.1.14:bootpc    Unit:bootps            ESTABLISH
ED
Active UNIX domain sockets (w/o servers)
Proto RefCnt Flags       Type       State         I-Node  Path
unix   3      [ ]          STREAM     CONNECTED    39007
unix   3      [ ]          STREAM     CONNECTED    13119
unix   3      [ ]          STREAM     CONNECTED    16427
unix   3      [ ]          STREAM     CONNECTED    9975
unix   3      [ ]          STREAM     CONNECTED    10984
unix   3      [ ]          STREAM     CONNECTED    14537
unix   3      [ ]          STREAM     CONNECTED    8800
unix   3      [ ]          STREAM     CONNECTED    13668
unix   3      [ ]          STREAM     CONNECTED    8525
unix   3      [ ]          STREAM     CONNECTED    998      @/tmp/.X11-unix/X0
unix   3      [ ]          STREAM     CONNECTED    8720      /run/user/1000/pip
ewire-0-manager
unix   3      [ ]          STREAM     CONNECTED    17605
unix   3      [ ]          STREAM     CONNECTED    9943
unix   3      [ ]          STREAM     CONNECTED    16514
unix   3      [ ]          STREAM     CONNECTED    15475      /run/user/1000/bus
unix   3      [ ]          STREAM     CONNECTED    13015      /run/user/1000/bus
unix   3      [ ]          STREAM     CONNECTED    34008
unix   3      [ ]          STREAM     CONNECTED    11941      /run/dbus/system_b
us_socket
unix   3      [ ]          STREAM     CONNECTED    15547      /run/systemd/journ
al/stdout
unix   3      [ ]          STREAM     CONNECTED    11004      @/tmp/.X11-unix/X0
unix   3      [ ]          STREAM     CONNECTED    13090      /run/systemd/journ
al/stdout
unix   3      [ ]          STREAM     CONNECTED    27059
unix   2      [ ]          STREAM     CONNECTED    11020
```

ss – Socket statistics

```
(yash@kali)-[~]
$ ss
RTNETLINK answers: Invalid argument
Netid  State  Recv-Q  Send-Q                               Peer Address:Port      Local Address:
Port
u_str  ESTAB   0        0                               * 36316                  *
39007
u_str  ESTAB   0        0                               * 11027                  *
13119
u_str  ESTAB   0        0                               * 14457                  *
16427
u_str  ESTAB   0        0                               * 9976                   *
9975
u_str  ESTAB   0        0                               * 2845                   *
10984
u_str  ESTAB   0        0                               * 17434                  *
14537
u_str  ESTAB   0        0                               * 11838                  *
8800
u_str  ESTAB   0        0                               * 13669                  *
13668
u_str  ESTAB   0        0                               * 584                    *
8525
u_str  ESTAB   0        0                               @/tmp/.X11-unix/X0
998 * 14485
u_str  ESTAB   0        0                               /run/user/1000/pipewire-0-manager
8720 * 16403
u_str  ESTAB   0        0                               * 14661                  *
17605
u_str  ESTAB   0        0                               * 13014                  *
9943
u_str  ESTAB   0        0                               * 11945                  *
16514
u_str  ESTAB   0        0                               /run/user/1000/bus
```

curl – Transfer data from/to a server



```

(yash@kali)-[~]
$ curl https://google.com
<HTML><HEAD><meta http-equiv="content-type" content="text/html; charset=utf-8"
>
<TITLE>301 Moved</TITLE></HEAD><BODY>
<H1>301 Moved</H1>
The document has moved
<A HREF="https://www.google.com/">here</A>.
</BODY></HTML>

(yash@kali)-[~]
$

```

wget – Download files from the web

```

(yash@kali)-[~]
$ wget https://google.com
--2025-12-28 17:30:09-- https://google.com/
Resolving google.com (google.com)... 2404:6800:4009:829::200e, 142.250.207.142
Connecting to google.com (google.com)|2404:6800:4009:829::200e|:443 ... failed
: Connection timed out.
Connecting to google.com (google.com)|142.250.207.142|:443 ... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://www.google.com/ [following]
--2025-12-28 17:32:23-- https://www.google.com/
Resolving www.google.com (www.google.com)... 2404:6800:4009:829::2004, 142.251.221.228
Connecting to www.google.com (www.google.com)|2404:6800:4009:829::2004|:443..
. failed: No route to host.
Connecting to www.google.com (www.google.com)|142.251.221.228|:443... connect
ed.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html'

index.html          [ <=>          ] 19.61K  --.-KB/s    in 0.005s
2025-12-28 17:32:25 (3.72 MB/s) - 'index.html' saved [20083]

```

apt update – Update package lists



```

(yash@kali)-[~]
$ sudo apt update
[sudo] password for yash:
Get:1 http://kali.download/kali kali-rolling InRelease [34.0 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 Packages [20.9 MB]
Get:3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [52.6 MB]
61% [3 Contents-amd64 22.6 MB/52.6 MB 43%] 1,571 kB/s 20s

```

apt upgrade – Upgrade installed packages

```

(yash@kali)-[~]
$ sudo apt upgrade
The following packages were automatically installed and are no longer required:
d:
  amass-common                libsphinxbase3t64
  curlftpfs                   libsqlcipher1
  gir1.2-girepository-2.0     libswscale8
  libarmadillo14              libtheoradec1
  libavfilter10               libtheoraenc1
  libavformat61               libudfread0
  libbluray2                  libwiresnark18
  libbson-1.0-0t64            libwiretap15
  libconfig-inifiles-perl     libwsutil16
  libdisplay-info2            libx264-164
  libfuse2t64                 pocketsphinx-en-us
  libgdal37                   python3-bluepy
  libgeos3.14.0               python3-click-plugins
  libgirepository-1.0-1       python3-kismetcapturebtgeiger
  libgpgme11t64               python3-kismetcapturefreaklabszigbee
  libgpgmepp6t64              python3-kismetcapturertl433
  libinstpatch-1.0-2          python3-kismetcapturertladsb
  libjs-jquery-ui             python3-kismetcapturertlamr
  libjs-underscore            python3-multipart
  libmongoc-1.0-0t64          python3-protobuf
  libnet1                      python3-pysmi
  libobjc-14-dev              python3-xldr
  libplacebo349               python3-xlutils
  libpocketsphinx3            python3-xlwt
  libportmidi0                python3-zombie-imp
  libpostproc58               samba-ad-dc
  libradare2-5.0.0t64         samba-ad-provision
  librav1e0.7                  samba-dsdb-modules
Use 'sudo apt autoremove' to remove them.

Upgrading:

```

```
(yashkali)-[~]  
$ dpkg -l  
Desired=Unknown/Install/Remove/Purge/Hold  
Status=Not/Inst/Conf-files/Unpacked/halF-conf/Half-inst/tr>  
/ Err?=(none)/Reinst-required (Status,Err: uppercase=bad)  
|| / Name Version >  
+++-----+>  
ii 7zip 25.01+dfsg-4 >  
ii accountsservice 23.13.9-8 >  
ii acl 2.3.2-2+b1 >  
ii adduser 3.153 >  
ii adwaita-icon-theme 49.0-1 >  
ii aircrack-ng 1:1.7+git20230807 >  
ii alsa-topology-conf 1.2.5.1-3 >  
ii alsa-ucm-conf 1.2.14-1 >  
ii amass 5.0.1-0kali4 >  
ii amass-common 4.2.0-0kali1 >  
ii amd64-microcode 3.20250311.1 >  
ii apache2 2.4.65-3+b1 >  
ii apache2-bin 2.4.65-3+b1 >  
ii apache2-data 2.4.65-3 >  
ii apache2-utils 2.4.65-3+b1 >  
ii apparmor 4.1.0-1+b1 >
```

```
(yash@kali)-[~]  
$ uname -a  
Linux kali 6.17.10+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.1  
7.10-1kali1 (2025-12-08) x86_64 GNU/Linux  
  
(yash@kali)-[~]  
$
```

top – Show running processes

```

Session Actions Edit View Help
top - 17:41:56 up 1:26, 1 user, load average: 0.04, 0.12,
Tasks: 282 total, 1 running, 281 sleeping, 0 stopped, 0
%Cpu(s): 0.7 us, 0.8 sy, 0.0 ni, 97.9 id, 0.1 wa, 0.0 hi
MiB Mem : 5023.8 total, 1930.3 free, 1482.3 used, 186
MiB Swap: 3169.0 total, 3169.0 free, 0.0 used. 354

```

| PID          | USER        | PR        | NI       | VIRT         | RES         | SHR         | S        | %CPU       | %MEM       |
|--------------|-------------|-----------|----------|--------------|-------------|-------------|----------|------------|------------|
| 847          | root        | 20        | 0        | 414656       | 180368      | 82944       | S        | 6.0        | 3.5        |
| 41670        | _apt        | 20        | 0        | 23196        | 12308       | 10792       | S        | 5.0        | 0.2        |
| 13499        | yash        | 20        | 0        | 877620       | 67296       | 51488       | S        | 1.0        | 1.3        |
| 1196         | yash        | 20        | 0        | 2068584      | 136660      | 94024       | S        | 0.7        | 2.7        |
| 41687        | _apt        | 20        | 0        | 23196        | 12396       | 10880       | S        | 0.7        | 0.2        |
| <b>44704</b> | <b>yash</b> | <b>20</b> | <b>0</b> | <b>10396</b> | <b>5904</b> | <b>3756</b> | <b>R</b> | <b>0.7</b> | <b>0.1</b> |
| 1118         | yash        | 20        | 0        | 214880       | 3440        | 2992        | S        | 0.3        | 0.1        |
| 1126         | yash        | 20        | 0        | 280932       | 3304        | 2888        | S        | 0.3        | 0.1        |
| 1259         | yash        | 20        | 0        | 477884       | 67468       | 44768       | S        | 0.3        | 1.3        |
| 1274         | yash        | 20        | 0        | 286396       | 39560       | 31492       | S        | 0.3        | 0.8        |
| 1311         | root        | 20        | 0        | 318844       | 11012       | 8860        | S        | 0.3        | 0.2        |
| 43757        | yash        | 20        | 0        | 877620       | 67060       | 51376       | S        | 0.3        | 1.3        |
| 1            | root        | 20        | 0        | 24604        | 15640       | 11424       | S        | 0.0        | 0.3        |
| 2            | root        | 20        | 0        | 0            | 0           | 0           | S        | 0.0        | 0.0        |
| 3            | root        | 20        | 0        | 0            | 0           | 0           | S        | 0.0        | 0.0        |
| 4            | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 5            | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 6            | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 7            | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 8            | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 10           | root        | 0         | -20      | 0            | 0           | 0           | I        | 0.0        | 0.0        |
| 12           | root        | 20        | 0        | 0            | 0           | 0           | I        | 0.0        | 0.0        |

nmap – Network scanner

```
(yash@kali)-[~]  
$ nmap 192.168.0.1  
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-28 17:43 IST  
Nmap scan report for 192.168.0.1  
Host is up (0.0056s latency).  
Not shown: 997 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
22/tcp    closed ssh  
53/tcp    open  domain  
443/tcp   open  https  
  
Nmap done: 1 IP address (1 host up) scanned in 10.24 seconds
```

Sudo su- superuser

```
root@kali: /home/y  
Session Actions Edit View Help  
zsh: corrupt history file /home/yash/.zsh_history  
(yash@kali)-[~]  
$ sudo su  
[sudo] password for yash:  
(root@kali)-[/home/yash]  
#
```